

Index to volume 58

Author index*

- Abbas O, Salman S, Kibbi AG, Chedraoui A, Ghosn S. Localized involutinal lipatrophy with epidermal and dermal changes. 2008;58:490-3 (Case rep.)
- Abdelsayed RA (see Dudelzak et al). 2008;58:S52-3 (Case letter)
- Aboin S (see Fernández-Guarino et al). 2008;58:88-93 (Report)
- Abotteen N (see Mosleh et al). 2008;58:617-24 (Report)
- Abramovits W (see Breneman et al). 2008;58:990-9 (Report)
- Ackerman AB. Disclosure does not absolve! 2008;58:713-4 (Notes & comments)
- Ackerman AB. Fibroadenoma? 2008;58:895 (Notes & comments)
- Adamo B (see Cannavó et al). 2008;58:657-60 (Case rep.)
- Adams BB (see Fisher and Adams). 2008;58:S46-7 (Case letter)
- Adamski H (see Rémy-Leroux et al). 2008;58:217-23 (Report)
- Adebamowo CA, Spiegelman D, Berkey CS, Danby FW, Rockett HH, Colditz GA, Willett WC, Holmes MD. Milk consumption and acne in teenaged boys. 2008;58:787-93 (Report)
- Adir-Shani A (see Waisbourd-Zinman et al). 2008;58:41-8 (Report)
- Adly MA, Assaf HA, Pertile P, Hussein MR, Paus R. Expression patterns of the glial cell line-derived neurotrophic factor, neurturin, their cognate receptors, GFR α -1, GFR α -2, and a common signal transduction element c-Ret in the human skin hair follicles. 2008;58:238-50 (Dermatopathology)
- Affleck AG (see Gait et al). 2008;58:S123-4 (Case letter)
- Aftergut KS (see Wright et al). 2008;58:650-2 (Case rep.)
- Ahmed AM, Barahmani N, Duvic M. National Alopecia Registry. Familial alopecia areata and chronic thrombocytopenia. 2008;58:S75-7 (Case rep.)
- Ahmed AR (see Murrell et al). 2008;58:1043-6 (Review)
- Akins D (see Self and Akins). 2008;58:S30-1 (Case letter)
- Akiyama M (see Moriuchi et al). 2008;58:S116-8 (Case letter)
- Akiyama M (see Yanagi et al). 2008;58:653-6 (Case rep.)
- Akman A (see Karıncaoglu et al). 2008;58:579-84 (Report)
- Alam M, Barrett KC, Hodapp RM, Arndt KA. Botulinum toxin and the facial feedback hypothesis: can looking better make you feel happier? 2008;58:1061-72 (Commentary)
- Alavian CN (see Frangos et al). 2008;58:781-6 (Report)
- Alexiades-Armenakas MR, Dover JS, Arndt KA. The spectrum of laser skin resurfacing: nonablative, fractional, and ablative laser resurfacing. 2008;58:719-37 (CME article)
- Allen HB, Jones NP, Bowen SE. Lichenoid and other clinical presentations of atopic dermatitis in an inner city practice. 2008;58:503-4 (Case rep.)
- Almeida HL de Jr, Happle R, Blume-Peytavi U, Castro LAS de. Ichthyosis cribriformis: a new entity? 2008;58:505-7 (Case rep.)
- Alomar A (see Corella et al). 2008;58:685-90 (Case rep.)
- Alper Y, Sprecher E, Bergman R, Birnbaum RF. Sweet's syndrome—like neutrophilic dermatosis resulting from exposure to a radiocontrast agent. 2008;58:488-9 (Case rep.)
- Alpsoy E (see Karıncaoglu et al). 2008;58:579-84 (Report)
- Al-Saleem T (see Jambusaria et al). 2008;58:676-8 (Case rep.)
- Altrabulsi B (see Price et al). 2008;58:395-402 (Report)
- Álvarez H (see Rodríguez-Martín et al). 2008;58:S92-3 (Case letter)

*January, pp. 1-184; February, part 1, pp. 185-360; February, part 2, pp. 361-544; February, part 3, pp. 545-718; May, part 1, pp. 719-906; May, part 2, pp. 907-1126; May, part 3, pp. 1127-1266; June, pp. 1267-1392.

- Amagai M (see Murrell et al). 2008;58:1043-6 (Review)
- Ammoury A, El Sayed F, Farah C, Bazex J. Early signs of liver failure after low-dose interferon alfa-2b for cutaneous melanoma. 2008;58:532-3 (Case letter)
- André J (see de Berker et al). 2008;58:978-83 (Report)
- Antaya RJ (see Colegio et al). 2008;58:S102-3 (Case letter)
- Appiah YE, Onumah N, Wu H, Elenitsas R, James W. Multiple myeloma—associated amyloidosis and acral localized acquired cutis laxa. 2008;58:S32-3 (Case letter)
- Ara M, Zaballos P, Sánchez M, Querol I, Zubiri ML, Simal E, Hörndler C. Giant and recurrent orf virus infection in a renal transplant recipient treated with imiquimod. 2008;58:S39-40 (Case letter)
- Aractingi S (see Regnier et al). 2008;58:63-7 (Report)
- Arbiser JL (see Bhandarkar et al). 2008;58:711-2 (Case rep.)
- Armas LAG, Huerter C, Heaney RP. Reply: a responsible approach to maintaining adequate serum vitamin D levels. 2008;58:516 (Notes & comments)
- Armstrong AW, Idriss SZ, Kimball AB, Bernhard JD. Fate of manuscripts declined by the *Journal of the American Academy of Dermatology*. 2008;58:632-5 (Report)
- Arndt KA (see Alam et al). 2008;58:1061-72 (Commentary)
- Arndt KA (see Alexiades-Armenakas et al). 2008;58:719-37 (CME article)
- Aronson-Cook B (see Fonder et al). 2008;58:185-206 (CME article)
- Asada H (see Kitamura et al). 2008;58:802-9 (Report)
- Assaf C (see Steinhoff et al). 2008;58:S88-91 (Case rep.)
- Assaf HA (see Adly et al). 2008;58:238-50 (Dermatopathology)
- Asselineau D (see Bernerd and Asselineau). 2008;58:S155-9 (Report)
- Aubin F (see Rémy-Leroux et al). 2008;58:217-23 (Report)
- Aydinok Y (see Onay et al). 2008;58:S115-6 (Case letter)
- Azulay DR (see Raso Bastos et al). 2008;58:S41-2 (Case letter)

B

- Bachelez H (see Dauendorffer et al). 2008;58:533-5 (Case letter)
- Badmaev V (see Kurd et al). 2008;58:625-31. Correction 2008;58:1050 (Report)
- Bagel J (see Lebwohl et al). 2008;58:94-105 (Report)
- Balkan C (see Onay et al). 2008;58:S115-6 (Case letter)
- Balkrishnan R (see Nelson et al). 2008;58:125-35 (Report)
- Ballard R (see Bender et al). 2008;58:415-20 (Report)
- Barahmani N (see Ahmed et al). 2008;58:S75-7 (Case rep.)
- Baran R (see de Berker et al). 2008;58:978-83 (Report)
- Baran R and Perrin C. Nail degloving: a polyetiologic condition with 3 main patterns: a new syndrome. 2008;58:232-7 (Report)
- Barnadas MA (see Murrell et al). 2008;58:1043-6 (Review)
- Barrett KC (see Alam et al). 2008;58:1061-72 (Commentary)
- Bártolo EA (see João et al). 2008;58:S55-7 (Case letter)
- Baselga E (see Corella et al). 2008;58:685-90 (Case rep.)
- Bauer EA (see Fine et al). 2008;58:931-50 (Report)
- Bauer JW (see Fine et al). 2008;58:931-50 (Report)
- Bavinc JNB (see Halevy et al). 2008;58:25-32 (Report)
- Bayliss SJ (see Rosman et al). 2008;58:575-8 (Report)
- Bazex J (see Ammoury et al). 2008;58:532-3 (Case letter)
- Bechtel M (see Zirwas and Bechtel). 2008;58:S97-8 (Case letter)
- Begon E (see Dauendorffer et al). 2008;58:533-5 (Case letter)
- Behshad R (see Chang et al). 2008;58:316-20 (Case rep.)
- Behshad R (see Torres et al). 2008;58:344-8 (Case rep.)
- Bellet JS, Kaplan AL, Selim A, Olsen EA. Keratosis follicularis spinulosa decalvans in a family. 2008;58:499-502 (Case rep.)
- Ben-Amitai D (see Waisbourd-Zinman et al). 2008;58:41-8 (Report)
- Bender BG, Ballard R, Canono B, Murphy JR, Leung DYM. Disease severity, scratching, and sleep quality in patients with atopic dermatitis. 2008;58:415-20 (Report)

- Bennett RG (see Rotunda et al). 2008;58:542-4 (Case letter)
- Bergman R. Dermatopathology and molecular genetics. 2008;58:452-7 (Review)
- Bergman R (see Alper et al). 2008;58:488-9 (Case rep.)
- Berkey CS (see Adebamowo et al). 2008;58:787-93 (Report)
- Bernard P (see Rémy-Leroux et al). 2008;58:217-23 (Report)
- Berner F and Asselineau D. An organotypic model of skin to study photodamage and photoprotection in vitro. 2008;58:S155-9 (Report)
- Bernhard JD. And in conclusion. 2008;58:1076-7 (The Blue Journal)
- Berthelot CN (see Leitenberger et al). 2008;58:480-4 (Case rep.)
- Beutner E (see Helm et al). 2008;58:713 (Notes & comments)
- Beutner EH (see Czernik et al). 2008;58:796-801 (Report)
- Beutner KR (see Gottlieb et al). 2008;58:851-64 (From the Academy)
- Beutner KR (see Menter et al). 2008;58:826-50 (From the Academy)
- Beyer M (see Steinhoff et al). 2008;58:S88-91 (Case rep.)
- Bhandarkar SS, MacKelfresh J, Fried L, Arbiser JL. Targeted therapy of oral hairy leukoplakia with gentian violet. 2008;58:711-2 (Case rep.)
- Bhushan R (see Gottlieb et al). 2008;58:851-64 (From the Academy)
- Bhushan R (see Menter et al). 2008;58:826-50 (From the Academy)
- Bieber T (see Wenzel et al). 2008;58:437-42 (Dermatopathology)
- Bielsa I (see Soria et al). 2008;58:891-3 (Case rep.)
- Bilker W (see Kapoor et al). 2008;58:68-73 (Report)
- Bilu Martin D (see Deng et al). 2008;58:336-9. Correction 2008;58:874 (Case rep.)
- Birnbaum RF (see Alper et al). 2008;58:488-9 (Case rep.)
- Bishop JAN (see Strauss and Bishop). 2008;58:508-11 (Case rep.)
- Blanche S (see Wallet-Faber et al). 2008;58:74-80 (Report)
- Blauvelt A (see White et al). 2008;58:49-55 (Report)
- Blume-Peytavi U (see Almeida et al). 2008;58:505-7 (Case rep.)
- Bodemer C (see Wallet-Faber et al). 2008;58:74-80 (Report)
- Bogomilsky J (see Mattoch et al). 2008;58:691-6 (Case rep.)
- Boixeda P (see Fernández-Guarino et al). 2008;58:88-93 (Report)
- Bordeaux J (see Mendese et al). 2008;58:518-9 (Case letter)
- Borg BB (see Kishor et al). 2008;58:326-35 (Case rep.)
- Borgia F (see Cannavò et al). 2008;58:657-60 (Case rep.)
- Borlu M (see Karıncaoglu et al). 2008;58:579-84 (Report)
- Borradori L (see Murrell et al). 2008;58:1043-6 (Review)
- Bos JD (see Brenninkmeijer et al). 2008;58:407-14 (Report)
- Boswell JS and Costner MI. Leflunomide as adjuvant treatment of dermatomyositis. 2008;58:403-6 (Report)
- Bowen SE (see Allen et al). 2008;58:503-4 (Case rep.)
- Boyd AS, Shakhmour B, Shyr Y. Minichromosome maintenance protein expression in benign nevi, dysplastic nevi, melanoma, and cutaneous melanoma metastases. 2008;58:750-4 (Report)
- Boyd AS, Vnencak-Jones CL, Pennington B. Microsatellite stable genome in an epithelioid hemangioendothelioma: an example of a microsatellite stable tumor. 2008;58:519-21 (Case letter)
- Braga JCT, Scope A, Klaz I, Mecca P, Spencer P, Marghoob AA. Melanoma mimicking seborrheic keratosis: an error of perception precluding correct dermoscopic diagnosis. 2008;58:875-80 (Case rep.)
- Brandão FM (see João et al). 2008;58:S55-7 (Case letter)
- Brasch J (see Egberts et al). 2008;58:880-4 (Case rep.)
- Brauchli YB, Jick SS, Curtin F, Meier CR. Association between use of thiazolidinediones or other oral antidiabetics and psoriasis: a population based case-control study. 2008;58:421-9 (Report)
- Brauner G (see Heymann et al). 2008;58:642-3 (Dialogues in dermatology)
- Breneman D, Fleischer AB Jr, Abramovits W, Zeichner J, Gold MH, Kirsner RS, Shull TF, Crowe AW, Jaracz E, Hanifin JM. Tacrolimus Ointment Study Group. Intermittent therapy for flare prevention and long-term disease control in stabilized atopic dermatitis: a randomized comparison of 3-times-weekly applications of tacrolimus ointment versus vehicle. 2008;58:990-9 (Report)
- Brenninkmeijer EEA, Spuls PI, Legierse CM, Lindeboom R, Smitt JHS, Bos JD. Clinical differences between atopic and atopiform dermatitis. 2008;58:407-14 (Report)
- Brinster NK (see Gleason et al). 2008;58:290-4 (Case & review)
- Broccoli F (see Drago et al). 2008;58:S78-83 (Case rep.)
- Brodell RT (see Chang et al). 2008;58:316-20 (Case rep.)
- Brousse N (see Wallet-Faber et al). 2008;58:74-80 (Report)
- Brown S (see Heymann et al). 2008;58:872-3 (Dialogues in dermatology)
- Bruckner NV. Iatrogenic xanthoderma. 2008;58:895-6 (Notes & comments)
- Bruckner-Tuderman L (see Fine et al). 2008;58:931-50 (Report)
- Bujanauskas P (see Kazin et al). 2008;58:S31-2 (Case letter)
- Burgin S (see Heidary et al). 2008;58:545-70 (CME article)
- Burrows NP (see Gass et al). 2008;58:S103-4 (Case letter)
- Busam KJ (see Hazan et al). 2008;58:142-8 (Derm. surgery)
- Bystryn J-C (see Czernik et al). 2008;58:796-801 (Report)
- Bystryn J-C (see Murrell et al). 2008;58:1043-6 (Review)

C

- Cachão MP (see João et al). 2008;58:S55-7 (Case letter)
- Cafardi JA (see Collier et al). 2008;58:56-9. Correction 2008;58:874 (Report)
- Callen JP (see Federico et al). 2008;58:707-10 (Case rep.)
- Calzavara-Pinton PG (see Manganoni et al). 2008;58:763-8 (Report)
- Cambiaghi S (see Maffei et al). 2008;58:682-4 (Case rep.)
- Campbell LB and Ramsey ML. Transposition island pedicle flaps in the reconstruction of nasal and perinasal defects. 2008;58:434-6 (Derm. surgery)
- Cannavò SP, Borgia F, Adamo B, Guarneri B. Simultaneous development and parallel course of disseminated superficial porokeratosis and ovarian cancer: coincidental association or true paraneoplastic syndrome? 2008;58:657-60 (Case rep.)
- Canono B (see Bender et al). 2008;58:415-20 (Report)
- Cantrell WC (see Collier et al). 2008;58:56-9. Correction 2008;58:874 (Report)
- Carlsten J (see Haemel et al). 2008;58:251-6 (Dermatopathology)
- Caro I (see Price et al). 2008;58:395-402 (Report)
- Carrascosa JM (see Soria et al). 2008;58:891-3 (Case rep.)
- Castro LAS de (see Almeida et al). 2008;58:505-7 (Case rep.)
- Castrovinci AJ (see Torres et al). 2008;58:344-8 (Case rep.)
- Cather J (see Perlmutter et al). 2008;58:116-24 (Report)
- Cen P, Duvic M, Cohen PR, Kurzrock R. Increased cancer antigen 27.9 (CA27.29) level in patients with mycosis fungoides. 2008;58:382-6 (Report)
- Cerroni L. Conflict of interests. 2008;58:170 (Current issues & opinion)
- Cerroni L (see Egberts et al). 2008;58:880-4 (Case rep.)
- Cham PMH, Chen SC, Grill JP, Warshaw EM. Validity of self-reported nail counts in patients with onychomycosis: a retrospective pilot analysis. 2008;58:136-41 (Report)
- Chan C-C, Yang C-Y, Chu C-Y. Magnetic resonance imaging as a diagnostic tool for extensive lipodermatosclerosis. 2008;58:525-7 (Case letter)
- Chang T (see Kristjansson et al). 2008;58:S108-9 (Case letter)
- Chang TT, Behshad R, Brodell RT, Gilliam AC. A male infant with anhidrotic ectodermal dysplasia/immunodeficiency accompanied by incontinentia pigmenti and a mutation in the *NEMO* pathway. 2008;58:316-20 (Case rep.)
- Chao S-C (see Yang et al). 2008;58:493-7 (Case rep.)
- Chedraoui A (see Abbas et al). 2008;58:490-3 (Case rep.)
- Chen E (see Lindvall et al). 2008;58:303-7 (Case & review)
- Chen SC (see Cham et al). 2008;58:136-41 (Report)
- Chen SC (see Heymann et al). 2008;58:286-7 (Dialogues in dermatology)
- Chen W (see Yang et al). 2008;58:493-7 (Case rep.)

- Chevret S (see Schartz et al). 2008;58:585-91 (Report)
- Chiang D (see Hantash et al). 2008;58:661-4 (Case rep.)
- Cho SH (see Lee et al). 2008;58:S104-6 (Case letter)
- Choi JW (see Woo et al). 2008;58:959-63 (Report)
- Christen-Zaech S, Patel S, Mancini AJ. Recurrent cutaneous *Geomyces pannorum* infection in three brothers with ichthyosis. 2008;58:S112-3 (Case letter)
- Chu C-Y (see Chan et al). 2008;58:525-7 (Case letter)
- Cianchini G (see Murrell et al). 2008;58:1043-6 (Review)
- Cicek D (see Karıncaoglu et al). 2008;58:579-84 (Report)
- Ciurea A (see Kronic et al). 2008;58:60-2 (Report)
- Clark L and Lebwohl M. The effect of weight on the efficacy of biologic therapy in patients with psoriasis. 2008;58:443-6 (Review)
- Clarke K (see Hunt and Clarke). 2008;58:517-8 (Research letter)
- Clarke LE (see James et al). 2008;58:S49-50 (Case letter)
- Claudy A (see Jaconelli et al). 2008;58:S84-7 (Case rep.)
- Cockerell CJ (see Wright et al). 2008;58:650-2 (Case rep.)
- Cocuzza C (see Drago et al). 2008;58:S78-83 (Case rep.)
- Cogulu O (see Onay et al). 2008;58:S115-6 (Case letter)
- Cohen AD (see Waisbourd-Zinman et al). 2008;58:41-8 (Report)
- Cohen PR (see Cen et al). 2008;58:382-6 (Report)
- Cohn BA. Vitamin D: the sun as an essential source. 2008;58:177-8 (Notes & comments)
- Colaco SM, Miller T, Ruben BS, Fogarty PF, Fox LP. IgM-A paraproteinemia with associated cutaneous lymphoplasmacytic infiltrate in a patient who meets diagnostic criteria for POEMS syndrome. 2008;58:671-5 (Case rep.)
- Colditz GA (see Adebamowo et al). 2008;58:787-93 (Report)
- Colegio OR, McNiff JM, Antaya RJ. Nevroid acanthosis nigricans with subtle melanocyte hyperplasia. 2008;58:S102-3 (Case letter)
- Coletti G (see Fagnoli et al). 2008;58:S126-7 (Case letter)
- Collier CN, Harper JC, Cafardi JA, Cantrell WC, Wang W, Foster KW, Eleswki BE. The prevalence of acne in adults 20 years and older. 2008;58:56-9. Correction 2008;58:874 (Report)
- Collins C (see Connolly et al). 2008;58:S58-9 (Case letter)
- Conlon JD, Dauenhauer M, Tonkovic-Capin V, Talano J, Margolis D, Drolet BA, Fairley JA. Voriconazole-induced blistering in the setting of graft versus host disease: a report of 2 patients. 2008;58:484-7 (Case rep.)
- Connolly M, Intzedy L, Collins C, de Berker DAR. Lateral views and subungual soft-tissue chondromas. 2008;58:S58-9 (Case letter)
- Cooper KD (see Kristjansson et al). 2008;58:S108-9 (Case letter)
- Cooper KD (see Love et al). 2008;58:S33-5 (Case letter)
- Cordain L (see Treloar et al). 2008;58:175-7 (Notes & comments)
- Cordisco MR (see Metry et al). 2008;58:81-7 (Report)
- Cordoro KM (see Huang et al). 2008;58:970-7 (Report)
- Corella F, Garcia-Navarro X, Ribe A, Alomar A, Baselga E. Abortive or minimal-growth hemangiomas: immunohistochemical evidence that they represent true infantile hemangiomas. 2008;58:685-90 (Case rep.)
- Costner MJ (see Boswell JS and Costner). 2008;58:403-6 (Report)
- Coups EJ (see Heckman et al). 2008;58:769-80 (Report)
- Cowan DA (see Fonder et al). 2008;58:185-206 (CME article)
- Cowen EW (see Kishor et al). 2008;58:326-35 (Case rep.)
- Cozzani E (see Rongioletti et al). 2008;58:530-2 (Case letter)
- Cribier B (see Rémy-Leroux et al). 2008;58:217-23 (Report)
- Crowe AW (see Breneman et al). 2008;58:990-9 (Report)
- Cunningham BB (see Lam et al). 2008;58:884-8 (Case rep.)
- Curtin F (see Brauchli et al). 2008;58:421-9 (Report)
- Czernik A, Beutner EH, Bystryń J-C. Intravenous immunoglobulin selectively decreases circulating autoantibodies in pemphigus. 2008;58:796-801 (Report)
- D
- Dahdah M (see Iorizzo et al). 2008;58:714-5 (Research letter)
- Dahdah MJ, Kibbi AG, Ghosn S. Retronychia: report of two cases. 2008;58:1051-3 (Case rep.)
- Dalton SR (see Forman et al). 2008;58:1013-20 (Dermatopathology)
- Danby FW (see Adebamowo et al). 2008;58:787-93 (Report)
- Danby FW (see Treloar et al). 2008;58:175-7 (Notes & comments)
- Daniel J (see Haughton et al). 2008;58:S12-5 (Case rep.)
- Dauendorffer J-N, Begon E, Petit A, Liote F, Dubertret L, Bachelez H. Adult-onset Still's disease revealed by facial edema. 2008;58:533-5 (Case letter)
- Dauenhauer M (see Conlon et al). 2008;58:484-7 (Case rep.)
- David M (see Hodak et al). 2008;58:351 (Notes & comments)
- Davidovici BB and Halevy S. Is capturing the spider essential for the diagnosis of a spider bite? A clinical perspective. 2008;58:349-50 (Commentary)
- Davidson A (see Levy et al). 2008;58:S99-100 (Case letter)
- Davis LE (see Wright et al). 2008;58:650-2 (Case rep.)
- Davis MDP and Wysokinski WE. Ulcerations caused by livedoid vasculopathy associated with a prothrombotic state: response to warfarin. 2008;58:512-5 (Case rep.)
- De Berker DA, Richert B, Duhard E, Piraccini BM, André J, Baran R. Retronychia: proximal ingrowing of the nail plate. 2008;58:978-83 (Report)
- De Berker DAR (see Connolly et al). 2008;58:S58-9 (Case letter)
- De Villiers E-M (see Ramagosa et al). 2008;58:S68-71 (Case rep.), 2008;58:S68e.1-6 (Case rep.)
- Delabesse E (see Wallet-Faber et al). 2008;58:74-80 (Report)
- Delgado R (see Hazan et al). 2008;58:142-8 (Derm. surgery)
- Dellavalle RP (see Howe et al). 2008;58:894 (Notes & comments)
- Dellavalle RP (see Ramagosa et al). 2008;58:S68-71 (Case rep.), 2008;58:S68e.1-6 (Case rep.)
- Deng AC, Martin DB, Sina B, Gaspari A. Localized nephrogenic fibrosing dermopathy: aberrant dermal repairing? 2008;58:336-9. Correction 2008;58:874 (Case rep.)
- DeRienzo DP (see Kwan et al). 2008;58:S93-5 (Case letter)
- Devaney D (see Mc Aleer et al). 2008;58:S23-8 (Case rep.)
- Devarajan K (see Shimizu et al). 2008;58:810-6 (Derm. surgery)
- Devarian S. A comment on "Kavanagh M, Shams K. Botulinum toxin type A by iontophoresis for primary palmar hyperhidrosis." 2008;58:e1 (eBlueprints)
- Diaz L (see Murrell et al). 2008;58:1043-6 (Review)
- Dick S (see Murrell et al). 2008;58:1043-6 (Review)
- DiLeonardo M (see Resnik and DiLeonardo). 2008;58:174 (Notes & comments)
- Diwan AH (see Wang et al). 2008;58:257-60 (Dermatopathology)
- Dizdar Ö (see Yalçın et al). 2008;58:178-9 (Case letter)
- Do TT, Zarkhin S, Orringer JS, Nemeth S, Hamilton T, Sachs D, Voorhees JJ, Kang S. Computer-assisted alignment and tracking of acne lesions indicate that most inflammatory lesions arise from comedones and de novo. 2008;58:603-8 (Report)
- Doebelin B (see Jaconelli et al). 2008;58:S84-7 (Case rep.)
- Dohil MA (see Lam et al). 2008;58:884-8 (Case rep.)
- Domingo H (see Soria et al). 2008;58:891-3 (Case rep.)
- Donmez L (see Karıncaoglu et al). 2008;58:579-84 (Report)
- Dover JS (see Alexiades-Armenakas et al). 2008;58:719-37 (CME article)
- Drago F, Broccolo F, Zaccaria E, Malnati M, Cocuzza C, Lusso P, Rebora A. Pregnancy outcome in patients with pityriasis rosea. 2008;58:S78-83 (Case rep.)
- Driscoll MS and Grant-Kels JM. An impact of hormones on nevi and melanoma. 2008;58:1084-5 (Notes & comments) (Reply)
- Drolet BA (see Conlon et al). 2008;58:484-7 (Case rep.)
- Drolet BA (see Metry et al). 2008;58:81-7 (Report)
- Dubertret L (see Dauendorffer et al). 2008;58:533-5 (Case letter)
- Dudelzak J, Leshner JL Jr, Abdelsayed RA. Pyogenic granuloma and pemphigus vulgaris: an unusual association. 2008;58:S52-3 (Case letter)
- Dufresne RG (see Shimizu et al). 2008;58:810-6 (Derm. surgery)
- Duhard E (see de Berker et al). 2008;58:978-83 (Report)

- Dunant A (see Halevy et al). 2008;58:25-32 (Report)
 Durusoy C (see Karıncaoglu et al). 2008;58:579-84 (Report)
 Dusza SW (see Hazan et al). 2008;58:142-8 (Derm. surgery)
 Duvic M (see Ahmed et al). 2008;58:575-7 (Case rep.)
 Duvic M (see Cen et al). 2008;58:382-6 (Report)
 Duvic M (see Leitenberger et al). 2008;58:480-4 (Case rep.)
 Dyson SW (see Lindvall et al). 2008;58:303-7 (Case & review)

E

- Eady RAJ (see Fine et al). 2008;58:931-50 (Report)
 Eaton JS (see Hancox and Eaton). 2008;58:430-3 (Derm. surgery)
 Egberts F, Kaehler KC, Brasch J, Schwarz T, Cerroni L, Hauschild A.
 Multiple skin metastases of malignant melanoma with unusual
 clinical and histopathologic features in an immunosuppressed
 patient. 2008;58:880-4 (Case rep.)
 Ehrchen J and Ständer S. Pregabalin in the treatment of chronic
 pruritus. 2008;58:536-7 (Case letter)
 Eichenfield LF (see Lam et al). 2008;58:884-8 (Case rep.)
 Eisendle K, Linder D, Ratzinger G, Zelger B, Philipp W, Piza H,
 Fritsch P, Schmuth M. Inflammation and lipid accumulation in
 xanthoma disseminatum: therapeutic considerations. 2008;58:
 S47-9 (Case letter)
 El Sayed F (see Ammoury et al). 2008;58:532-3 (Case letter)
 Elenitsas R (see Appiah et al). 2008;58:532-3 (Case letter)
 Elenitsas R (see James et al). 2008;58:S49-50 (Case letter)
 Eleswki BE (see Collier et al). 2008;58:56-9. Correction 2008;58:874
 (Report)
 Elmetts CA (see Gottlieb et al). 2008;58:851-64 (From the Academy)
 Elmetts CA (see Menter et al). 2008;58:826-50 (From the Academy)
 Elsner P (see Ziemer et al). 2008;58:S44-6 (Case letter)
 Elston DM (see Forman et al). 2008;58:1013-20 (Dermatopathology)
 Eming SA (see Eren et al). 2008;58:1056-8 (Case rep.)
 English JC III (see Paley et al). 2008;58:S53-4 (Case letter)
 English JC III (see Pucevich et al). 2008;58:320-2 (Case rep.)
 Eren M, Fabri M, Krieg T, Eming SA. Pustulosis acuta generalisata
 with joint involvement in a HLA-A2- and HLA-B35-positive
 patient. 2008;58:1056-8 (Case rep.)
 Eschard C (see Wallet-Faber et al). 2008;58:74-80 (Report)
 Esmaeli B (see Wang et al). 2008;58:257-60 (Dermatopathology)
 EuroSCAR Study Group (see Halevy et al). 2008;58:25-32 (Report)

F

- Fabre V (see Federico et al). 2008;58:707-10 (Case rep.)
 Fabri M, Hunzelmann N, Krieg T, Rubbert A. Discordant response
 to rituximab in a systemic sclerosis patient with associated
 myositis. 2008;58:S127-8 (Case letter)
 Fabri M (see Eren et al). 2008;58:1056-8 (Case rep.)
 Fagot J-P (see Halevy et al). 2008;58:25-32 (Report)
 Fagot J-P (see Schneek et al). 2008;58:33-40 (Report)
 Fairley JA (see Conlon et al). 2008;58:484-7 (Case rep.)
 Fairley JA (see Lazarova et al). 2008;58:951-8 (Report)
 Falagas ME (see Rafailidis et al). 2008;58:S98-9 (Case letter)
 Fangman W (see Warycha et al). 2008;58:S100-2 (Case letter)
 Farah C (see Ammoury et al). 2008;58:532-3 (Case letter)
 Fargnoli MC, Tabilio A, Coletti G, Peris K. Efalizumab-induced
 immune thrombocytopenia during retreatment. 2008;58:S126-7
 (Case letter)
 Farisoglio C (see Manganoni et al). 2008;58:763-8 (Report)
 Faure M (see Jaconelli et al). 2008;58:S84-7 (Case rep.)
 Federico A, Weinel S, Fabre V, Callen JP. Dystrophic calcinosis cutis
 in pseudoxanthoma elasticum. 2008;58:707-10 (Case rep.)
 Feinmesser M (see Waisbourd-Zinman et al). 2008;58:41-8 (Report)
 Feldman SR (see Interleukin-12, interleukin-23, and psoriasis: ABT-874
 in clinical trials. 2008;58:1083 (Notes & comments) (Reply)
 Feldman SR (see Gottlieb et al). 2008;58:851-64 (From the Acad-
 emy)

- Feldman SR (see Huang et al). 2008;58:970-7 (Report)
 Feldman SR (see Menter et al). 2008;58:826-50 (From the Academy)
 Feldman SR (see Nelson et al). 2008;58:125-35 (Report)
 Fender AB, Reale VF, Scott GA. Anetodermic pilomatricoma with
 perforation. 2008;58:535-6 (Case letter)
 Fermand V (see Regnier et al). 2008;58:63-7 (Report)
 Fernández-Guarino M, Boixeda P, Heras E de la, Abouin S, García-
 Millán C, Olasolo PJ. Phakomatosis pigmentovascularis: clinical
 findings in 15 patients and review of the literature. 2008;58:88-93
 (Report)
 Ferrándiz C (see Soria et al). 2008;58:891-3 (Case rep.)
 Ferrando J (see Julià et al). 2008;58:665-7 (Case rep.)
 Ferringer TC (see Forman et al). 2008;58:1013-20 (Dermatopathol-
 ogy)
 Feureman H (see Hodak et al). 2008;58:351 (Notes & comments)
 Fields K (see Hall and Fields). 2008;58:529-30 (Case letter)
 Fine J-D, Eady RAJ, Bauer EA, Bauer JW, Bruckner-Tuderman L,
 Heagerty A, Hintner H, Hovnanian A, Jonkman MF, Leigh I,
 McGrath JA, Mellerio JE, Murrell DF, Shimizu H, Uitto J, Vahlquist
 A, Woodley D, Zambruno A. The classification of inherited
 epidermolysis bullosa (EB): report of the Third International
 Consensus Meeting on the Diagnosis and Classification of EB.
 2008;58:931-50 (Report)
 Fiorentino D (see Hantash et al). 2008;58:661-4 (Case rep.)
 Fischer LA, Norgaard A, Permin H, Ryder LP, Marquart H, Sveigaard
 A, Zachariae C. Multiple flat warts associated with idiopathic
 CD4-positive T lymphocytopenia. 2008;58:S37-8 (Case letter)
 Fisher EJ and Adams BB. African American and Caucasian patients'
 vehicle preference for the scalp. 2008;58:S46-7 (Case letter)
 Fitzpatrick JE (see Ramagosa et al). 2008;58:S68-71 (Case rep.),
 2008;58:S68e.1-6 (Case rep.)
 Fivenson D (see Murrell et al). 2008;58:1043-6 (Review)
 Flaig MJ and Rupec RA. Red cheeks and earlobes: marginal zone
 B-cell lymphoma of MALT type. 2008;58:S62-3 (Case letter)
 Fleischer AB Jr (see Breneman et al). 2008;58:990-9 (Report)
 Fleischer AB Jr (see Nelson et al). 2008;58:125-35 (Report)
 Fogarty PF (see Colaco et al). 2008;58:671-5 (Case rep.)
 Fonder MA, Lazarus GS, Cowan DA, Aronson-Cook B, Kohli AR,
 Mamelak AJ. Treating the chronic wound: a practical approach to
 the care of nonhealing wounds and wound care dressings.
 2008;58:185-206 (CME article)
 Forestier S. Rationale for sunscreen development. 2008;58:S133-8
 (Report)
 Forman SB, Ferringer TC, Peckham SJ, Dalton SR, Sasaki GT, Libow
 LF, Elston DM. Is superficial spreading melanoma still the most
 common form of malignant melanoma? 2008;58:1013-20 (Der-
 matopathology)
 Foster KW (see Collier et al). 2008;58:56-9. Correction 2008;58:874
 (Report)
 Fourtanier AM (see Moyal and Fourtanier). 2008;58:S149-54
 (Report)
 Fourtanier AMA (see Seité and Fourtanier). 2008;58:S160-6 (Report)
 Fox KM (see Patel et al). 2008;58:964-9 (Report)
 Fox LP (see Colaco et al). 2008;58:671-5 (Case rep.)
 Fox LP (see Pincus et al). 2008;58:308-16 (Case rep.)
 Freitag S (see Wallet-Faber et al). 2008;58:74-80 (Report)
 Frangos JE, Alavian CN, Kimball AB. Acne and oral contraceptives:
 update on women's health screening guidelines. 2008;58:781-6
 (Report)
 Franks B (see Perlmutter et al). 2008;58:116-24 (Report)
 Fried L (see Bhandarkar et al). 2008;58:711-2 (Case rep.)
 Frieden IJ (see Metry et al). 2008;58:81-7 (Report)
 Frieden IJ (see Wu et al). 2008;58:S16-22 (Case rep.)
 Fritsch P (see Eisendle et al). 2008;58:S47-9 (Case letter)
 Fujita Y, Sato-Matsumura KC, Takahashi S. Aggressive angiomyx-
 oma of the vulva. 2008;58:S40-1 (Case letter)

- Fujiwara M (see Ito et al). 2008;58:S120-2 (Case letter)
Fukumoto T (see Kitamura et al). 2008;58:802-9 (Report)

G

- Gait RC, Affleck AG, Leach IH, Varma S. Perinuclear antineutrophilic cytoplasmic antibody-positive polyarteritis nodosa secondary to minocycline treatment for acne vulgaris. 2008;58:S123-4 (Case letter)
García-Bustinduy M (see Rodríguez-Martín et al). 2008;58:S92-3 (Case letter)
García-Millán C (see Fernández-Guarino et al). 2008;58:88-93 (Report)
García-Navarro X (see Corella et al). 2008;58:685-90 (Case rep.)
Garovoy MR (see Price et al). 2008;58:395-402 (Report)
Gaspari A (see Deng et al). 2008;58:336-9. Correction 2008;58:874 (Case rep.)
Gass JK, Hellemans J, Mortier G, Griffiths M, Burrows NP, Buschke-Ollendorff syndrome: a manifestation of a heterozygous nonsense mutation in the *LEMD3* gene. 2008;58:S103-4 (Case letter)
Gehrig K and Warshaw EM. Allergic contact dermatitis to topical antibiotics: epidemiology, responsible allergens, and management. 2008;58:1-21 (CME article)
Geith E (see Mosleh et al). 2008;58:617-24 (Report)
Gelfand JM (see Kimball et al). 2008;58:1031-42 (Review)
Gelfand JM (see Kurd et al). 2008;58:625-31. Correction 2008;58:1050 (Report)
Gelfand JM (see Lebwohl et al). 2008;58:94-105 (Report)
Gelfand JM (see Heymann et al). 2008;58:477-8 (Dialogues in dermatology)
Geng A (see Jenkins et al). 2008;58:353-5 (Case letter)
Gerstner T, Lipinski C, Longin E, König S. Valproate-induced change in hair color. 2008;58:S63-4 (Case letter)
Gharia M (see Holzmann et al). 2008;58:817-25 (Derm. surgery)
Ghislain P-D (see Halevy et al). 2008;58:25-32 (Report)
Ghosn S (see Abbas et al). 2008;58:490-3 (Case rep.)
Ghosn S (see Dahdah et al). 2008;58:1051-3 (Case rep.)
Gilchrist H, Jackson S, Morse L, Nesbitt LT. Galli-Galli disease: a case report with review of the literature. 2008;58:299-302 (Case & review)
Gilliam AC (see Chang et al). 2008;58:316-20 (Case rep.)
Gilliam AC (see Kristjansson et al). 2008;58:S108-9 (Case letter)
Gilliam AC (see Love et al). 2008;58:S33-5 (Case letter)
Gilliam AC (see Miedler et al). 2008;58:679-81 (Case rep.)
Gilliam AC (see Torres et al). 2008;58:344-8 (Case rep.)
Giri D (see Naylor et al). 2008;58:636-41 (Dermatopathology)
Gladman D (see Kimball et al). 2008;58:1031-42 (Review)
Gladman D (see Lebwohl et al). 2008;58:94-105 (Report)
Gleason BC, Brinster NK, Granter SR, Pinkus GS, Lindeman NI, Miller DM. Intravascular cytotoxic T-cell lymphoma. 2008;58:290-4 (Case & review)
Glick SA (see Stier et al). 2008;58:261-85 (Derm. surgery)
Gloster HJ (see Sluzevich et al). 2008;58:S113-5 (Case letter)
Glucksman MJ (see Lindvall et al). 2008;58:303-7 (Case & review)
Gnepp DR (see Haemel et al). 2008;58:251-6 (Dermatopathology)
Gnepp DR (see Naylor et al). 2008;58:636-41 (Dermatopathology)
Goetze S (see Ziemer et al). 2008;58:S44-6 (Case letter)
Gököz Ö (see Yalçın et al). 2008;58:178-9 (Case letter)
Gold MH. 5-Aminolevulinic acid photodynamic therapy versus methyl aminolevulinic acid photodynamic therapy for inflammatory acne vulgaris. 2008;58:S60-2 (Case letter)
Gold MH (see Breneman et al). 2008;58:990-9 (Report)
Goldberg LD. The convergence of psoriasis treatment cost-effectiveness over time: "real world" considerations in economic modeling. 2008;58:1073-5 (Commentary)
González S (see Rodríguez-Martín et al). 2008;58:S92-3 (Case letter)
Goodman D (see Zedek et al). 2008;58:S5-8 (Case rep.)
Gordon K (see Kimball et al). 2008;58:1031-42 (Review)
Gordon K (see Menter et al). 2008;58:106-15 (Report)
Gordon KB (see Gottlieb et al). 2008;58:851-64 (From the Academy)
Gordon KB (see Lebwohl et al). 2008;58:94-105 (Report)
Gordon KB (see Menter et al). 2008;58:826-50 (From the Academy)
Gottlieb A, Korman NJ, Gordon KB, Feldman SR, Lebwohl M, Koo JYM, Van Voorhees AS, Elmets CA, Leonardi CL, Beutner KR, Bhushan R, Menter A. Guidelines of care for the management of psoriasis and psoriatic arthritis: Section 2. Psoriatic arthritis: overview and guidelines of care for treatment with an emphasis on the biologics. 2008;58:851-64 (From the Academy)
Gottlieb A (see Menter et al). 2008;58:826-50 (From the Academy)
Gottlieb AB (see Urman and Gottlieb). 2008;58:361-70 (CME article)
Gould J (see Miedler et al). 2008;58:679-81 (Case rep.)
Graham M (see Zedek et al). 2008;58:S5-8 (Case rep.)
Graham-Hicks S (see Rotunda et al). 2008;58:S42-4 (Case letter)
Granter SR (see Gleason et al). 2008;58:290-4 (Case & review)
Grant-Kels JM (see Driscoll and Grant-Kels). 2008;58:1084-5 (Notes & comments) (Reply)
Green WH, Leicht SS, Youngberg GA. Patch-stage mycosis fungoides in remission after therapy with alefacept. 2008;58:S110-2 (Case letter)
Greene K (see Introcaso et al). 2008;58:644-9 (Case & review)
Griffiths CEM (see Rich et al). 2008;58:224-31 (Report)
Griffiths M (see Gass et al). 2008;58:S103-4 (Case letter)
Grill JP (see Cham et al). 2008;58:136-41 (Report)
Groben P (see Zedek et al). 2008;58:S5-8 (Case rep.)
Groben PA (see Ortega-Loayza et al). 2008;58:S72-4 (Case rep.)
Grossman ME (see Pincus et al). 2008;58:308-16 (Case rep.)
Grover R (see Helm et al). 2008;58:713 (Notes & comments)
Grum-Tokars V (see Lindvall et al). 2008;58:303-7 (Case & review)
Gu Y (see Menter et al). 2008;58:106-15 (Report)
Guarneri B (see Cannavò et al). 2008;58:657-60 (Case rep.)
Guilbert A (see Julià et al). 2008;58:665-7 (Case rep.)
Gunasti S (see Karıncaoglu et al). 2008;58:579-84 (Report)
Gupta R and Thami GP. Fixed drug eruption caused by itraconazole: reactivity and cross reactivity. 2008;58:521-2 (Case letter)
Guzzo C (see Rich et al). 2008;58:224-31 (Report)

H

- Hædersdal M, Togsverd-Bo K, Wiegell SR, Wulf HC. Long-pulsed dye laser versus long-pulsed dye laser-assisted photodynamic therapy for acne vulgaris: a randomized controlled trial. 2008;58:387-94 (Report)
Haemel A, Gnepp DR, Carlsten J, Robinson-Bostom L. Heterotopic salivary gland tissue in the neck. 2008;58:251-6 (Dermatopathology)
Halevy S, Ghislain P-D, Mockenhaupt M, Fagot J-P, Bavnick JNB, Sidoroff A, Naldi L, Dunant A, Viboud C, Roujeau J-C, EuroSCAR Study Group. Allopurinol is the most common cause of Stevens-Johnson syndrome and toxic epidermal necrolysis in Europe and Israel. 2008;58:25-32 (Report)
Halevy S (see Davidovici and Halevy). 2008;58:349-50 (Commentary)
Hall CS, Zone JJ, Hull CM. Treatment of recalcitrant disseminated granuloma annulare with hydroxyurea. 2008;58:525 (Case letter)
Hall CS and Fields K. Cutaneous presentation of Chagas' disease reactivation in a heart-transplant patient in Utah. 2008;58:529-30 (Case letter)
Hall R (see Murrell et al). 2008;58:1043-6 (Review)
Halpern A (see Hazan et al). 2008;58:142-8 (Derm. surgery)
Halpern AC (see Marghoob and Halpern). 2008;58:894-5 (Notes & comments)
Hamilton T (see Do et al). 2008;58:603-8 (Report)
Han A (see Torres et al). 2008;58:344-8 (Case rep.)

- Hancox JG and Eaton JS. Anterior cervicoplasty: neck rejuvenation using local anesthesia. 2008;58:430-3 (Derm. surgery)
- Hanifin JM (see Breneman et al). 2008;58:990-9 (Report)
- Hann S-K (see Kim et al). 2008;58:527-9 (Case letter)
- Hantash BM, Chiang D, Kohler S, Fiorentino D. Palisaded neutrophilic and granulomatous dermatitis associated with limited systemic sclerosis. 2008;58:661-4 (Case rep.)
- Happle R (see Almeida et al). 2008;58:505-7 (Case rep.)
- Happle R (see Yang et al). 2008;58:493-7 (Case rep.)
- Harman KE (see Murrell et al). 2008;58:1043-6 (Review)
- Harper JC (see Collier et al). 2008;58:56-9. Correction 2008;58:874 (Report)
- Harwood M, Telang GH, Robinson-Bostom L, Jellinek N. Melanoma and squamous cell carcinoma on different nails of the same hand. 2008;58:323-6 (Case rep.)
- Hashimoto T (see Murrell et al). 2008;58:1043-6 (Review)
- Haughton AM, Horii KA, Shao L, Daniel J, Nopper AJ. Disseminated juvenile xanthogranulomatosis in a newborn resulting in liver transplantation. 2008;58:512-5 (Case rep.)
- Hauschild A (see Egberts et al). 2008;58:880-4 (Case rep.)
- Hayashi RJ (see Rosman et al). 2008;58:575-8 (Report)
- Hazan C, Dusza SW, Delgado R, Busam KJ, Halpern A, Nehal KS. Staged excision for lentigo maligna and lentigo maligna melanoma: a retrospective analysis of 117 cases. 2008;58:142-8 (Derm. surgery)
- Heagerty A (see Fine et al). 2008;58:931-50 (Report)
- Heald P (see Kravetz and Heald). 2008;58:888-91 (Case rep.)
- Heaney RP (see Armas et al). 2008;58:516 (Notes & comments)
- Heath M, Jaimes N, Lemos B, Mostaghimi A, Wang LC, Peñas PF, Nghiem P. Clinical characteristics of Merkel cell carcinoma at diagnosis in 195 patients: the AEIOU features. 2008;58:375-81 (Report)
- Hebert AA (see Katz et al). 2008;58:865-71 (Review)
- Heckman CJ, Coups EJ, Manne SL. Prevalence and correlates of indoor tanning among US adults. 2008;58:769-80 (Report)
- Heffernan MP (see Smith and Heffernan). 2008;58:550-2 (Case letter)
- Heidary N, Naik H, Burgin S. Chemotherapeutic agents and the skin: an update. 2008;58:545-70 (CME article)
- Hellemans J (see Gass et al). 2008;58:5103-4 (Case letter)
- Helm TN, Grover R, Beutner E. Neoplasia-induced autoimmunity encompasses a spectrum of changes. 2008;58:713 (Notes & comments)
- Heras E de la (see Fernández-Guarino et al). 2008;58:88-93 (Report)
- Herrero C (see Julià et al). 2008;58:665-7 (Case rep.)
- Herrero MJ (see Soria et al). 2008;58:891-3 (Case rep.)
- Hertl M (see Murrell et al). 2008;58:1043-6 (Review)
- Hester E (see White et al). 2008;58:49-55 (Report)
- Heymann WR, Chen SC, Thew M. Outcomes research in dermatology. 2008;58:286-7 (Dialogues in dermatology)
- Heymann WR, Gelfand JM, Junkins-Hopkins J. Psoriasis: the heart of the matter. 2008;58:477-8 (Dialogues in dermatology)
- Heymann WR, Ledger WJ, Thew M. The human papillomavirus vaccine. 2008;58:1047-8 (Dialogues in dermatology)
- Heymann WR, Myskowski P, Brauner G. Epidermal growth factor receptor inhibitors and hair. 2008;58:642-3 (Dialogues in dermatology)
- Heymann WR, Tsao H, Thew M. The human genome: mutating from science fiction to reality. 2008;58:168-9 (Dialogues in dermatology)
- Heymann WR, Tying SK, Brown S. The herpes zoster vaccine. 2008;58:872-3 (Dialogues in dermatology)
- Hillen U (see Wenzel et al). 2008;58:437-42 (Dermatopathology)
- Hintner H (see Fine et al). 2008;58:931-50 (Report)
- Hirsch RJ (see Stier et al). 2008;58:261-85 (Derm. surgery)
- Hodak E, Feureman H, David M. Primary anetoderma is a cutaneous sign of antiphospholipid antibodies. 2008;58:351 (Notes & comments)
- Hodapp RM (see Alam et al). 2008;58:1061-72 (Commentary)
- Hoffstad O (see Kapoor et al). 2008;58:68-73 (Report)
- Holmes MD (see Adebamowo et al). 2008;58:787-93 (Report)
- Holzmann RD, Liang M, Nadiminti H, McCarthy J, Gharia M, Jones J, Neel V, Schanbacher CF. Blood exposure risk during procedural dermatology. 2008;58:817-25 (Derm. surgery)
- Hordinsky MK (see Price et al). 2008;58:395-402 (Report)
- Horii KA (see Haughton et al). 2008;58:512-5 (Case rep.)
- Horii KA (see Metry et al). 2008;58:81-7 (Report)
- Horn EJ (see Kimball et al). 2008;58:1031-42 (Review)
- Horn EJ (see Patel et al). 2008;58:964-9 (Report)
- Horn L (see Lebwohl et al). 2008;58:94-105 (Report)
- Hörndler C (see Ara et al). 2008;58:539-40 (Case letter)
- Hornung RL (see Poorsattar SP and Hornung). 2008;58:171-2 (Current issues & opinion)
- Hovnanian A (see Fine et al). 2008;58:931-50 (Report)
- Howe W, Reed B, Dellavalle RP. Adding over-the-counter dihydroxyacetone self-tanners to sunscreen regimens to increase ultraviolet A protection. 2008;58:894 (Notes & comments)
- Hsu M-C (see Rich et al). 2008;58:224-31 (Report)
- Hsu S (see Lebwohl et al). 2008;58:94-105 (Report)
- Hu S (see Naylor et al). 2008;58:149-50 (Dermatopathology)
- Huang W, Cordoro KM, Taylor SL, Feldman SR. To test or not to test? An evidence-based assessment of the value of screening and monitoring tests when using systemic biologic agents to treat psoriasis. 2008;58:970-7 (Report)
- Huerter C (see Armas et al). 2008;58:516 (Notes & comments)
- Hull CM (see Hall et al). 2008;58:525 (Case letter)
- Hunt T and Clarke K. Potency of the botulinum toxin product CNBTX-A significantly exceeds labeled units in standard potency test. 2008;58:517-8 (Research letter)
- Hunzelmann N (see Fabri et al). 2008;58:5127-8 (Case letter)
- Hunzelmann N (see Murrell et al). 2008;58:1043-6 (Review)
- Hurt MA. Types of melanoma? 2008;58:1059-60 (Commentary)
- Hussain I (see Janjua et al). 2008;58:339-44 (Case rep.)
- Hussein MR (see Adly et al). 2008;58:238-50 (Dermatopathology)
- I**
- Ifitkhar N (see Janjua et al). 2008;58:339-44 (Case rep.)
- Iida H (see Kitamura et al). 2008;58:802-9 (Report)
- Iizuka H (see Sakai et al). 2008;58:668-70 (Case rep.)
- Introcaso CE, Kantor J, Porter DL, Junkins-Hopkins JM. Cutaneous Hodgkin's disease. 2008;58:295-8 (Case & review)
- Introcaso CE, Leber B, Greene K, Ubriani R, Rook AH, Kim EJ. Stem cell transplantation in advanced cutaneous T-cell lymphoma. 2008;58:644-9 (Case & review)
- Introcaso CE, Micaily B, Richardson SK, Junkins-Hopkins JM, Yoon JS, Vittorio CC, Rook AH. Total skin electron beam therapy may be associated with improvement of peripheral blood disease in Sézary syndrome. 2008;58:592-5 (Report)
- Intzedy L (see Connolly et al). 2008;58:558-9 (Case letter)
- Iorizzo M, Dahdah M, Vincenzi C, Tosti A. Videodermoscopy of the hyponychium in nail bed psoriasis. 2008;58:714-5 (Research letter)
- Iranzo P (see Murrell et al). 2008;58:1043-6 (Review)
- Ito R, Fujiwara M, Kaneko S, Takagaki K, Nagasako R. Multilocular giant epidermal cysts. 2008;58:5120-2 (Case letter)
- Ivan D (see Wang et al). 2008;58:257-60 (Dermatopathology)
- J**
- Jackson S (see Gilchrist et al). 2008;58:299-302 (Case & review)
- Jaconelli L, Doeblin B, Kanitakis J, Saïd BB, Faure M, Claudy A. Granular parakeratosis in a patient treated with liposomal doxorubicin for ovarian carcinoma. 2008;58:584-7 (Case rep.)

- Jaimes N (see Heath et al). 2008;58:375-81 (Report)
- Jambusaria A, Shafer D, Wu H, Al-Saleem T, Perlis C. Cutaneous plasmablastic lymphoma. 2008;58:676-8 (Case rep.)
- James AJ, Clarke LE, Elenitsas R, Katz K. Segmental porokeratosis after radiation therapy for follicular lymphoma. 2008;58:S49-50 (Case letter)
- James W (see Appiah et al). 2008;58:S32-3 (Case letter)
- Janjua SA, Ifitkhar N, Hussain I, Khachemoune A. Dermatologic, periodontal, and skeletal manifestations of Haim-Munk syndrome in two siblings. 2008;58:339-44 (Case rep.)
- Janson M (see Lazarova et al). 2008;58:951-8 (Report)
- Jaracz E (see Breneman et al). 2008;58:990-9 (Report)
- Jaracz E (see Perlmutter et al). 2008;58:116-24 (Report)
- Jellinek N (see Harwood et al). 2008;58:323-6 (Case rep.)
- Jellinek NJ (see Naylor et al). 2008;58:1021-4 (Dermatopathology)
- Jellinek NJ (see Shimizu et al). 2008;58:810-6 (Derm. surgery)
- Jenkins J, Geng A, Robinson-Bostom L. Autoimmune progesterone dermatitis associated with infertility treatment. 2008;58:353-5 (Case letter)
- Jick SS (see Brauchli et al). 2008;58:421-9 (Report)
- Jo SJ (see Woo et al). 2008;58:959-63 (Report)
- João AM, Serrano PN, Cachão MP, Bártolo EA, Brandão FM. Recurrent *Serratia marcescens* cutaneous infection manifesting as painful nodules and ulcers. 2008;58:S55-7 (Case letter)
- Joly P (see Murrell et al). 2008;58:1043-6 (Review)
- Jones D (see Leitenberger et al). 2008;58:480-4 (Case rep.)
- Jones J (see Holzmänn et al). 2008;58:817-25 (Derm. surgery)
- Jones NP (see Allen et al). 2008;58:503-4 (Case rep.)
- Jonkman MF (see Fine et al). 2008;58:931-50 (Report)
- Jonkman MF (see Murrell et al). 2008;58:1043-6 (Review)
- Jucglà A (see Prat et al). 2008;58:522-4 (Case letter)
- Julià M, Mascará JM Jr, Guilbert A, Navarra E, Ferrando J, Herrero C. Sclerodermaform linear lupus erythematosus: a distinct entity or coexistence of two autoimmune diseases? 2008;58:665-7 (Case rep.)
- Junkins-Hopkins J (see Heymann et al). 2008;58:477-8 (Dialogues in dermatology)
- Junkins-Hopkins JM (see Introcaso et al). 2008;58:295-8 (Case & review), 2008;58:592-5 (Report)
- K
- Kaatz M (see Ziemer et al). 2008;58:S44-6 (Case letter)
- Kabashima K (see Sugita et al). 2008;58:S54-5 (Case letter)
- Kaehler KC (see Egberts et al). 2008;58:880-4 (Case rep.)
- Kagei N (see Sakai et al). 2008;58:668-70 (Case rep.)
- Kalb RE (see Lebwohl et al). 2008;58:94-105 (Report)
- Kamino H (see Warycha et al). 2008;58:S100-2 (Case letter)
- Kandi B (see Karıncaoglu et al). 2008;58:579-84 (Report)
- Kaneko F (see Kawakami et al). 2008;58:S59-60 (Case letter)
- Kaneko S (see Ito et al). 2008;58:S120-2 (Case letter)
- Kang S (see Do et al). 2008;58:603-8 (Report)
- Kanitakis J (see Jaconelli et al). 2008;58:S84-7 (Case rep.)
- Kantor J (see Introcaso et al). 2008;58:295-8 (Case & review)
- Kapaskelis A (see Rafailidis et al). 2008;58:S98-9 (Case letter)
- Kaplan AL (see Bellet et al). 2008;58:499-502 (Case rep.)
- Kapoor R, Menon C, Hoffstad O, Bilker W, Leclerc P, Margolis DJ. The prevalence of atopic triad in children with physician-confirmed atopic dermatitis. 2008;58:68-73 (Report)
- Karanikola E (see Rallis et al). 2008;58:S109-10 (Case letter)
- Karapinar DY (see Onay et al). 2008;58:S115-6 (Case letter)
- Karıncaoglu Y, Borlu M, Tokar SC, Akman A, Onder M, Gunasti S, Usta A, Kandi B, Durusoy C, Seyhan M, Utas S, Saricaoglu H, Ozden MG, Uzun S, Tursen U, Cicek D, Donmez L, Alpsoy E. Demographic and clinical properties of juvenile-onset Behçet's disease: a controlled multicenter study. 2008;58:579-84 (Report)
- Kato M (see Kawakami et al). 2008;58:703-6 (Case rep.)
- Katugampola R, Moss C, Mills C. Macrocephaly—cutis marmorata telangiectatica congenita: a case report and review of salient features. 2008;58:697-702 (Case rep.)
- Katz K (see James et al). 2008;58:S49-50 (Case letter)
- Katz TM, Miller JH, Hebert AA. Insect repellents: historical perspectives and new developments. 2008;58:865-71 (Review)
- Kaul M (see Menter et al). 2008;58:106-15 (Report)
- Kavanagh G and Shams K. Reply. 2008;58:e1 (eBlueprints)
- Kawakami T, Kimura S, Kato M, Mizoguchi M, Soma Y. Transforming growth factor- β overexpression in cutaneous extramedullary hematopoiesis of a patient with myelodysplastic syndrome associated with myelofibrosis. 2008;58:703-6 (Case rep.)
- Kawakami Y, Oyama N, Nakamura K, Kaneko F. A case of localized dermatitis herpetiformis of the face. 2008;58:S59-60 (Case letter)
- Kazin R, Bujanauskas P, Vonderheid EC. Durable complete remission of mycosis fungoides following erythroderma induced by denileukin difitox. 2008;58:S31-2 (Case letter)
- Kelly B, Pettit M, Sanchez R. Nephrogenic systemic fibrosis is associated with transforming growth factor β and Smad without evidence of renin-angiotensin system involvement. 2008;58:1025-30 (Dermatopathology)
- Kerob D (see Schartz et al). 2008;58:S85-91 (Report)
- Khachemoune A (see Janjua et al). 2008;58:339-44 (Case rep.)
- Khaitan BK (see Malhotra et al). 2008;58:596-602 (Report)
- Kharabsheh S (see Mosleh et al). 2008;58:617-24 (Report)
- Kibbi AG (see Abbas et al). 2008;58:490-3 (Case rep.)
- Kibbi AG (see Dahdah et al). 2008;58:1051-3 (Case rep.)
- Kim B-J (see Rho and Kim). 2008;58:S57-8 (Case letter)
- Kim DY, Park Y-K, Hann S-K. Recurrence of nevus depigmentosus after an autologous epidermal graft. 2008;58:527-9 (Case letter)
- Kim EJ (see Introcaso et al). 2008;58:644-9 (Case & review)
- Kimball AB, Gladman D, Gelfand JM, Gordon K, Horn EJ, Korman NJ, Korver G, Krueger GG, Strober BE, Lebwohl MG, National Psoriasis Foundation. National Psoriasis Foundation clinical consensus on psoriasis comorbidities and recommendations for screening. 2008;58:1031-42 (Review)
- Kimball AB (see Frangos et al). 2008;58:781-6 (Report)
- Kimball AB (see Lebwohl et al). 2008;58:94-105 (Report)
- Kimball AB (see Menter et al). 2008;58:106-15 (Report)
- Kimball AB (see Resneck and Kimball). 2008;58:211-6 (Report)
- Kimura H (see Kitamura et al). 2008;58:802-9 (Report)
- Kimura S (see Kawakami et al). 2008;58:703-6 (Case rep.)
- King LE Jr (see Ochoa et al). 2008;58:352-3 (Research letter)
- Kirsner RS (see Breneman et al). 2008;58:990-9 (Report)
- Kishor S, Turner ML, Borg BB, Kleiner DE, Cowen EW. Cutaneous sarcoidosis and primary biliary cirrhosis: a chance association of related diseases? 2008;58:326-35 (Case rep.)
- Kitajima Y (see Murrell et al). 2008;58:1043-6 (Review)
- Kitamura K, Asada H, Iida H, Fukumoto T, Kobayashi N, Niizeki H, Morii T, Kimura H, Miyagawa S. Relationship among human herpesvirus 6 reactivation serum interleukin 10 levels, and rash/graft-versus-host disease after allogeneic stem cell transplantation. 2008;58:802-9 (Report)
- Klaz I (see Braga et al). 2008;58:875-80 (Case rep.)
- Kleiner DE (see Kishor et al). 2008;58:326-35 (Case rep.)
- Kobayashi N (see Kitamura et al). 2008;58:802-9 (Report)
- Koch LH, Lewis DW, Williams JV. Necrolytic migratory erythema-like presentation for cystic fibrosis. 2008;58:S29-30 (Case letter)
- Kohler S (see Hantash et al). 2008;58:661-4 (Case rep.)
- Kohler S (see Mattoch et al). 2008;58:691-6 (Case rep.)
- Kohli AR (see Fonder et al). 2008;58:185-206 (CME article)
- Kokta V (see Lovett et al). 2008;58:S1-4 (Case rep.)
- Kolda T (see Wang et al). 2008;58:257-60 (Dermatopathology)
- König S (see Gerstner et al). 2008;58:S63-4 (Case letter)
- Koo JYM (see Gottlieb et al). 2008;58:851-64 (From the Academy)

- Koo JYM (see Menter et al). 2008;58:826-50 (From the Academy)
- Korman NJ (see Gottlieb et al). 2008;58:851-64 (From the Academy)
- Korman NJ (see Kimball et al). 2008;58:1031-42 (Review)
- Korman NJ (see Lebwohl et al). 2008;58:94-105 (Report)
- Korman NJ (see Menter et al). 2008;58:826-50 (From the Academy)
- Korman NJ (see Moul et al). 2008;58:984-9 (Report)
- Korman NJ (see Murrell et al). 2008;58:1043-6 (Review)
- Korman NJ (see Price et al). 2008;58:395-402 (Report)
- Kormeili T (see Lindvall et al). 2008;58:303-7 (Case & review)
- Korver G (see Kimball et al). 2008;58:1031-42 (Review)
- Kosaki R (see Yanagi et al). 2008;58:653-6 (Case rep.)
- Kozic H, Riggs K, Ringpfeil F, Lee JB. Disseminated *Cryptococcus neoformans* after treatment with infliximab for rheumatoid arthritis. 2008;58:S95-6 (Case letter)
- Krahl D (see Sellheyer and Krahl). 2008;58:158-67 (Dermatopathology)
- Kravetz JD and Heald P. Bilateral dialysis-associated steal syndrome. 2008;58:888-91 (Case rep.)
- Krell J, Nelson C, Spencer L, Miller S. An open-label study evaluating the efficacy and tolerability of alefacept for the treatment of scalp psoriasis. 2008;58:609-16 (Report)
- Krieg T (see Eren et al). 2008;58:1056-8 (Case rep.)
- Krieg T (see Fabri et al). 2008;58:S127-8 (Case letter)
- Kristjansson AK, Poulos GA, Chang T, Gilliam AC, Cooper KD. Unusual flexural drug reaction with epidermal pustules associated with adalimumab treatment. 2008;58:S108-9 (Case letter)
- Kristjansson AK (see Miedler et al). 2008;58:679-81 (Case rep.)
- Krueger GG (see Kimball et al). 2008;58:1031-42 (Review)
- Krueger GG (see Lebwohl et al). 2008;58:94-105 (Report)
- Kronic A, Ciurea A, Scheman A. Efficacy and tolerance of acne treatment using both spironolactone and a combined contraceptive containing drospirenone. 2008;58:60-2 (Report)
- Kurd SK, Smith N, VanVoorhees A, Troxel AB, Badmaev V, Seykora JT, Gelfand JM. Oral curcumin in the treatment of moderate to severe psoriasis vulgaris: a prospective clinical trial. 2008;58:625-31. Correction 2008;58:1050 (Report)
- Kurtz SE (see White et al). 2008;58:49-55 (Report)
- Kurzrock R (see Cen et al). 2008;58:382-6 (Report)
- Kwan JM, Reese AM, Traflet JP. Delayed autoimmune hemolytic anemia in efalizumab-treated psoriasis. 2008;58:1053-5 (Case rep.)
- Kwan JM, Traflet JP, DeRienzo DP. Abdominal diffuse large B-cell lymphoma presenting in association with cutaneous granulomatous vasculitis. 2008;58:S93-5 (Case letter)
- L
- Lam J, Dohil MA, Eichenfield LF, Cunningham BB. SCALP syndrome: sebaceous nevus syndrome, CNS malformations, aplasia cutis congenita, limbal dermoid, and pigmented nevus (giant congenital melanocytic nevus) with neurocutaneous melanosis: a distinct syndromic entity. 2008;58:884-8 (Case rep.)
- Lambert D (see Rémy-Leroux et al). 2008;58:217-23 (Report)
- Langley RG (see Menter et al). 2008;58:106-15 (Report)
- Lanschuetzer CM (see Lazarova et al). 2008;58:951-8 (Report)
- Laumann AE (see Wolf and Laumann). 2008;58:472-6 (History)
- Lazar A (see Wang et al). 2008;58:257-60 (Dermatopathology)
- Lazarova Z, Salato VK, Lanschuetzer CM, Janson M, Fairley JA, Yancey KB. IgG anti-laminin-332 autoantibodies are present in a subset of patients with mucous membrane, but not bullous, pemphigoid. 2008;58:951-8 (Report)
- Lazarova Z (see White et al). 2008;58:49-55 (Report)
- Lazarus GS (see Fonder et al). 2008;58:185-206 (CME article)
- Leach IH (see Gait et al). 2008;58:S123-4 (Case letter)
- Lebbé C (see Scharz et al). 2008;58:585-91 (Report)
- Leber B (see Introcaso et al). 2008;58:644-9 (Case & review)
- Lebwohl M, Bagel J, Gelfand JM, Gladman D, Gordon KB, Hsu S, Kalb RE, Kimball AB, Korman NJ, Krueger GG, Mease P, Morison WL, Paller A, Pariser DM, Ritchlin C, Strober B, Van Voorhees A, Weinstein GD, Young M, Horn L. From the Medical Board of the National Psoriasis Foundation: monitoring and vaccinations in patients treated with biologics for psoriasis. 2008;58:94-105 (Report)
- Lebwohl M (see Clark and Lebwohl). 2008;58:443-6 (Review)
- Lebwohl M (see Gottlieb et al). 2008;58:851-64 (From the Academy)
- Lebwohl M (see Menter et al). 2008;58:826-50 (From the Academy)
- Lebwohl M (see Patel et al). 2008;58:964-9 (Report)
- Lebwohl MG (see Kimball et al). 2008;58:1031-42 (Review)
- Leclerc P (see Kapoor et al). 2008;58:68-73 (Report)
- Ledger WJ (see Heymann et al). 2008;58:1047-8 (Dialogues in dermatology)
- Lee JB (see Kozic et al). 2008;58:S95-6 (Case letter)
- Lee JD (see Lee et al). 2008;58:S104-6 (Case letter)
- Lee JH, Yoon SY, Lee JD, Cho SH. A case of congenital erosive and vesicular dermatosis with limited involvement. 2008;58:S104-6 (Case letter)
- Lee JY-Y (see Yang et al). 2008;58:493-7 (Case rep.)
- Lee KB, Weinstock MA, Risica PM. Components of a successful intervention for monthly skin self-examination for early detection of melanoma: the "Check It Out" Trial. 2008;58:1006-12 (Report)
- Legierse CM (see Brennkmeijer et al). 2008;58:407-14 (Report)
- Leicht SS (see Green et al). 2008;58:S110-2 (Case letter)
- Leigh I (see Fine et al). 2008;58:931-50 (Report)
- Leitenberger JJ, Berthelot CN, Polder KD, Pro B, McLaughlin P, Jones D, Duvic M. CD4⁺ CD56⁺ hematodermic/plasmacytoid dendritic cell tumor with response to pralatrexate. 2008;58:480-4 (Case rep.)
- Lemos B (see Heath et al). 2008;58:375-81 (Report)
- Lens M and Rosdahl I. An impact of hormones on nevi and melanoma. 2008;58:1083-4 (Notes & comments)
- Léonard F (see Rémy-Leroux et al). 2008;58:217-23 (Report)
- Leonardi CL (see Gottlieb et al). 2008;58:851-64 (From the Academy)
- Leonardi CL (see Menter et al). 2008;58:106-15 (Report), 2008;58:826-50 (From the Academy)
- Leroy D (see Rémy-Leroux et al). 2008;58:217-23 (Report)
- Leshner JL Jr (see Dudelzak et al). 2008;58:S52-3 (Case letter)
- Leung DYM (see Bender et al). 2008;58:415-20 (Report)
- Leung HM (see Price et al). 2008;58:395-402 (Report)
- Levy AL (see Skinner and Levy). 2008;58:524-5 (Case letter)
- Levy MS, Polsky D, Davidson A, Strober BE. Tinea versicolor with etanercept therapy. 2008;58:S99-100 (Case letter)
- Levy P (see Regnier et al). 2008;58:63-7 (Report)
- Lewis DW (see Koch et al). 2008;58:S29-30 (Case letter)
- Li S (see Rich et al). 2008;58:224-31 (Report)
- Li T (see Shimizu et al). 2008;58:810-6 (Derm. surgery)
- Liang M (see Holzmann et al). 2008;58:817-25 (Derm. surgery)
- Libow LF (see Forman et al). 2008;58:1013-20 (Dermatopathology)
- Lim HW. Sun exposure and vitamin D level. 2008;58:516-7 (Notes & comments)
- Lindeboom R (see Brennkmeijer et al). 2008;58:407-14 (Report)
- Lindeman NI (see Gleason et al). 2008;58:290-4 (Case & review)
- Linder D (see Eisendle et al). 2008;58:S47-9 (Case letter)
- Lindvall LE, Kormeili T, Chen E, Ramirez MCM, Grum-Tokars V, Glucksman MJ, Martignetti JA, Zaragoza MV, Dyson SW. Infantile systemic hyalinoses: case report and review of the literature. 2008;58:303-7 (Case & review)
- Liote F (see Dauendorffer et al). 2008;58:533-5 (Case letter)
- Lipinski C (see Gerstner et al). 2008;58:S63-4 (Case letter)
- Liu D (see White et al). 2008;58:49-55 (Report)
- Lloyd BM (see Rosman et al). 2008;58:575-8 (Report)

- Lobosco SJ (see Patel et al). 2008;58:964-9 (Report)
Logan AC (see Treloar et al). 2008;58:175-7 (Notes & comments)
Longin E (see Gerstner et al). 2008;58:S63-4 (Case letter)
Love WE, Miedler JD, Smith MK, Mostow EN, Cooper KD, Gilliam AC. The spectrum of primary cutaneous nodular amyloidosis: two illustrative cases. 2008;58:S33-5 (Case letter)
Lovett A, Kokta V, Maari C. Diffuse dermatitis: an unexpected initial presentation of cystic fibrosis. 2008;58:S1-4 (Case rep.)
Lucas S (see Wenzel et al). 2008;58:437-42 (Dermatopathology)
Lukowsky A (see Steinhoff et al). 2008;58:S88-91 (Case rep.)
Lusso P (see Drago et al). 2008;58:S78-83 (Case rep.)

M

- Maari C (see Lovett et al). 2008;58:S1-4 (Case rep.)
MacKelfresh J (see Bhandarkar et al). 2008;58:711-2 (Case rep.)
Maffei L, Musolino MC, Cambiaghi S. Single-plaque vegetating bromoderma. 2008;58:682-4 (Case rep.)
Maibach HI (see Thyssen and Maibach). 2008;58:1000-5 (Report)
Mailler-Savage EA and Mutasim DF. Cold injury of the knee and lower aspect of the leg after knee surgery and use of a cold therapy system. 2008;58:S106-8 (Case letter)
Malhotra AK, Khaitan BK, Sethuraman G, Sharma VK. Betamethasone oral mini-pulse therapy compared with topical triamcinolone acetonide (0.1%) paste in oral lichen planus: a randomized comparative study. 2008;58:596-602 (Report)
Malnati M (see Drago et al). 2008;58:S78-83 (Case rep.)
Maloney M (see Mendese et al). 2008;58:S18-9 (Case letter)
Mamelak AJ (see Fonder et al). 2008;58:185-206 (CME article)
Mancini AJ (see Christen-Zaech et al). 2008;58:S112-3 (Case letter)
Mancini AJ (see Wu et al). 2008;58:S16-22 (Case rep.)
Manganoni AM, Tucci G, Venturini M, Farisoglio C, Calzavara-Pinton PG. Repeated equally effective suberythemogenic exposures to ultraviolet (UV)A1 or narrowband UVB induce similar changes of the dermoscopic pattern of acquired melanocytic nevi that can be prevented by high-protection UVA-UVB sunscreens. 2008;58:763-8 (Report)
Mann NJ (see Treloar et al). 2008;58:175-7 (Notes & comments)
Manne SL (see Heckman et al). 2008;58:769-80 (Report)
Marcoval J (see Prat et al). 2008;58:522-4 (Case letter)
Marghoob AA (see Braga et al). 2008;58:875-80 (Case rep.)
Marghoob AA (see Wu et al). 2008;58:S16-22 (Case rep.)
Marghoob AA and Halpern AC. Biopsy rates in patients with and without total body photography. 2008;58:894-5 (Notes & comments)
Margolis D (see Conlon et al). 2008;58:484-7 (Case rep.)
Margolis DJ (see Kapoor et al). 2008;58:68-73 (Report)
Marguery M-C (see Rémy-Leroux et al). 2008;58:217-23 (Report)
Marks JG Jr (see Wood et al). 2008;58:715-7 (Research letter)
Marquart H (see Fischer et al). 2008;58:S37-8 (Case letter)
Marrot L and Meunier J-R. Skin DNA photodamage and its biological consequences. 2008;58:S139-48 (Report)
Martignetti JA (see Lindvall et al). 2008;58:303-7 (Case & review)
Martin LK (see Murrell et al). 2008;58:1043-6 (Review)
Mascaro JM Jr (see Julià et al). 2008;58:665-7 (Case rep.)
Mastrolonardo M. Sympathetic nervous system dysfunction: a common pathway linking skin and heart morbidity? 2008;58:352 (Notes & comments)
Mattoch IW, Pham N, Robbins JB, Bogomilsky J, Tandon M, Kohler S. Reactive eccrine syringofibroadenoma arising in periostomal skin: an unusual presentation of a rare lesion. 2008;58:691-6 (Case rep.)
Mc Aleer MA, Powell FC, Devaney D, O'Donnell BF. Infantile pyoderma gangrenosum. 2008;58:S23-8 (Case rep.)
McCarthy J (see Holzmann et al). 2008;58:817-25 (Derm. surgery)
McGrath JA (see Fine et al). 2008;58:931-50 (Report)
McGraw TA and Turiansky GW. Cutaneous myiasis. 2008;58:907-26 (CME article)
McLaughlin P (see Leitenberger et al). 2008;58:480-4 (Case rep.)
McNiff JM (see Colegio et al). 2008;58:S102-3 (Case letter)
Mease P (see Lebwohl et al). 2008;58:94-105 (Report)
Mecca P (see Braga et al). 2008;58:875-80 (Case rep.)
Meier CR (see Brauchli et al). 2008;58:421-9 (Report)
Mellerio JE (see Fine et al). 2008;58:931-50 (Report)
Mendelsohn ML (see Schneider et al). 2008;58:741-9 (Report)
Mendese G, Bordeaux J, Pattee S, Maloney M. Squamous cell carcinoma tumor thrombus encountered during Mohs micrographic surgery. 2008;58:518-9 (Case letter)
Menon C (see Kapoor et al). 2008;58:68-73 (Report)
Menter A, Gottlieb A, Feldman SR, Van Voorhees AS, Leonardi CL, Gordon KB, Lebwohl M, Koo JYM, Elmets CA, Korman NJ, Beutner KR, Bhushan R. Guidelines of care for the management of psoriasis and psoriatic arthritis: Section 1. Overview of psoriasis and guidelines of care for the treatment of psoriasis with biologics. 2008;58:826-50 (From the Academy)
Menter A, Tying SK, Gordon K, Kimball AB, Leonardi CL, Langley RG, Strober BE, Kaul M, Gu Y, Okun M, Papp K. Adalimumab therapy for moderate to severe psoriasis: a randomized, controlled phase III trial. 2008;58:106-15 (Report)
Menter A (see Gottlieb et al). 2008;58:851-64 (From the Academy)
Menter A (see Perlmutter et al). 2008;58:116-24 (Report)
Merritt BG (see Ortega-Loayza et al). 2008;58:S72-4 (Case rep.)
Metry DW, Siegel DH, Cordisco MR, Prendiville J, Drolet BA, Horii KA, Stein SL, Frieden IJ. A comparison of disease severity among affected male versus female patients with PHACE syndrome. 2008;58:81-7 (Report)
Metz D (see Wenzel et al). 2008;58:437-42 (Dermatopathology)
Meunier J-R (see Marrot and Meunier). 2008;58:S139-48 (Report)
Micaily B (see Introcaso et al). 2008;58:592-5 (Report)
Miedler JD, Kristjansson AK, Gould J, Tamburro J, Gilliam AC. Pagetoid reticulosis in a 5-year-old boy. 2008;58:679-81 (Case rep.)
Miedler JD (see Love et al). 2008;58:S33-5 (Case letter)
Mikus S (see Wenzel et al). 2008;58:437-42 (Dermatopathology)
Miller DM (see Gleason et al). 2008;58:290-4 (Case & review)
Miller JH (see Katz et al). 2008;58:865-71 (Review)
Miller JJ (see Wood et al). 2008;58:715-7 (Research letter)
Miller S (see Krell et al). 2008;58:609-16 (Report)
Miller T (see Colaco et al). 2008;58:671-5 (Case rep.)
Mills C (see Katugampola et al). 2008;58:697-702 (Case rep.)
Mimouni D (see Murrell et al). 2008;58:1043-6 (Review)
Mimouni D (see Waisbourd-Zinman et al). 2008;58:41-8 (Report)
Minauchi K (see Shimizu et al). 2008;58:S118-20 (Case letter)
Miyagawa S (see Kitamura et al). 2008;58:802-9 (Report)
Mizoguchi M (see Kawakami et al). 2008;58:703-6 (Case rep.)
Mockenhaupt M (see Halevy et al). 2008;58:25-32 (Report)
Mockenhaupt M (see Schneck et al). 2008;58:33-40 (Report)
Moore DH II (see Schneider et al). 2008;58:741-9 (Report)
Morel P (see Schartz et al). 2008;58:585-91 (Report)
Morgan AJ and Schwartz RA. Diabetic dermopathy: a subtle sign with grave implications. 2008;58:447-51 (Review)
Mori T (see Kitamura et al). 2008;58:802-9 (Report)
Morison WL (see Lebwohl et al). 2008;58:94-105 (Report)
Moriuchi R, Akiyama M, Onozuka T, Shimizu H. A novel *ATP2A2* missense mutation p.Asp254Gly in Darier Disease restricted to the extremities. 2008;58:S116-8 (Case letter)
Morrell DS (see Ortega-Loayza et al). 2008;58:S72-4 (Case rep.)
Morrell DS (see Schwartz et al). 2008;58:59-11 (Case rep.)
Morrell DS (see Zedek et al). 2008;58:S5-8 (Case rep.)
Morrison L (see White et al). 2008;58:49-55 (Report)
Morse L (see Gilchrist et al). 2008;58:299-302 (Case & review)

- Mortier G (see Gass et al). 2008;58:S103-4 (Case letter)
- Mosleh IM, Geith E, Natsheh L, Schöniat G, Abotteen N, Kharabshah S. Efficacy of a weekly cryotherapy regimen to treat *Leishmania major* cutaneous leishmaniasis. 2008;58:617-24 (Report)
- Moss C (see Katugampola et al). 2008;58:697-702 (Case rep.)
- Mostaghimi A (see Heath et al). 2008;58:375-81 (Report)
- Mostow EN (see Love et al). 2008;58:S33-5 (Case letter)
- Moul DK, Routhouska SB, Robinson MR, Korman NJ. Alefacept for moderate to severe atopic dermatitis: a pilot study in adults. 2008;58:984-9 (Report)
- Moyal DD and Fourtanier AM. Broad-spectrum sunscreens provide better protection from solar ultraviolet—simulated radiation and natural sunlight—induced immunosuppression in human beings. 2008;58:S149-54 (Report)
- Murphy JR (see Bender et al). 2008;58:415-20 (Report)
- Murrell DF, Dick S, Ahmed AR, Amagai M, Barnadas MA, Borradori L, Bystryk J-C, Cianchini G, Diaz L, Fivenson D, Hall R, Harman KE, Hashimoto T, Hertl M, Hunzelmann N, Irazo P, Joly P, Jonkman MF, Kitajima Y, Korman NJ, Martin LK, Mimouni D, Pandya AG, Payne AS, Rubenstein D, Shimizu H, Sinha AA, Sirois D, Zillikens D, Werth VP. Consensus statement on definitions of disease, end points, and therapeutic response for pemphigus. 2008;58:1043-6 (Review)
- Murrell DF (see Fine et al). 2008;58:931-50 (Report)
- Musolino MC (see Maffei et al). 2008;58:682-4 (Case rep.)
- Mutasim DF (see Mailler-Savage and Mutasim). 2008;58:S106-8 (Case letter)
- Mutasim DF (see Sluzevich et al). 2008;58:S113-5 (Case letter)
- Myskowski P (see Heymann et al). 2008;58:642-3 (Dialogues in dermatology)
- N**
- Nadiminti H (see Holzmann et al). 2008;58:817-25 (Derm. surgery)
- Nagasaki A (see Yanagi et al). 2008;58:653-6 (Case rep.)
- Nagasako R (see Ito et al). 2008;58:S120-2 (Case letter)
- Naik H (see Heidary et al). 2008;58:545-70 (CME article)
- Nakamura K (see Kawakami et al). 2008;58:S59-60 (Case letter)
- Nakao M (see Sakai et al). 2008;58:668-70 (Case rep.)
- Nakashima D (see Sugita et al). 2008;58:S54-5 (Case letter)
- Naldi L (see Halevy et al). 2008;58:25-32 (Report)
- Natarajan E and Woo S-B. Benign alveolar ridge keratosis (oral lichen simplex chronicus): a distinct clinicopathologic entity. 2008;58:151-7 (Dermatopathology)
- National Alopecia Registry (see Ahmed et al). 2008;58:S75-7 (Case rep.)
- National Psoriasis Foundation (see Kimball et al). 2008;58:1031-42 (Review)
- Natsheh L (see Mosleh et al). 2008;58:617-24 (Report)
- Navarra E (see Julià et al). 2008;58:665-7 (Case rep.)
- Naylor E, Hu S, Robinson-Bostom L. Nephrogenic systemic fibrosis with septal panniculitis mimicking erythema nodosum. 2008;58:149-50 (Dermatopathology)
- Naylor E, Sarkar P, Perlis CS, Giri D, Gnepp DR, Robinson-Bostom L. Primary cutaneous adenoid cystic carcinoma. 2008;58:636-41 (Dermatopathology)
- Naylor EMT, Ruben BS, Robinson-Bostom L, Telang GH, Jellinek NJ. Subungual blue nevus with combined phenotypic features. 2008;58:1021-4 (Dermatopathology)
- Neel V (see Holzmann et al). 2008;58:817-25 (Derm. surgery)
- Nehal KS (see Hazan et al). 2008;58:142-8 (Derm. surgery)
- Nelson AA, Pearce DJ, Fleischer AB Jr, Balkrishnan R, Feldman SR. Cost-effectiveness of biologic treatments for psoriasis based on subjective and objective efficacy measures assessed over a 12-week treatment period. 2008;58:125-35 (Report)
- Nelson AA and Ruben BS. Isolated plantar collagenoma not associated with Proteus syndrome. 2008;58:497-9 (Case rep.)
- Nelson C (see Krell et al). 2008;58:609-16 (Report)
- Nemeth S (see Do et al). 2008;58:603-8 (Report)
- Nesbitt LT (see Gilchrist et al). 2008;58:299-302 (Case & review)
- Nestle FO (see Rich et al). 2008;58:224-31 (Report)
- Nghiem P (see Heath et al). 2008;58:375-81 (Report)
- Niizeki H (see Kitamura et al). 2008;58:802-9 (Report)
- Noda A (see Rodríguez-Martín et al). 2008;58:S92-3 (Case letter)
- Noël B, Ruf I, Panizzon RG. Cannabis arteritis. 2008;58:S65-7 (Case rep.)
- Nopper AJ (see Haughton et al). 2008;58:S12-5 (Case rep.)
- Norgaard A (see Fischer et al). 2008;58:S37-8 (Case letter)
- O**
- Ochoa BE, King LE Jr, Price VH. Lichen planopilaris: annual incidence in four hair referral centers in the United States. 2008;58:352-3 (Research letter)
- O'Donnell BF (see Mc Aleer et al). 2008;58:S23-8 (Case rep.)
- Okun M (see Menter et al). 2008;58:106-15 (Report)
- Olasolo PJ (see Fernández-Guarino et al). 2008;58:88-93 (Report)
- Oliveira NC de (see Raso Bastos et al). 2008;58:S41-2 (Case letter)
- Olsen EA (see Bellet et al). 2008;58:499-502 (Case rep.)
- Olsen EA (see Price et al). 2008;58:395-402 (Report)
- Onay H, Balkan C, Cogulu O, Aydinok Y, Karapinar DY, Ozkinay F. A further Turkish case of Griscelli syndrome with new RAB27A mutation. 2008;58:S115-6 (Case letter)
- Onder M (see Karıncaoglu et al). 2008;58:579-84 (Report)
- Onozuka T (see Moriuchi et al). 2008;58:S116-8 (Case letter)
- Onumah N (see Appiah et al). 2008;58:S32-3 (Case letter)
- Orringer JS (see Do et al). 2008;58:603-8 (Report)
- Ortega-Loayza AG, Merritt BG, Groben PA, Morrell DS. Eosinophilic fasciitis in a female child. 2008;58:S72-4 (Case rep.)
- Otsubo S (see Sakai et al). 2008;58:668-70 (Case rep.)
- Oyama N (see Kawakami et al). 2008;58:S59-60 (Case letter)
- Ozawa N (see Yanagi et al). 2008;58:653-6 (Case rep.)
- Ozden MG (see Karıncaoglu et al). 2008;58:579-84 (Report)
- Ozkinay F (see Onay et al). 2008;58:S115-6 (Case letter)
- P**
- Paley K, English JC III, Zirwas MJ. Pterygium inversum unguis secondary to acrylate allergy. 2008;58:S53-4 (Case letter)
- Paller A (see Lebwohl et al). 2008;58:94-105 (Report)
- Pandya AG (see Murrell et al). 2008;58:1043-6 (Review)
- Panizzon RG (see Noël et al). 2008;58:S65-7 (Case rep.)
- Papadakis P (see Rallis et al). 2008;58:S109-10 (Case letter)
- Papp K (see Menter et al). 2008;58:106-15 (Report)
- Pariser DM (see Lebwohl et al). 2008;58:94-105 (Report)
- Park Y-K (see Kim et al). 2008;58:527-9 (Case letter)
- Parodi A (see Rongioletti et al). 2008;58:530-2 (Case letter)
- Parrish CA (see Wright et al). 2008;58:650-2 (Case rep.)
- Parsons AC, Sheehan DJ, Sangüeza OP. Synchronous verrucous carcinoma and cutaneous T-cell lymphoma. 2008;58:S124-5 (Case letter)
- Parsons DJ (see Schwartz et al). 2008;58:S9-11 (Case rep.)
- Patel S (see Christen-Zaech et al). 2008;58:S112-3 (Case letter)
- Patel V, Horn EJ, Lobosco SJ, Fox KM, Stevens SR, Lebwohl M. Psoriasis treatment patterns: results of a cross-sectional survey of dermatologists. 2008;58:964-9 (Report)
- Pattee S (see Mendese et al). 2008;58:S18-9 (Case letter)
- Paus R (see Adly et al). 2008;58:238-50 (Dermatopathology)
- Payne AS (see Murrell et al). 2008;58:1043-6 (Review)
- Paz C (see Scharz et al). 2008;58:585-91 (Report)
- Pearce DJ (see Nelson et al). 2008;58:125-35 (Report)
- Peckham SJ (see Forman et al). 2008;58:1013-20 (Dermatopathology)

- Peñas PF (see Heath et al). 2008;58:375-81 (Report)
- Pennington B (see Boyd et al). 2008;58:519-21 (Case letter)
- Pérez N (see Rodríguez-Martín et al). 2008;58:592-3 (Case letter)
- Peris K (see Fargnoli et al). 2008;58:126-7 (Case letter)
- Perlis C (see Jambusaria et al). 2008;58:676-8 (Case rep.)
- Perlis C (see Shimizu et al). 2008;58:810-6 (Derm. surgery)
- Perlis CS (see Naylor et al). 2008;58:636-41 (Dermatopathology)
- Perlmutter A, Cather J, Franks B, Jaracz E, Menter A. Alefacept revisited: our 3-year clinical experience in 200 patients with chronic plaque psoriasis. 2008;58:116-24 (Report)
- Permin H (see Fischer et al). 2008;58:537-8 (Case letter)
- Perrin C (see Baran and Perrin). 2008;58:232-7 (Report)
- Pertile P (see Adly et al). 2008;58:238-50 (Dermatopathology)
- Petit A (see Dauendorffer et al). 2008;58:533-5 (Case letter)
- Petitt M (see Kelly et al). 2008;58:1025-30 (Dermatopathology)
- Pham N (see Mattoch et al). 2008;58:691-6 (Case rep.)
- Philipp W (see Eisendle et al). 2008;58:547-9 (Case letter)
- Pincus LB, Grossman ME, Fox LP. The exanthem of dengue fever: clinical features of two US tourists traveling abroad. 2008;58:308-16 (Case rep.)
- Pinkus GS (see Gleason et al). 2008;58:290-4 (Case & review)
- Piraccini BM (see de Berker et al). 2008;58:978-83 (Report)
- Piza H (see Eisendle et al). 2008;58:547-9 (Case letter)
- Polder KD (see Leitenberger et al). 2008;58:480-4 (Case rep.)
- Polsky D (see Levy et al). 2008;58:599-100 (Case letter)
- Poorsattar SP and Hornung RL. Television turning more teens toward tanning? 2008;58:171-2 (Current issues & opinion)
- Porter DL (see Introcaso et al). 2008;58:295-8 (Case & review)
- Poulos GA (see Kristjansson et al). 2008;58:108-9 (Case letter)
- Powell FC (see Mc Aleer et al). 2008;58:523-8 (Case rep.)
- Prat C, Viñas M, Marcoval J, Juglà A. Longitudinal melanonychia as the first sign of Addison's disease. 2008;58:522-4 (Case letter)
- Prendiville J (see Metry et al). 2008;58:81-7 (Report)
- Price VH, Hordinsky MK, Olsen EA, Roberts JL, Siegfried EC, Rafal ES, Korman NJ, Altrabulsi B, Leung HM, Garovoy MR, Caro I, Whiting DA. Subcutaneous efalizumab is not effective the treatment of alopecia areata. 2008;58:395-402 (Report)
- Price VH (see Ochoa et al). 2008;58:352-3 (Research letter)
- Prieto V (see Wang et al). 2008;58:257-60 (Dermatopathology)
- Pro B (see Leitenberger et al). 2008;58:480-4 (Case rep.)
- Pucevich B, Spencer L, English JC III. Unilateral trachyonychia in a patient with reflex sympathetic dystrophy. 2008;58:320-2 (Case rep.)

Q

- Querol I (see Ara et al). 2008;58:539-40 (Case letter)

R

- Rafailidis PI, Kapaskelis A, Falagas ME. Henoch-Schönlein purpura associated with *Proteus mirabilis* urinary tract infection. 2008;58:598-9 (Case letter)
- Rafal ES (see Price et al). 2008;58:395-402 (Report)
- Rallis E, Karanikola E, Papadakis P. Severe facial infection caused by *Serratia marcescens* in an immunocompetent soldier. 2008;58:109-10 (Case letter)
- Ramagosa R, de Villiers E-M, Fitzpatrick JE, Dellavalle RP. Human papillomavirus infection and ultraviolet light exposure as epidermoid inclusion cyst risk factors in a patient with epidermodyplasia verruciformis? 2008;58:568-71 (Case rep.), 2008;58:568e.1-6 (Case rep.)
- Ramirez MCM (see Lindvall et al). 2008;58:303-7 (Case & review)
- Ramsey ML (see Campbell and Ramsey). 2008;58:434-6 (Derm. surgery)
- Raso Bastos P, Regazzi Avelleira JC, Oliveira NC de, Azulay DR. Granulation tissue in palpebral conjunctivae associated with acitretin therapy. 2008;58:541-2 (Case letter)

- Ratzinger G (see Eisendle et al). 2008;58:547-9 (Case letter)
- Reale VF (see Fender et al). 2008;58:535-6 (Case letter)
- Rebora A (see Drago et al). 2008;58:578-83 (Case rep.)
- Reed B (see Howe et al). 2008;58:894 (Notes & comments)
- Reese AM (see Kwan et al). 2008;58:1053-5 (Case rep.)
- Regazzi Avelleira JC (see Raso Bastos et al). 2008;58:541-2 (Case letter)
- Regnier S, Ferman V, Levy P, Uzan S, Aractingi S. A case-control study of polymorphic eruption of pregnancy. 2008;58:63-7 (Report)
- Rehder K (see Schwartz et al). 2008;58:59-11 (Case rep.)
- Reich K (see Rich et al). 2008;58:224-31 (Report)
- Rémy-Leroux V, Léonard F, Lambert D, Wechsler J, Cribier B, Thomas P, Adamski H, Marguery M-C, Aubin F, Leroy D, Bernard P. Comparison of histopathologic-clinical characteristics of Jessner's lymphocytic infiltration of the skin and lupus erythematosus tumidus: multicenter study of 46 cases. 2008;58:217-23 (Report)
- Resneck JS Jr and Kimball AB. Who else is providing care in dermatology practices? Trends in the use of nonphysician clinicians. 2008;58:211-6 (Report)
- Resnik KS and Dileonardo M. Trauma and erosion in circumscribed hypokeratosis. 2008;58:174 (Notes & comments)
- Rho N-K and Kim B-J. A corynebacterial triad: prevalence of erythrasma and trichomycosis axillaris in soldiers with pitted keratolysis. 2008;58:557-8 (Case letter)
- Ribe A (see Corella et al). 2008;58:685-90 (Case rep.)
- Ribera M (see Soria et al). 2008;58:891-3 (Case rep.)
- Rich P, Griffiths CEM, Reich K, Nestle FO, Scher RD, Li S, Xu S, Hsu M-C, Guzzo C. Baseline nail disease in patients with moderate to severe psoriasis and response to treatment with infliximab during 1 year. 2008;58:224-31 (Report)
- Richardson SK (see Introcaso et al). 2008;58:592-5 (Report)
- Richert B (see de Berker et al). 2008;58:978-83 (Report)
- Rigel DS. Cutaneous ultraviolet exposure and its relationship to the development of skin cancer. 2008;58:129-32 (Report)
- Riggs K (see Kozic et al). 2008;58:595-6 (Case letter)
- Ringpfeil F (see Kozic et al). 2008;58:595-6 (Case letter)
- Risica PM (see Lee et al). 2008;58:1006-12 (Report)
- Ritchlin C (see Lebwohl et al). 2008;58:94-105 (Report)
- Robbins JB (see Mattoch et al). 2008;58:691-6 (Case rep.)
- Roberts JL (see Price et al). 2008;58:395-402 (Report)
- Robinson JK, Stapleton J, Turrisi R. Relationship and partner moderator variables increase self-efficacy of performing skin self-examination. 2008;58:755-62 (Report)
- Robinson MR (see Moul et al). 2008;58:984-9 (Report)
- Robinson-Bostom L (see Haemel et al). 2008;58:251-6 (Dermatopathology)
- Robinson-Bostom L (see Harwood et al). 2008;58:323-6 (Case rep.)
- Robinson-Bostom L (see Jenkins et al). 2008;58:353-5 (Case letter)
- Robinson-Bostom L (see Naylor et al). 2008;58:149-50 (Dermatopathology), 2008;58:636-41 (Dermatopathology), 2008;58:1021-4 (Dermatopathology)
- Rockett HH (see Adebamowo et al). 2008;58:787-93 (Report)
- Rodríguez-Martín M, Sánchez R, Sáez-Rodríguez M, García-Bustinduy M, Sidro M, Pérez N, González S, Álvarez H, Noda A. Congenital plaque-like glomangioma associated with superficial hypertrichosis. 2008;58:592-3 (Case letter)
- Roewert-Huber J (see Steinhoff et al). 2008;58:588-91 (Case rep.)
- Rongioletti F, Zaccaria E, Cozzani E, Parodi A. Treatment of localized lichen myxedematosus of discrete type with tacrolimus ointment. 2008;58:530-2 (Case letter)
- Rook AH (see Introcaso et al). 2008;58:592-5 (Report), 2008;58:644-9 (Case & review)
- Rosdahl I (see Lens and Rosdahl). 2008;58:1083-4 (Notes & comments)

- Rosman IS, Lloyd BM, Hayashi RJ, Bayliss SJ. Cutaneous effects of thiotepa in pediatric patients receiving high-dose chemotherapy with autologous stem cell transplantation. 2008;58:575-8 (Report)
- Rotunda AM, Graham-Hicks S, Bennett RG. Simultaneous subungual melanoma in situ of both thumbs. 2008;58:S42-4 (Case letter)
- Roujeau J-C (see Halevy et al). 2008;58:25-32 (Report)
- Roujeau JC (see Schneck et al). 2008;58:33-40 (Report)
- Routhouska SB (see Moul et al). 2008;58:984-9 (Report)
- Rubbert A (see Fabri et al). 2008;58:S127-8 (Case letter)
- Ruben BS (see Colaco et al). 2008;58:671-5 (Case rep.)
- Ruben BS (see Naylor et al). 2008;58:1021-4 (Dermatopathology)
- Ruben BS (see Nelson and Ruben). 2008;58:497-9 (Case rep.)
- Rubenstein D (see Murrell et al). 2008;58:1043-6 (Review)
- Ruf I (see Noël et al). 2008;58:S65-7 (Case rep.)
- Rupic RA (see Flaig and Rupec). 2008;58:S62-3 (Case letter)
- Ryder LP (see Fischer et al). 2008;58:S37-8 (Case letter)
- S
- Saab G. Epoetin and nephrogenic systemic fibrosis. 2008;58:174-5 (Notes & comments)
- Sachs D (see Do et al). 2008;58:603-8 (Report)
- Sáez-Rodríguez M (see Rodríguez-Martín et al). 2008;58:S92-3 (Case letter)
- Sago H (see Yanagi et al). 2008;58:653-6 (Case rep.)
- Saïd BB (see Jaconelli et al). 2008;58:S84-7 (Case rep.)
- Sakai H, Otsubo S, Nakao M, Yamasaki H, Kagei N, Iizuka H. Multiple papules and nodules on the face and neck caused by the larvae of an unknown nematode: a noncreeping type eruption. 2008;58:668-70 (Case rep.)
- Sakai K (see Yanagi et al). 2008;58:653-6 (Case rep.)
- Salato VK (see Lazarova et al). 2008;58:951-8 (Report)
- Salman S (see Abbas et al). 2008;58:490-3 (Case rep.)
- Sánchez M (see Ara et al). 2008;58:S39-40 (Case letter)
- Sanchez R (see Kelly et al). 2008;58:1025-30 (Dermatopathology)
- Sánchez R (see Rodríguez-Martín et al). 2008;58:S92-3 (Case letter)
- Sangüeza OP (see Parsons et al). 2008;58:S124-5 (Case letter)
- Saricaoglu H (see Karincaglu et al). 2008;58:579-84 (Report)
- Sarkar P (see Naylor et al). 2008;58:636-41 (Dermatopathology)
- Sasaki GT (see Forman et al). 2008;58:1013-20 (Dermatopathology)
- Sassolas B (see Schneck et al). 2008;58:33-40 (Report)
- Sato-Matsumura KC (see Fujita et al). 2008;58:S40-1 (Case letter)
- Scagliarini A (see White et al). 2008;58:49-55 (Report)
- Schaffer JV (see Warycha et al). 2008;58:S100-2 (Case letter)
- Schanbacher CF (see Holzmänn et al). 2008;58:817-25 (Derm. surgery)
- Schartz NEC, Chevret S, Paz C, Kerob D, Verola O, Morel P, Lebbé C. Imiquimod 5% cream for treatment of HIV-negative Kaposi's sarcoma skin lesions: a phase I to II, open-label trial in 17 patients. 2008;58:585-91 (Report)
- Scheman A (see Krunic et al). 2008;58:60-2 (Report)
- Scher RD (see Rich et al). 2008;58:224-31 (Report)
- Schmuth M (see Eisendle et al). 2008;58:S47-9 (Case letter)
- Schneck J, Fagot J-P, Sekula P, Sassolas B, Roujeau JC, Mockenhaupt M. Effects of treatments on the mortality of Stevens-Johnson syndrome and toxic epidermal necrolysis: a retrospective study on patients included in the prospective EuroSCAR Study. 2008;58:33-40 (Report)
- Schneider JS, Moore DH II, Mendelsohn ML. Screening program reduced melanoma mortality at the Lawrence Livermore National Laboratory, 1984 to 1996. 2008;58:741-9 (Report)
- Schönian G (see Mosleh et al). 2008;58:617-24 (Report)
- Schwartz R, Rehder K, Parsons DJ, Morrell DS. Intense pruritus and failure to thrive in Alagille syndrome. 2008;58:S9-11 (Case rep.)
- Schwartz RA (see Morgan and Schwartz). 2008;58:447-51 (Review)
- Schwarz T (see Egberts et al). 2008;58:880-4 (Case rep.)
- Scope A (see Braga et al). 2008;58:875-80 (Case rep.)
- Scott GA (see Fender et al). 2008;58:535-6 (Case letter)
- Seité S and Fourtanier AMA. The benefit of daily photoprotection. 2008;58:S160-6 (Report)
- Sekula P (see Schneck et al). 2008;58:33-40 (Report)
- Self TH and Akins D. Dramatic reduction in lipoma associated with statin therapy. 2008;58:S30-1 (Case letter)
- Selim A (see Bellet et al). 2008;58:499-502 (Case rep.)
- Sellheyer K and Krah D. Basal cell (trichoblastic) carcinoma: common expression pattern for epithelial cell adhesion molecule links basal cell carcinoma to early follicular embryogenesis, secondary high germ, and outer root sheath of the vellus hair follicle: a clue to the adnexal nature of basal cell carcinoma? 2008;58:158-67 (Dermatopathology)
- Serrano PN (see João et al). 2008;58:S55-7 (Case letter)
- Sethuraman G (see Malhotra et al). 2008;58:596-602 (Report)
- Seyhan M (see Karincaglu et al). 2008;58:579-84 (Report)
- Seykora JT (see Kurd et al). 2008;58:625-31. Correction 2008;58:1050 (Report)
- Shafer D (see Jambusaria et al). 2008;58:676-8 (Case rep.)
- Shakhtour B (see Boyd et al). 2008;58:750-4 (Report)
- Shams K (see Kavanagh and Shams). 2008;58:e1 (eBlueprints)
- Shao L (see Haughton et al). 2008;58:S12-5 (Case rep.)
- Sharma VK (see Malhotra et al). 2008;58:596-602 (Report)
- Sheehan DJ (see Parsons et al). 2008;58:S124-5 (Case letter)
- Shimizu H (see Fine et al). 2008;58:931-50 (Report)
- Shimizu H (see Moriuchi et al). 2008;58:S116-8 (Case letter)
- Shimizu H (see Murrell et al). 2008;58:1043-6 (Review)
- Shimizu H (see Yanagi et al). 2008;58:653-6 (Case rep.)
- Shimizu I, Jellinek NJ, Dufresne RG, Li T, Devarajan K, Perlis C. Multiple antithrombotic agents increase the risk of postoperative hemorrhage in dermatologic surgery. 2008;58:810-6 (Derm. surgery)
- Shimizu S, Yasui C, Minauchi K, Tsuchiya K. Metastatic rhabdomyosarcoma of the skin. 2008;58:S118-20 (Case letter)
- Shull TF (see Breneman et al). 2008;58:990-9 (Report)
- Shyr Y (see Boyd et al). 2008;58:750-4 (Report)
- Sidoroff A (see Halevy et al). 2008;58:25-32 (Report)
- Sidro M (see Rodríguez-Martín et al). 2008;58:S92-3 (Case letter)
- Siegel DH (see Metry et al). 2008;58:81-7 (Report)
- Siegfried EC (see Price et al). 2008;58:395-402 (Report)
- Simal E (see Ara et al). 2008;58:S39-40 (Case letter)
- Simpson EL (see White et al). 2008;58:49-55 (Report)
- Sina B (see Deng et al). 2008;58:336-9. Correction 2008;58:874 (Case rep.)
- Sinha AA (see Murrell et al). 2008;58:1043-6 (Review)
- Sirois D (see Murrell et al). 2008;58:1043-6 (Review)
- Skinner RB and Levy AL. Rapid resolution of pityriasis lichenoides et varioliformis acuta with azithromycin. 2008;58:524-5 (Case letter)
- Sluzevich JC, Gloster HJ, Mutasim DF. A case of regressing central facial cutaneous angiosarcoma. 2008;58:S113-5 (Case letter)
- Smith DI and Heffernan MP. Vitiligo after the resolution of psoriatic plaques during treatment with adalimumab. 2008;58:S50-2 (Case letter)
- Smith MK (see Love et al). 2008;58:S33-5 (Case letter)
- Smith N (see Kurd et al). 2008;58:625-31. Correction 2008;58:1050 (Report)
- Smitt JHS (see Brenninkmeijer et al). 2008;58:407-14 (Report)
- Soma Y (see Kawakami et al). 2008;58:703-6 (Case rep.)
- Soria X, Bielsa I, Ribera M, Herrero MJ, Domingo H, Carrascosa JM, Ferrándiz C. Acute dermal abscesses caused by *Serratia marcescens*. 2008;58:891-3 (Case rep.)
- Spencer L (see Krell et al). 2008;58:609-16 (Report)
- Spencer L (see Pucevich et al). 2008;58:320-2 (Case rep.)

- Spencer P (see Braga et al). 2008;58:875-80 (Case rep.)
Spiegelman D (see Adebamowo et al). 2008;58:787-93 (Report)
Sprecher E (see Alper et al). 2008;58:488-9 (Case rep.)
Spuls PI (see Brenninkmeijer et al). 2008;58:407-14 (Report)
Ständer S (see Ehrchen and Ständer). 2008;58:S36-7 (Case letter)
Ständer S (see Wenzel et al). 2008;58:437-42 (Dermatopathology)
Stapleton J (see Robinson et al). 2008;58:755-62 (Report)
Stein SL (see Metry et al). 2008;58:81-7 (Report)
Steinhoff M, Beyer M, Roewert-Huber J, Lukowsky A, Assaf C, Sterry W. Complete clinical remission of tumor-stage mycosis fungoides after acute extensive skin necrosis, granulomatous reaction, and fever under treatment bexarotene, vorinostat, and high-dose fenofibrate. 2008;58:S88-91 (Case rep.)
Sterry W (see Steinhoff et al). 2008;58:S88-91 (Case rep.)
Stevens SR (see Patel et al). 2008;58:964-9 (Report)
Stier MF, Glick SA, Hirsch RJ. Laser treatment of pediatric vascular lesions: port wine stains and hemangiomas. 2008;58:261-85 (Derm. surgery)
Strauss RM and Bishop JAN. Spontaneous involution of congenital melanocytic nevi of the scalp. 2008;58:508-11 (Case rep.)
Strober B (see Lebwohl et al). 2008;58:94-105 (Report)
Strober BE (see Kimball et al). 2008;58:1031-42 (Review)
Strober BE (see Levy et al). 2008;58:S99-100 (Case letter)
Strober BE (see Menter et al). 2008;58:106-15 (Report)
Sugita K, Kabashima K, Nakashima D, Tokura Y. Papuloerythroderma of Ofuji induced by furosemide. 2008;58:S54-5 (Case letter)
Sveigaard A (see Fischer et al). 2008;58:S37-8 (Case letter)
Swick BL (see Walling and Swick). 2008;58:S35-6 (Case letter)

T

- Tabilio A (see Fargnoli et al). 2008;58:S126-7 (Case letter)
Tacrolimus Ointment Study Group (see Breneman et al). 2008;58:990-9 (Report)
Takagaki K (see Ito et al). 2008;58:S120-2 (Case letter)
Takahashi S (see Fujita et al). 2008;58:S40-1 (Case letter)
Talanio J (see Conlon et al). 2008;58:484-7 (Case rep.)
Tamburro J (see Miedler et al). 2008;58:679-81 (Case rep.)
Tandon M (see Mattoch et al). 2008;58:691-6 (Case rep.)
Taylor SL (see Huang et al). 2008;58:970-7 (Report)
Telang GH (see Harwood et al). 2008;58:323-6 (Case rep.)
Telang GH (see Naylor et al). 2008;58:1021-4 (Dermatopathology)
Thami GP (see Gupta and Thami). 2008;58:521-2 (Case letter)
Thew M (see Heymann et al). 2008;58:168-9 (Dialogues in dermatology), 2008;58:286-7 (Dialogues in dermatology), 2008;58:1047-8 (Dialogues in dermatology)
Thomas P (see Rémy-Leroux et al). 2008;58:217-23 (Report)
Thyssen JP and Mailbach HL. Nickel release from earrings purchased in the United States: the San Francisco earring study. 2008;58:1000-5 (Report)
Togsverd-Bo K (see Hædersdal et al). 2008;58:387-94 (Report)
Toker SC (see Karıncaoglu et al). 2008;58:579-84 (Report)
Tokura Y (see Sugita et al). 2008;58:S54-5 (Case letter)
Tonkovic-Capin V (see Conlon et al). 2008;58:484-7 (Case rep.)
Torres G, Behshad R, Han A, Castrovinci AJ, Gilliam AC. "I forgot to shave my hands": a case of spiny keratoderma. 2008;58:344-8 (Case rep.)
Tosti A (see Iorizzo et al). 2008;58:714-5 (Research letter)
Trafletti JP (see Kwan et al). 2008;58:1053-5 (Case rep.), 2008;58:S93-5 (Case letter)
Treloar V, Logan AC, Danby FW, Cordain L, Mann NJ. Comment on acne and glycemic index. 2008;58:175-7 (Notes & comments)
Troxel AB (see Kurd et al). 2008;58:625-31. Correction 2008;58:1050 (Report)
Tsao H (see Heymann et al). 2008;58:168-9 (Dialogues in dermatology)

- Tsuchiya K (see Shimizu et al). 2008;58:S118-20 (Case letter)
Tucci G (see Manganoni et al). 2008;58:763-8 (Report)
Turiansky GW (see McGraw TA and Turiansky). 2008;58:907-26 (CME article)
Turner ML (see Kishor et al). 2008;58:326-35 (Case rep.)
Turrisi R (see Robinson et al). 2008;58:755-62 (Report)
Tursen U (see Karıncaoglu et al). 2008;58:579-84 (Report)
Tütting T (see Wenzel et al). 2008;58:437-42 (Dermatopathology)
Tyring SK (see Heymann et al). 2008;58:872-3 (Dialogues in dermatology)
Tyring SK (see Menter et al). 2008;58:106-15 (Report)

U

- Ubriani R (see Introcaso et al). 2008;58:644-9 (Case & review)
Uitto J (see Fine et al). 2008;58:931-50 (Report)
Urman C and Gottlieb AB. New viral vaccines for dermatologic disease. 2008;58:361-70 (CME article)
Usta A (see Karıncaoglu et al). 2008;58:579-84 (Report)
Utas S (see Karıncaoglu et al). 2008;58:579-84 (Report)
Uzan S (see Regnier et al). 2008;58:63-7 (Report)
Uzun S (see Karıncaoglu et al). 2008;58:579-84 (Report)

V

- Vahlquist A (see Fine et al). 2008;58:931-50 (Report)
Van Voorhees A (see Lebwohl et al). 2008;58:94-105 (Report)
Van Voorhees AS (see Gottlieb et al). 2008;58:851-64 (From the Academy)
Van Voorhees AS (see Menter et al). 2008;58:826-50 (From the Academy)
VanVoorhees A (see Kurd et al). 2008;58:625-31. Correction 2008;58:1050 (Report)
Varma S (see Gait et al). 2008;58:S123-4 (Case letter)
Venturini M (see Manganoni et al). 2008;58:763-8 (Report)
Verola O (see Schartz et al). 2008;58:585-91 (Report)
Viboud C (see Halevy et al). 2008;58:25-32 (Report)
Viñas M (see Prat et al). 2008;58:522-4 (Case letter)
Vincenzi C (see Iorizzo et al). 2008;58:714-5 (Research letter)
Vittorio CC (see Introcaso et al). 2008;58:592-5 (Report)
Vnencak-Jones CL (see Boyd et al). 2008;58:519-21 (Case letter)
Von Stebut E (see Wenzel et al). 2008;58:437-42 (Dermatopathology)
Vonderheid EC (see Kazin et al). 2008;58:S31-2 (Case letter)
Voorhees JJ (see Do et al). 2008;58:603-8 (Report)

W

- Waisbourd-Zinman O, Ben-Amitai D, Cohen AD, Feinmesser M, Mimouni D, Adir-Shani A, Zlotkin M, Zvulunov A. Bullous pemphigoid in infancy: clinical and epidemiologic characteristics. 2008;58:41-8 (Report)
Wallet-Faber N, Bodemer C, Blanche S, Delabesse E, Eschard C, Brousse N, Fraïtag S. Primary cutaneous Epstein-Barr virus-related lymphoproliferative disorders in 4 immunosuppressed children. 2008;58:74-80 (Report)
Walling HW and Swick BL. Intranasal formication correlates with diagnosis of delusions of parasitosis. 2008;58:S35-6 (Case letter)
Wang LC (see Heath et al). 2008;58:375-81 (Report)
Wang Q, Prieto V, Esmaili B, Kolda T, Lazar A, Ivan D, Diwan AH. Cellular blue nevi of the eyelid: a possible diagnostic pitfall. 2008;58:257-60 (Dermatopathology)
Wang W (see Collier et al). 2008;58:56-9. Correction 2008;58:874 (Report)
Warshaw EM (see Cham et al). 2008;58:136-41 (Report)
Warshaw EM (see Gehrig and Warshaw). 2008;58:1-21 (CME article)
Warycha MA, Fangman W, Kamino H, Schaffer JV. Interstitial granulomatous dermatitis in a child with chronic uveitis. 2008;58:S100-2 (Case letter)

- Webster GF. Commentary: diet and acne. 2008;58:794-5 (Report)
- Wechsler J (see Rémy-Leroux et al). 2008;58:217-23 (Report)
- Weening RH. Pathogenesis of calciphylaxis: Hans Selye to nuclear factor κ -B. 2008;58:458-71 (Review)
- Weinel S (see Federico et al). 2008;58:707-10 (Case rep.)
- Weinstein GD (see Lebwohl et al). 2008;58:94-105 (Report)
- Weinstock MA (see Lee et al). 2008;58:1006-12 (Report)
- Wenzel J, Lucas S, Zahn S, Mikus S, Metz D, Ständer S, von Stebut E, Hillen U, Bieber T, Tüting T. CXCR3 \leftrightarrow ligand-mediated skin inflammation in cutaneous lichenoid graft-versus-host disease. 2008;58:437-42 (Dermatopathology)
- Werth VP (see Murrell et al). 2008;58:1043-6 (Review)
- White CR Jr (see White et al). 2008;58:49-55 (Report)
- White KP, Zedek DC, White WL, Simpson EL, Hester E, Morrison L, Lazarova Z, Liu D, Scagliarini A, Kurtz SE, White CR Jr, Yancey KB, Blauvelt A. Orf-induced immunobullous disease: a distinct autoimmune blistering disorder. 2008;58:49-55 (Report)
- White WL (see White et al). 2008;58:49-55 (Report)
- Whiting DA (see Price et al). 2008;58:395-402 (Report)
- Wiegell SR (see Hædersdal et al). 2008;58:387-94 (Report)
- Willett WC (see Adebamowo et al). 2008;58:787-93 (Report)
- Williams JV (see Koch et al). 2008;58:529-30 (Case letter)
- Wolf EK and Laumann AE. The use of blood-type tattoos during the Cold War. 2008;58:472-6 (History)
- Woo S-B (see Natarajan and Woo). 2008;58:151-7 (Dermatopathology)
- Woo SM, Choi JW, Yoon HS, Jo SJ, Youn JI. Classification of facial psoriasis based on the distributions of facial lesions. 2008;58:959-63 (Report)
- Wood LD, Miller JJ, Marks JG Jr. The need for leadership: how can we better train the next generation of dermatologists? 2008;58:715-7 (Research letter)
- Woodley D (see Fine et al). 2008;58:931-50 (Report)
- Wright NA, Davis LE, Aftergut KS, Parrish CA, Cockerell CJ. Cutaneous leishmaniasis in Texas: a northern spread of endemic areas. 2008;58:650-2 (Case rep.)
- Wu H (see Appiah et al). 2008;58:S32-3 (Case letter)
- Wu H (see Jambusaria et al). 2008;58:676-8 (Case rep.)
- Wu JJ. Interleukin-12, interleukin-23, and psoriasis: ABT-874 in clinical trials. 2008;58:1083 (Notes & comments)
- Wu PA, Mancini AJ, Marghoob AA, Frieden IJ. Simultaneous occurrence of infantile hemangioma and congenital melanocytic nevus: coincidence or real association? 2008;58:S16-22 (Case rep.)
- Wulf HC (see Hædersdal et al). 2008;58:387-94 (Report)
- Wysokinski WE (see Davis and Wysokinski). 2008;58:512-5 (Case rep.)

X

- Xu S (see Rich et al). 2008;58:224-31 (Report)

Y

- Yalçın Ş, Dizdar Ö, Yalçın B, Gököz Ö. Sparing of previously irradiated skin from erlotinib-induced acneiform rash. 2008;58:178-9 (Case letter)
- Yalçın B (see Yalçın et al). 2008;58:178-9 (Case letter)
- Yamasaki H (see Sakai et al). 2008;58:668-70 (Case rep.)
- Yanagi T, Akiyama M, Sakai K, Nagasaki A, Ozawa N, Kosaki R, Sago H, Shimizu H. DNA-based prenatal exclusion of harlequin ichthyosis. 2008;58:653-6 (Case rep.)
- Yancey KB (see Lazarova et al). 2008;58:951-8 (Report)
- Yancey KB (see White et al). 2008;58:49-55 (Report)
- Yang C-C, Happle R, Chao S-C, Lee JY-Y, Chen W. Giant café-au-lait macule in neurofibromatosis 1: a type 2 segmental manifestation of neurofibromatosis 1? 2008;58:493-7 (Case rep.)
- Yang C-Y (see Chan et al). 2008;58:525-7 (Case letter)
- Yasui C (see Shimizu et al). 2008;58:S118-20 (Case letter)
- Yoon HS (see Woo et al). 2008;58:959-63 (Report)
- Yoon JS (see Introcaso et al). 2008;58:592-5 (Report)
- Yoon SY (see Lee et al). 2008;58:S104-6 (Case letter)
- Youn JI (see Woo et al). 2008;58:959-63 (Report)
- Young M (see Lebwohl et al). 2008;58:94-105 (Report)
- Youngberg GA (see Green et al). 2008;58:S110-2 (Case letter)

Z

- Zaballos P (see Ara et al). 2008;58:S39-40 (Case letter)
- Zaccaria E (see Drago et al). 2008;58:S78-83 (Case rep.)
- Zaccaria E (see Rongioletti et al). 2008;58:530-2 (Case letter)
- Zachariae C (see Fischer et al). 2008;58:S37-8 (Case letter)
- Zahn S (see Wenzel et al). 2008;58:437-42 (Dermatopathology)
- Zambruno A (see Fine et al). 2008;58:931-50 (Report)
- Zaragoza MV (see Lindvall et al). 2008;58:303-7 (Case & review)
- Zarkhin S (see Do et al). 2008;58:603-8 (Report)
- Zedek D, Morrell DS, Graham M, Goodman D, Groben P. Acrodermatitis enteropathica-like eruption and failure to thrive as presenting signs of cystic fibrosis. 2008;58:S5-8 (Case rep.)
- Zedek DC (see White et al). 2008;58:49-55 (Report)
- Zeichner J (see Breneman et al). 2008;58:990-9 (Report)
- Zelger B (see Eisendle et al). 2008;58:S47-9 (Case letter)
- Ziemer M, Goetze S, Kaatz M, Elsner P. Chemotherapy-induced toxic erythema under treatment with pegylated liposomal doxorubicin: no restriction to palms and soles. 2008;58:S44-6 (Case letter)
- Zillikens D (see Murrell et al). 2008;58:1043-6 (Review)
- Zirwas MJ (see Paley et al). 2008;58:S53-4 (Case letter)
- Zirwas MJ and Bechtel M. Allergic contact dermatitis to a perfume containing lily. 2008;58:S97-8 (Case letter)
- Zlotkin M (see Waisbourd-Zinman et al). 2008;58:41-8 (Report)
- Zone JJ (see Hall et al). 2008;58:525 (Case letter)
- Zubiri ML (see Ara et al). 2008;58:S39-40 (Case letter)
- Zvulunov A (see Waisbourd-Zinman et al). 2008;58:41-8 (Report)

Subject Index

A

ABO Blood-Group System

The use of blood-type tattoos during the Cold War (Wolf and Laumann). 2008;58:472-6 (History)

Abscesses

Acute dermal abscesses caused by *Serratia marcescens* (Soria et al). 2008;58:891-3 (Case rep.)

ABT-874

Interleukin-12, interleukin-23, and psoriasis: ABT-874 in clinical trials (Wu) (Letter) (Feldman) (Reply). 2008;58:1083 (Notes & comments)

Acantholysis

Galli-Galli disease: a case report with review of the literature (Gilchrist et al). 2008;58:299-302 (Case & review)

Acitretin

Granulation tissue in palpebral conjunctivae associated with acitretin therapy (Raso Bastos et al). 2008;58:S41-2 (Case letter)

Acne

Acne and oral contraceptives: update on women's health screening guidelines (Frangos et al). 2008;58:781-6 (Report)

5-Aminolevulinic acid photodynamic therapy versus methyl aminolevulinic acid photodynamic therapy for inflammatory acne vulgaris (Gold). 2008;58:S60-2 (Case letter)

Comment on acne and glycemic index (Treloar et al). 2008;58:175-7 (Notes & comments)

Commentary: diet and acne (Webster). 2008;58:794-5 (Report)

Computer-assisted alignment and tracking of acne lesions indicate that most inflammatory lesions arise from comedones and de novo (Do et al). 2008;58:603-8 (Report)

Efficacy and tolerance of acne treatment using both spironolactone and a combined contraceptive containing drospirenone (Kronic et al). 2008;58:60-2 (Report)

Long-pulsed dye laser versus long-pulsed dye laser-assisted photodynamic therapy for acne vulgaris: a randomized controlled trial (Hædersdal et al). 2008;58:387-94 (Report)

Milk consumption and acne in teenaged boys (Adebamowo et al). 2008;58:787-93 (Report)

The prevalence of acne in adults 20 years and older (Collier et al). 2008;58:56-9. Correction 2008;58:874 (Report)

Acneiform eruptions

Sparing of previously irradiated skin from erlotinib-induced acneiform rash (Yalçın et al). 2008;58:178-9 (Case letter)

Acrodermatitis enteropathica-like eruption

Acrodermatitis enteropathica-like eruption and failure to thrive as presenting signs of cystic fibrosis (Zedek et al). 2008;58:S5-8 (Case rep.)

Adalimumab

Adalimumab therapy for moderate to severe psoriasis: a randomized, controlled phase III trial (Menter et al). 2008;58:106-15 (Report)

Unusual flexural drug reaction with epidermal pustules associated with adalimumab treatment (Kristjansson et al). 2008;58:S108-9 (Case letter)

Vitiligo after the resolution of psoriatic plaques during treatment with adalimumab (Smith and Heffernan). 2008;58:S50-2 (Case letter)

Addison's disease

Longitudinal melanonychia as the first sign of Addison's disease (Prat et al). 2008;58:522-4 (Case letter)

Adenoid cystic carcinoma

Primary cutaneous adenoid cystic carcinoma (Naylor et al). 2008;58:636-41 (Dermatopathology)

Adolescents

Milk consumption and acne in teenaged boys (Adebamowo et al). 2008;58:787-93 (Report)

Television turning more teens toward tanning? (Poorsattar and Hornung). 2008;58:171-2 (Current issues & opinion)

Adults

Adult-onset Still's disease revealed by facial edema (Dauendorffer et al). 2008;58:533-5 (Case letter)

Alefacept for moderate to severe atopic dermatitis: a pilot study in adults (Moul et al). 2008;58:984-9 (Report)

Prevalence and correlates of indoor tanning among US adults (Heckman et al). 2008;58:769-80 (Report)

The prevalence of acne in adults 20 years and older (Collier et al). 2008;58:56-9. Correction 2008;58:874 (Report)

African Americans

African American and Caucasian patients' vehicle preference for the scalp (Fisher and Adams). 2008;58:S46-7 (Case letter)

Lichenoid and other clinical presentations of atopic dermatitis in an inner city practice (Allen et al). 2008;58:503-4 (Case rep.)

Alagille syndrome

Intense pruritus and failure to thrive in Alagille syndrome (Schwartz et al). 2008;58:S9-11 (Case rep.)

Alcohol consumption

National Psoriasis Foundation clinical consensus on psoriasis comorbidities and recommendations for screening (Kimball et al). 2008;58:1031-42 (Review)

Alefacept

Alefacept for moderate to severe atopic dermatitis: a pilot study in adults (Moul et al). 2008;58:984-9 (Report)

Alefacept revisited: our 3-year clinical experience in 200 patients with chronic plaque psoriasis (Perlmutter et al). 2008;58:116-24 (Report)

An open-label study evaluating the efficacy and tolerability of alefacept for the treatment of scalp psoriasis (Krell et al). 2008;58:609-16 (Report)

Patch-stage mycosis fungoides in remission after therapy with alefacept (Green et al). 2008;58:S110-2 (Case letter)

Allergens

Allergic contact dermatitis to topical antibiotics: epidemiology, responsible allergens, and management (Gehrig and Warshaw). 2008;58:1-21 (CME article)

Nickel release from earrings purchased in the United States: the San Francisco earring study (Thyssen and Maibach). 2008;58:1000-5 (Report)

Pterygium inversum unguis secondary to acrylate allergy (Paley et al). 2008;58:S53-4 (Case letter)

Allopurinol

Allopurinol is the most common cause of Stevens-Johnson syndrome and toxic epidermal necrolysis in Europe and Israel (Halevy et al). 2008;58:25-32 (Report)

Alopecia

Keratosis follicularis spinulosa decalvans in a family (Bellet et al). 2008;58:499-502 (Case rep.)

Lichen planopilaris: annual incidence in four hair referral centers in the United States (Ochoa et al). 2008;58:352-3 (Research letter)

Alopecia areata

Familial alopecia areata and chronic thrombocytopenia (Ahmed et al). 2008;58:575-7 (Case rep.)

Subcutaneous efalizumab is not effective the treatment of alopecia areata (Price et al). 2008;58:395-402 (Report)

5-Aminolevulinic acid

5-Aminolevulinic acid photodynamic therapy versus methyl aminolevulinate photodynamic therapy for inflammatory acne vulgaris (Gold). 2008;58:S60-2 (Case letter)

Amyloidosis

Multiple myeloma-associated amyloidosis and acral localized acquired cutis laxa (Appiah et al). 2008;58:S32-3 (Case letter)

The spectrum of primary cutaneous nodular amyloidosis: two illustrative cases (Love et al). 2008;58:S33-5 (Case letter)

Anemia

Delayed autoimmune hemolytic anemia in efalizumab-treated psoriasis (Kwan et al). 2008;58:1053-5 (Case rep.)

Anetoderma

Primary anetoderma is a cutaneous sign of antiphospholipid antibodies (Hodak et al). 2008;58:351 (Notes & comments)

Angiomyxoma

Aggressive angiomyxoma of the vulva (Fujita et al). 2008;58:S40-1 (Case letter)

Angiosarcoma

A case of regressing central facial cutaneous angiosarcoma (Sluzevich et al). 2008;58:S113-5 (Case letter)

Antibiotics

Allergic contact dermatitis to topical antibiotics: epidemiology, responsible allergens, and management (Gehrig and Warshaw). 2008;58:1-21 (CME article)

Antidiabetic agents

Association between use of thiazolidinediones or other oral antidiabetics and psoriasis: a population based case-control study (Brauchli et al). 2008;58:421-9 (Report)

Antiphospholipid syndrome

Primary anetoderma is a cutaneous sign of antiphospholipid antibodies (Hodak et al). 2008;58:351 (Notes & comments)

Antithrombotic agents

Multiple antithrombotic agents increase the risk of postoperative hemorrhage in dermatologic surgery (Shimizu et al). 2008;58:810-6 (Derm. surgery)

Aplasia cutis congenita

SCALP syndrome: sebaceous nevus syndrome, CNS malformations, aplasia cutis congenita, limbal dermoid, and pigmented nevus (giant congenital melanocytic nevus) with neurocutaneous melanosis: a distinct syndromic entity (Lam et al). 2008;58:884-8 (Case rep.)

Arteriovenous fistula

Bilateral dialysis-associated steal syndrome (Kravetz and Heald). 2008;58:888-91 (Case rep.)

Arteritis

Cannabis arteritis (Noël et al). 2008;58:S65-7 (Case rep.)

Arthropod venoms

Insect repellents: historical perspectives and new developments (Katz et al). 2008;58:865-71 (Review)

Atherosclerosis

Psoriasis: the heart of the matter (Heymann et al). 2008;58:477-8 (Dialogues in dermatology)

ATP2A2 missense mutation

A novel *ATP2A2* missense mutation p.Asp254Gly in Darier disease restricted to the extremities (Moriuchi et al). 2008;58:S116-8 (Case letter)

Autoantibodies

IgG anti-laminin-332 autoantibodies are present in a subset of patients with mucous membrane, but not bullous, pemphigoid (Lazarova et al). 2008;58:951-8 (Report)

Intravenous immunoglobulin selectively decreases circulating autoantibodies in pemphigus (Czernik et al). 2008;58:796-801 (Report)

Autoimmune diseases

Autoimmune progesterone dermatitis associated with infertility treatment (Jenkins et al). 2008;58:353-5 (Case letter)

A case of localized dermatitis herpetiformis of the face (Kawakami et al). 2008;58:S59-60 (Case letter)

Delayed autoimmune hemolytic anemia in efalizumab-treated psoriasis (Kwan et al). 2008;58:1053-5 (Case rep.)

Neoplasia-induced autoimmunity encompasses a spectrum of changes (Helm et al). 2008;58:713 (Notes & comments)

Orf-induced immunobullous disease: a distinct autoimmune blistering disorder (White et al). 2008;58:49-55 (Report)

Scleroderma-like linear lupus erythematosus: a distinct entity or coexistence of two autoimmune diseases? (Julià et al). 2008;58:665-7 (Case rep.)

Subcutaneous efalizumab is not effective the treatment of alopecia areata (Price et al). 2008;58:395-402 (Report)

Azithromycin

Rapid resolution of pityriasis lichenoides et varioliformis acuta with azithromycin (Skinner and Levy). 2008;58:524-5 (Case letter)

B**Basal cell carcinoma**

Basal cell (trichoblastic) carcinoma: common expression pattern for epithelial cell adhesion molecule links basal cell carcinoma to early follicular embryogenesis, secondary high germ, and outer root sheath of the vellus hair follicle: a clue to the adnexal nature of basal cell carcinoma? (Sellheyer and Krahl). 2008;58:158-67 (Dermatopathology)

Behavior

National Psoriasis Foundation clinical consensus on psoriasis comorbidities and recommendations for screening (Kimball et al). 2008;58:1031-42 (Review)

Behçet's disease

Demographic and clinical properties of juvenile-onset Behçet's disease: a controlled multicenter study (Karincaoglu et al). 2008;58:579-84 (Report)

Betamethasone

Betamethasone oral mini-pulse therapy compared with topical triamcinolone acetonide (0.1%) paste in oral lichen planus: a randomized comparative study (Malhotra et al). 2008;58:596-602 (Report)

Bexarotene

Complete clinical remission of tumor-stage mycosis fungoides after acute extensive skin necroses, granulomatous reaction, and fever under treatment bexarotene, vorinostat, and high-dose fenofibrate (Steinhoff et al). 2008;58:S88-91 (Case rep.)

Biologic agents

Alefacept revisited: our 3-year clinical experience in 200 patients with chronic plaque psoriasis (Perlmutter et al). 2008;58:116-24 (Report)

Cost-effectiveness of biologic treatments for psoriasis based on subjective and objective efficacy measures assessed over a 12-week treatment period (Nelson et al). 2008;58:125-35 (Report)

The effect of weight on the efficacy of biologic therapy in patients with psoriasis (Clark and Lebwohl). 2008;58:443-6 (Review)

Guidelines of care for the management of psoriasis and psoriatic arthritis: Section 1. Overview of psoriasis and guidelines of care for the treatment of psoriasis with biologics (Menter et al). 2008;58:826-50 (From the Academy)

Guidelines of care for the management of psoriasis and psoriatic arthritis: Section 2. Psoriatic arthritis: overview and guidelines of care for treatment with an emphasis on the biologics (Gottlieb et al). 2008;58:851-64 (From the Academy)

From the Medical Board of the National Psoriasis Foundation: monitoring and vaccinations in patients treated with biologics for psoriasis (Lebwohl et al). 2008;58:94-105 (Report)

To test or not to test? An evidence-based assessment of the value of screening and monitoring tests when using systemic biologic agents to treat psoriasis (Huang et al). 2008;58:970-7 (Report)

Biopsy

Biopsy rates in patients with and without total body photography (Marghoob and Halpern). 2008;58:894-5 (Notes & comments)

Blood splash

Blood exposure risk during procedural dermatology (Holzmann et al). 2008;58:817-25 (Derm. surgery)

The Blue Journal

The Blue Journal. 2008;58:1076-7

Blue notes

Itadema. 2008;58:173, 288, 479, 644, 874, 1049

Body weight

The effect of weight on the efficacy of biologic therapy in patients with psoriasis (Clark and Lebwohl). 2008;58:443-6 (Review)

Book reviews

Book reviews. 2008;58:356-9, 897-8, 1086-7

Bortezomib

Chemotherapeutic agents and the skin: an update (Heidary et al). 2008;58:545-70 (CME article)

Botulinum toxin

Botulinum toxin and the facial feedback hypothesis: can looking better make you feel happier? (Alam et al). 2008;58:1061-72 (Commentary)

A comment on "Kavanagh M, Shams K. Botulinum toxin type A by iontophoresis for primary palmar hyperhidrosis" (Devorian) (Comment) (Kavanagh and Shams) (Reply). 2008;58:e1 (eBlueprints)

Potency of the botulinum toxin product CNBTX-A significantly exceeds labeled units in standard potency test (Hunt and Clarke). 2008;58:517-8 (Research letter)

Bromoderma

Single-plaque vegetating bromoderma (Maffeis et al). 2008;58:682-4 (Case rep.)

Buschke-Ollendorff syndrome

Buschke-Ollendorff syndrome: a manifestation of a heterozygous nonsense mutation in the *LEMD3* gene (Gass et al). 2008;58: S103-4 (Case letter)

C

Café-au-lait spots

Giant café-au-lait macule in neurofibromatosis 1: a type 2 segmental manifestation of neurofibromatosis 1? (Yang et al). 2008;58:493-7 (Case rep.)

Calcinosis cutis

Dystrophic calcinosis cutis in pseudoxanthoma elasticum (Federico et al). 2008;58:707-10 (Case rep.)

Calciophylaxis

Pathogenesis of calciophylaxis: Hans Selye to nuclear factor κ -B (Weening). 2008;58:458-71 (Review)

Cancer

National Psoriasis Foundation clinical consensus on psoriasis comorbidities and recommendations for screening (Kimball et al). 2008;58:1031-42 (Review)

Cancer antigen 27.9

Increased cancer antigen 27.9 (CA27.29) level in patients with mycosis fungoides (Cen et al). 2008;58:382-6 (Report)

Cannabis

Cannabis arteritis (Noël et al). 2008;58:S65-7 (Case rep.)

Cardiovascular disease

National Psoriasis Foundation clinical consensus on psoriasis comorbidities and recommendations for screening (Kimball et al). 2008;58:1031-42 (Review)

Case & review

Case & review. 2008;58:290-307, 644-9

Case letters

Abdominal diffuse large B-cell lymphoma presenting in association with cutaneous granulomatous vasculitis (Kwan et al). 2008;58:S93-5

Adult-onset Still's disease revealed by facial edema (Dauendorffer et al). 2008;58:533-5

African American and Caucasian patients' vehicle preference for the scalp (Fisher and Adams). 2008;58:S46-7

Aggressive angiomyxoma of the vulva (Fujita et al). 2008;58:S40-1

Allergic contact dermatitis to a perfume containing lylal. 2008;58: S97-8

5-Aminolevulinic acid photodynamic therapy versus methyl aminolevulinate photodynamic therapy for inflammatory acne vulgaris (Gold). 2008;58:S60-2

Anetodermic pilomatricoma with perforation (Fender et al). 2008;58:535-6

Autoimmune progesterone dermatitis associated with infertility treatment (Jenkins et al). 2008;58:353-5

Buschke-Ollendorff syndrome: a manifestation of a heterozygous nonsense mutation in the *LEMD3* gene (Gass et al). 2008;58: S103-4

A case of congenital erosive and vesicular dermatosis with limited involvement (Lee et al). 2008;58:S104-6

A case of localized dermatitis herpetiformis of the face (Kawakami et al). 2008;58:S59-60

A case of regressing central facial cutaneous angiosarcoma (Sluzevich et al). 2008;58:S113-5

Chemotherapy-induced toxic erythema under treatment with pegylated liposomal doxorubicin: no restriction to palms and soles (Ziemer et al). 2008;58:S44-6 (Case letter)

Cold injury of the knee and lower aspect of the leg after knee surgery and use of a cold therapy system (Mailier-Savage and Mutasim). 2008;58:S106-8

Congenital plaque-like glomangioma associated with superficial hypertrichosis (Rodríguez-Martín et al). 2008;58:S92-3

A corynebacterial triad: prevalence of erythrasma and trichomycosis axillaris in soldiers with pitted keratolysis (Rho and Kim). 2008;58:S57-8

Cutaneous presentation of Chagas' disease reactivation in a heart-transplant patient in Utah (Hall and Fields). 2008;58: 529-30

Discordant response to rituximab in a systemic sclerosis patient with associated myositis (Fabri et al). 2008;58:S127-8

Disseminated *Cryptococcus neoformans* after treatment with infliximab for rheumatoid arthritis (Kozic et al). 2008;58:S95-6

Dramatic reduction in lipoma associated with statin therapy (Self and Akins). 2008;58:S30-1

Durable complete remission of mycosis fungoides following erythroderma induced by denileukin difitox (Kazin et al). 2008;58:S31-2

Early signs of liver failure after low-dose interferon alfa-2b for cutaneous melanoma (Ammoury et al). 2008;58:S32-3

Efalizumab-induced immune thrombocytopenia during retreatment (Fargnoli et al). 2008;58:S126-7

Fixed drug eruption caused by itraconazole: reactivity and cross reactivity (Gupta and Thami). 2008;58:521-2

A further Turkish case of Griscelli syndrome with new RAB27A mutation (Onay et al). 2008;58:S115-6

- Giant and recurrent orf virus infection in a renal transplant recipient treated with imiquimod (Ara et al). 2008;58:S39-40
- Granulation tissue in palpebral conjunctivae associated with acitretin therapy (Raso Bastos et al). 2008;58:S41-2
- Henoch-Schönlein purpura associated with *Proteus mirabilis* urinary tract infection (Rafailidis et al). 2008;58:S98-9
- Inflammation and lipid accumulation in xanthoma disseminatum: therapeutic considerations (Eisendle et al). 2008;58:S47-9
- Interstitial granulomatous dermatitis in a child with chronic uveitis (Warycha et al). 2008;58:S100-2
- Intranasal formication correlates with diagnosis of delusions of parasitosis (Walling and Swick). 2008;58:S35-6
- Lateral views and subungual soft-tissue chondromas (Connolly et al). 2008;58:S58-9
- Longitudinal melanonychia as the first sign of Addison's disease (Prat et al). 2008;58:S22-4
- Magnetic resonance imaging as a diagnostic tool for extensive lipodermatosclerosis (Chan et al). 2008;58:S25-7
- Metastatic rhabdomyosarcoma of the skin (Shimizu et al). 2008;58:S118-20
- Microsatellite stable genome in an epithelioid hemangioendothelioma: an example of a microsatellite stable tumor (Boyd et al). 2008;58:S19-21
- Multilocular giant epidermal cysts (Ito et al). 2008;58:S120-2
- Multiple flat warts associated with idiopathic CD4-positive T lymphocytopenia (Fischer et al). 2008;58:S37-8
- Multiple myeloma-associated amyloidosis and acral localized acquired cutis laxa (Appiah et al). 2008;58:S32-3
- Necrolytic migratory erythema-like presentation for cystic fibrosis (Koch et al). 2008;58:S29-30
- Nevoid acanthosis nigricans with subtle melanocyte hyperplasia (Colegio et al). 2008;58:S102-3 (Case letter)
- A novel *ATP2A2* missense mutation p.Asp254Gly in Darier disease restricted to the extremities (Moriuchi et al). 2008;58:S116-8
- Papuloerythroderma of Ofuji induced by furosemide (Sugita et al). 2008;58:S54-5
- Patch-stage mycosis fungoides in remission after therapy with alefacept (Green et al). 2008;58:S110-2
- Perinuclear antineutrophilic cytoplasmic antibody-positive polyarteritis nodosa secondary to minocycline treatment for acne vulgaris (Gait et al). 2008;58:S123-4 (Case letter)
- Pregabalin in the treatment of chronic pruritus (Ehrchen and Ständer). 2008;58:S36-7
- Pterygium inversum unguis secondary to acrylate allergy (Paley et al). 2008;58:S53-4
- Pyogenic granuloma and pemphigus vulgaris: an unusual association (Dudelzak et al). 2008;58:S52-3
- Rapid resolution of pityriasis lichenoides et varioliformis acuta with azithromycin (Skinner and Levy). 2008;58:S24-5 (Case letter)
- Recurrence of nevus depigmentosus after an autologous epidermal graft (Kim et al). 2008;58:S27-9
- Recurrent cutaneous *Geomyces pannorum* infection in three brothers with ichthyosis (Christen-Zaech et al). 2008;58:S112-3
- Recurrent *Serratia marcescens* cutaneous infection manifesting as painful nodules and ulcers (João et al). 2008;58:S55-7
- Red cheeks and earlobes: marginal zone B-cell lymphoma of MALT type (Flaig and Rupec). 2008;58:S62-3
- Segmental porokeratosis after radiation therapy for follicular lymphoma (James et al). 2008;58:S49-50
- Severe facial infection caused by *Serratia marcescens* in an immunocompetent soldier (Rallis et al). 2008;58:S109-10
- Simultaneous subungual melanoma in situ of both thumbs (Rotunda et al). 2008;58:S42-4
- Sparing of previously irradiated skin from erlotinib-induced acneiform rash (Yalçın et al). 2008;58:S178-9
- The spectrum of primary cutaneous nodular amyloidosis: two illustrative cases (Love et al). 2008;58:S33-5
- Squamous cell carcinoma tumor thrombus encountered during Mohs micrographic surgery (Mendese et al). 2008;58:S18-9
- Synchronous verrucous carcinoma and cutaneous T-cell lymphoma (Parsons et al). 2008;58:S124-5
- Tinea versicolor with etanercept therapy (Levy et al). 2008;58:S99-100
- Treatment of localized lichen myxedematosus of discrete type with tacrolimus ointment (Rongioletti et al). 2008;58:S30-2
- Treatment of recalcitrant disseminated granuloma annulare with hydroxyurea (Hall et al). 2008;58:S25
- Unusual flexural drug reaction with epidermal pustules associated with adalimumab treatment (Kristjansson et al). 2008;58:S108-9
- Valproate-induced change in hair color (Gerstner et al). 2008;58:S63-4
- Vitiligo after the resolution of psoriatic plaques during treatment with adalimumab (Smith and Heffernan). 2008;58:S50-2
- Case reports**
Case reports. 2008;58:308-48, S1-28, 480-515, 650-712, 875-93, S65-S128, 1051-8
- Case-control studies**
An impact of hormones on nevi and melanoma (Lens and Rosdahl) (Letter) (Driscoll and Grant-Kels) (Reply). 2008;58:1083-5 (Notes & comments)
- Caucasians**
African American and Caucasian patients' vehicle preference for the scalp (Fisher and Adams). 2008;58:S46-7 (Case letter)
- CD4⁺ CD56⁺ hematodermic/plasmacytoid dendritic cell tumor**
CD4⁺ CD56⁺ hematodermic/plasmacytoid dendritic cell tumor with response to pralatrexate (Leitenberger et al). 2008;58:480-4 (Case rep.)
- CD4-positive T-lymphocytopenia, idiopathic**
Multiple flat warts associated with idiopathic CD4-positive T lymphocytopenia (Fischer et al). 2008;58:S37-8 (Case letter)
- Central nervous system**
SCALP syndrome: sebaceous nevus syndrome, CNS malformations, aplasia cutis congenita, limbal dermoid, and pigmented nevus (giant congenital melanocytic nevus) with neurocutaneous melanosis: a distinct syndromic entity (Lam et al). 2008;58:884-8 (Case rep.)
- Chagas' disease**
Cutaneous presentation of Chagas' disease reactivation in a heart-transplant patient in Utah (Hall and Fields). 2008;58:529-30 (Case letter)
- Chemotherapy**
Chemotherapeutic agents and the skin: an update (Heidary et al). 2008;58:545-70 (CME article)
Cutaneous effects of thiotepa in pediatric patients receiving high-dose chemotherapy with autologous stem cell transplantation (Rosman et al). 2008;58:575-8 (Report)
- Chikungunya fever**
The exanthem of dengue fever: clinical features of two US tourists traveling abroad (Pincus et al). 2008;58:308-16
- Children**
Abortive or minimal-growth hemangiomas: immunohistochemical evidence that they represent true infantile hemangiomas (Corella et al). 2008;58:685-90 (Case rep.)
Cutaneous effects of thiotepa in pediatric patients receiving high-dose chemotherapy with autologous stem cell transplantation (Rosman et al). 2008;58:575-8 (Report)

Demographic and clinical properties of juvenile-onset Behçet's disease: a controlled multicenter study (Karincaoglu et al). 2008; 58:579-84 (Report)

Eosinophilic fasciitis in a female child (Ortega-Loayza et al). 2008; 58:572-4 (Case rep.)

Interstitial granulomatous dermatitis in a child with chronic uveitis (Warycha et al). 2008;58:S100-2 (Case letter)

Laser treatment of pediatric vascular lesions: port wine stains and hemangiomas (Stier et al). 2008;58:261-85 (Derm. surgery)

Macrocephaly—cutis marmorata telangiectatica congenita: a case report and review of salient features (Katugampola et al). 2008; 58:697-702 (Case rep.)

Nevoid acanthosis nigricans with subtle melanocyte hyperplasia (Colegio et al). 2008;58:S102-3 (Case letter)

Pagetoid reticulosis in a 5-year-old boy (Miedler et al). 2008;58: 679-81 (Case rep.)

The prevalence of atopic triad in children with physician-confirmed atopic dermatitis (Kapoor et al). 2008;58:68-73 (Report)

Primary cutaneous Epstein-Barr virus—related lymphoproliferative disorders in 4 immunosuppressed children (Waller-Faber et al). 2008;58:74-80 (Report)

Single-plaque vegetating bromoderma (Maffei et al). 2008;58: 682-4 (Case rep.)

Spontaneous involution of congenital melanocytic nevi of the scalp (Strauss and Bishop). 2008;58:508-11 (Case rep.)

Chondromas

Lateral views and subungual soft-tissue chondromas (Connolly et al). 2008;58:S58-9 (Case letter)

Chronic wounds

Treating the chronic wound: a practical approach to the care of nonhealing wounds and wound care dressings (Fonder et al). 2008;58:185-206 (CME article)

Cirrhosis

Cutaneous sarcoidosis and primary biliary cirrhosis: a chance association of related diseases? (Kishor et al). 2008;58:326-35 (Case rep.)

Clinical trials

Adalimumab therapy for moderate to severe psoriasis: a randomized, controlled phase III trial (Menter et al). 2008;58:106-15 (Report)

Intermittent therapy for flare prevention and long-term disease control in stabilized atopic dermatitis: a randomized comparison of 3-times-weekly applications of tacrolimus ointment versus vehicle (Breneman et al). 2008;58:990-9 (Report)

CNBTX-A

Potency of the botulinum toxin product CNBTX-A significantly exceeds labeled units in standard potency test (Hunt and Clarke). 2008;58:517-8 (Research letter)

Cohort studies

An impact of hormones on nevi and melanoma (Lens and Rosdahl) (Letter) (Driscoll and Grant-Kels) (Reply). 2008;58:1083-5 (Notes & comments)

Cold injury

Cold injury of the knee and lower aspect of the leg after knee surgery and use of a cold therapy system (Mailler-Savage and Mutasim). 2008;58:S106-8 (Case letter)

Cold War

The use of blood-type tattoos during the Cold War (Wolf and Laumann). 2008;58:472-6 (History)

Collagenoma

Isolated plantar collagenoma not associated with Proteus syndrome (Nelson and Ruben). 2008;58:497-9 (Case rep.)

Commentary

Commentary. 2008;58:349-50, 1059-75

Conflict of interest

Conflict of interests (Cerroni). 2008;58:170 (Current issues & opinion)

Conflict of interest

Disclosure does not absolve! (Ackerman). 2008;58:713-4 (Notes & comments)

Continuing medical education

Articles. 2008;58:1-21, 185-206, 361-70, 545-70, 719-37, 907-26
Examination. 2008;58:22-3, 207-9, 371-3, 571-3, 738-9, 927-9
Examination answers. 2008;58:24, 210, 374, 574, 740, 930

Contraceptives, oral

Acne and oral contraceptives: update on women's health screening guidelines (Frangos et al). 2008;58:781-6 (Report)
Efficacy and tolerance of acne treatment using both spironolactone and a combined contraceptive containing drospirenone (Krunic et al). 2008;58:60-2 (Report)

Coronary artery disease

Diabetic dermopathy: a subtle sign with grave implications (Morgan and Schwartz). 2008;58:447-51 (Review)
Psoriasis: the heart of the matter (Heymann et al). 2008;58:477-8 (Dialogues in dermatology)

Corrections

Localized nephrogenic fibrosing dermopathy: aberrant dermal repairing? (Deng et al). 2008;58:336-9. Correction 2008;58:874 (Case rep.)

Oral curcumin in the treatment of moderate to severe psoriasis vulgaris: a prospective clinical trial (Kurd et al). 2008;58:625-31. Correction 2008;58:1050 (Report)

The prevalence of acne in adults 20 years and older (Collier et al). 2008;58:56-9. Correction 2008;58:874 (Report)

Corticosteroids

Effects of treatments on the mortality of Stevens-Johnson syndrome and toxic epidermal necrolysis: a retrospective study on patients included in the prospective EuroSCAR Study (Schneck et al). 2008;58:33-40 (Report)

Corynebacterial infections

A corynebacterial triad: prevalence of erythrasma and trichomycosis axillaris in soldiers with pitted keratolysis (Rho and Kim). 2008;58:S57-8 (Case letter)

Cosmetic techniques

Anterior cervicoplasty: neck rejuvenation using local anesthesia (Hancox and Eaton). 2008;58:430-3 (Derm. surgery)
The spectrum of laser skin resurfacing: nonablative, fractional, and ablative laser resurfacing (Alexiades-Arménakis et al). 2008;58: 719-37 (CME article)

Cost analysis

The convergence of psoriasis treatment cost-effectiveness over time: "real world" considerations in economic modeling (Goldberg). 2008;58:1073-5 (Commentary)

Cost-effectiveness of biologic treatments for psoriasis based on subjective and objective efficacy measures assessed over a 12-week treatment period (Nelson et al). 2008;58:125-35 (Report)

c-Ret

Expression patterns of the glial cell line—derived neurotrophic factor, neurturin, their cognate receptors, GFR α -1, GFR α -2, and a common signal transduction element c-Ret in the human skin hair follicles (Adly et al). 2008;58:238-50 (Dermatopathology)

Cross-sectional studies

The prevalence of atopic triad in children with physician-confirmed atopic dermatitis (Kapoor et al). 2008;58:68-73 (Report)

Cryotherapy

Efficacy of a weekly cryotherapy regimen to treat *Leishmania major* cutaneous leishmaniasis (Mosleh et al). 2008;58:617-24 (Report)

Cryptococcus neoformans

Disseminated *Cryptococcus neoformans* after treatment with infliximab for rheumatoid arthritis (Kozic et al). 2008;58:S95-6 (Case letter)

Curcumin

Oral curcumin in the treatment of moderate to severe psoriasis vulgaris: a prospective clinical trial (Kurd et al). 2008;58:625-31. Correction 2008;58:1050 (Report)

Current issues & opinion

Current issues & opinion. 2008;58:170-2

Cutis laxa

Multiple myeloma-associated amyloidosis and acral localized acquired cutis laxa (Appiah et al). 2008;58:S32-3 (Case letter)

CXCR3 <-> ligand

CXCR3 <-> ligand-mediated skin inflammation in cutaneous lichenoid graft-versus-host disease (Wenzel et al). 2008;58:437-42 (Dermatopathology)

Cystic fibrosis

Acrodermatitis enteropathica-like eruption and failure to thrive as presenting signs of cystic fibrosis (Zedek et al). 2008;58:S5-8 (Case rep.)

Diffuse dermatitis: an unexpected initial presentation of cystic fibrosis (Lovett et al). 2008;58:S1-4 (Case rep.)

Necrolytic migratory erythema-like presentation for cystic fibrosis (Koch et al). 2008;58:S29-30 (Case letter)

Cysts

Human papillomavirus infection and ultraviolet light exposure as epidermoid inclusion cyst risk factors in a patient with epidermodysplasia verruciformis? (Ramagosa et al). 2008;58:S68-71 (Case rep.), 2008;58:S68e.1-6 (Case rep.)

Multilocular giant epidermal cysts (Ito et al). 2008;58:S120-2 (Case letter)

SCALP syndrome: sebaceous nevus syndrome, CNS malformations, aplasia cutis congenita, limbal dermoid, and pigmented nevus (giant congenital melanocytic nevus) with neurocutaneous melanosis: a distinct syndromic entity (Lam et al). 2008;58:884-8 (Case rep.)

D**Darier disease**

A novel *ATP2A2* missense mutation p.Asp254Gly in Darier disease restricted to the extremities (Moriuchi et al). 2008;58:S116-8 (Case letter)

Delusions of parasitosis

Intranasal formication correlates with diagnosis of delusions of parasitosis (Walling and Swick). 2008;58:S35-6 (Case letter)

Dendritic cell tumor

CD4⁺ CD56⁺ hematodermic/plasmacytoid dendritic cell tumor with response to pralatrexate (Leitenberger et al). 2008;58:480-4 (Case rep.)

Dengue fever

The exanthem of dengue fever: clinical features of two US tourists traveling abroad (Pincus et al). 2008;58:308-16 (Case rep.)

Denileukin diftitox

Durable complete remission of mycosis fungoides following erythroderma induced by denileukin diftitox (Kazin et al). 2008;58:S31-2 (Case letter)

Dermatitis

Diffuse dermatitis: an unexpected initial presentation of cystic fibrosis (Lovett et al). 2008;58:S1-4 (Case rep.)

Dermatitis, allergic contact

Allergic contact dermatitis to a perfume containing lylal (Zirwas and Bechtel). 2008;58:S97-8 (Case letter)

Allergic contact dermatitis to topical antibiotics: epidemiology, responsible allergens, and management (Gehrig and Warshaw). 2008;58:1-21 (CME article)

Nickel release from earrings purchased in the United States: the San Francisco earring study (Thyssen and Maibach). 2008;58:1000-5 (Report)

Dermatitis, atopic

Alefacept for moderate to severe atopic dermatitis: a pilot study in adults (Moul et al). 2008;58:984-9 (Report)

Clinical differences between atopic and atopiform dermatitis (Brenninkmeijer et al). 2008;58:407-14 (Report)

Disease severity, scratching, and sleep quality in patients with atopic dermatitis (Bender et al). 2008;58:415-20 (Report)

Intermittent therapy for flare prevention and long-term disease control in stabilized atopic dermatitis: a randomized comparison of 3-times-weekly applications of tacrolimus ointment versus vehicle (Breneman et al). 2008;58:990-9 (Report)

Lichenoid and other clinical presentations of atopic dermatitis in an inner city practice (Allen et al). 2008;58:503-4 (Case rep.)

The prevalence of atopic triad in children with physician-confirmed atopic dermatitis (Kapoor et al). 2008;58:68-73 (Report)

Dermatitis, atopiform

Clinical differences between atopic and atopiform dermatitis (Brenninkmeijer et al). 2008;58:407-14 (Report)

Dermatitis, interstitial granulomatous

Interstitial granulomatous dermatitis in a child with chronic uveitis (Warycha et al). 2008;58:S100-2 (Case letter)

Dermatitis, palisaded neutrophilic and granulomatous

Palisaded neutrophilic and granulomatous dermatitis associated with limited systemic sclerosis (Hantash et al). 2008;58:661-4 (Case rep.)

Dermatitis herpetiformis

A case of localized dermatitis herpetiformis of the face (Kawakami et al). 2008;58:S59-60 (Case letter)

Dermatologic surgery

Dermatologic surgery. 2008;58:142-8, 261-85, 430-6, 810-25

Dermatologists

The need for leadership: how can we better train the next generation of dermatologists? (Wood et al). 2008;58:715-7 (Research letter)

Psoriasis treatment patterns: results of a cross-sectional survey of dermatologists (Patel et al). 2008;58:964-9 (Report)

Dermatology

Outcomes research in dermatology (Heymann et al). 2008;58:286-7 (Dialogues in dermatology)

Who else is providing care in dermatology practices? Trends in the use of nonphysician clinicians (Resneck and Kimball). 2008;58:211-6 (Report)

Dermatology journals

Fate of manuscripts declined by the *Journal of the American Academy of Dermatology* (Armstrong). 2008;58:632-5 (Report)

Dermatomyositis

Leflunomide as adjuvant treatment of dermatomyositis (Boswell and Costner). 2008;58:403-6 (Report)

Dermatopathology

Dermatopathology. 2008;58:149-67, 238-60, 437-42, 636-41, 1013-30

Dermatopathology and molecular genetics (Bergman). 2008;58:452-7 (Review)

Dermatosis, erosive and vesicular

A case of congenital erosive and vesicular dermatosis with limited involvement (Lee et al). 2008;58:S104-6 (Case letter)

Dermis

Localized involutional lipatrophy with epidermal and dermal changes (Abbas et al). 2008;58:490-3 (Case rep.)

Dermoid cyst

SCALP syndrome: sebaceous nevus syndrome, CNS malformations, aplasia cutis congenita, limbal dermoid, and pigmented nevus (giant congenital melanocytic nevus) with neurocutaneous melanosis: a distinct syndromic entity (Lam et al). 2008;58:884-8 (Case rep.)

Diabetic dermopathy

Diabetic dermopathy: a subtle sign with grave implications (Morgan and Schwartz). 2008;58:447-51 (Review)

Diagnosis

Cellular blue nevi of the eyelid: a possible diagnostic pitfall (Wang et al). 2008;58:257-60 (Dermatopathology)

The classification of inherited epidermolysis bullosa (EB): report of the Third International Consensus Meeting on the Diagnosis and Classification of EB (Fine et al). 2008;58:931-50 (Report)

Clinical characteristics of Merkel cell carcinoma at diagnosis in 195 patients: the AEIOU features (Heath et al). 2008;58:375-81 (Report)

Clinical differences between atopic and atopiform dermatitis (Brenninkmeijer et al). 2008;58:407-14 (Report)

DNA-based prenatal exclusion of harlequin ichthyosis (Yanagi et al). 2008;58:653-6 (Case rep.)

Is capturing the spider essential for the diagnosis of a spider bite? A clinical perspective (Davidovici and Halevy). 2008;58:349-50 (Commentary)

Is superficial spreading melanoma still the most common form of malignant melanoma? (Forman et al). 2008;58:1013-20 (Dermatopathology)

Magnetic resonance imaging as a diagnostic tool for extensive lipodermatosclerosis (Chan et al). 2008;58:525-7 (Case letter)

National Psoriasis Foundation clinical consensus on psoriasis comorbidities and recommendations for screening (Kimball et al). 2008;58:1031-42 (Review)

Types of melanoma? (Hurt). 2008;58:1059-60 (Commentary)

Dialogues in dermatology

Dialogues in dermatology. 2008;58:168-9, 286-7, 477-8, 642-3, 872-3, 1047-8

Dialysis

Bilateral dialysis-associated steal syndrome (Kravetz and Heald). 2008;58:888-91 (Case rep.)

Diet

Commentary: diet and acne (Webster). 2008;58:794-5 (Report)

Milk consumption and acne in teenaged boys (Adehamowo et al). 2008;58:787-93 (Report)

Disclosure

Disclosure does not absolve! (Ackerman). 2008;58:713-4 (Notes & comments)

DNA

Skin DNA photodamage and its biological consequences (Marrot and Meunier). 2008;58:5139-48 (Report)

Doxorubicin

Chemotherapy-induced toxic erythema under treatment with pegylated liposomal doxorubicin: no restriction to palms and soles (Ziemer et al). 2008;58:S44-6 (Case letter)

Granular parakeratosis in a patient treated with liposomal doxorubicin for ovarian carcinoma (Jaconelli et al). 2008;58:S84-7 (Case rep.)

Dressings

Treating the chronic wound: a practical approach to the care of nonhealing wounds and wound care dressings (Fonder et al). 2008;58:185-206 (CME article)

Drospirenone

Efficacy and tolerance of acne treatment using both spironolactone and a combined contraceptive containing drospirenone (Kronic et al). 2008;58:60-2 (Report)

Drug administration routes

Psoriasis treatment patterns: results of a cross-sectional survey of dermatologists (Patel et al). 2008;58:964-9 (Report)

Drug monitoring

To test or not to test? An evidence-based assessment of the value of screening and monitoring tests when using systemic biologic agents to treat psoriasis (Huang et al). 2008;58:970-7 (Report)

Drug reactions

Chemotherapeutic agents and the skin: an update (Heidary et al). 2008;58:545-70 (CME article)

Chemotherapy-induced toxic erythema under treatment with pegylated liposomal doxorubicin: no restriction to palms and soles (Ziemer et al). 2008;58:S44-6 (Case letter)

Complete clinical remission of tumor-stage mycosis fungoides after acute extensive skin necroses, granulomatous reaction, and fever under treatment hexarotene, vorinostat, and high-dose fenofibrate (Steinhoff et al). 2008;58:S88-91 (Case rep.)

Discordant response to rituximab in a systemic sclerosis patient with associated myositis (Fabri et al). 2008;58:S127-8 (Case letter)

Efalizumab-induced immune thrombocytopenia during retreatment (Fagnoli et al). 2008;58:S126-7 (Case letter)

Fixed drug eruption caused by itraconazole: reactivity and cross reactivity (Gupta and Thami). 2008;58:521-2 (Case letter)

Granulation tissue in palpebral conjunctivae associated with acitretin therapy (Raso Bastos et al). 2008;58:S41-2 (Case letter)

Nail degloving: a polyetiologic condition with 3 main patterns: a new syndrome (Baran and Perrin). 2008;58:232-7 (Report)

Papuloerythroderma of Ofuji induced by furosemide (Sugita et al). 2008;58:S54-5 (Case letter)

Perinuclear antineutrophilic cytoplasmic antibody-positive polyarteritis nodosa secondary to minocycline treatment for acne vulgaris (Gait et al). 2008;58:S123-4 (Case letter)

Single-plaque vegetating bromoderma (Maffei et al). 2008;58:682-4 (Case rep.)

Unusual flexural drug reaction with epidermal pustules associated with adalimumab treatment (Kristjansson et al). 2008;58:S108-9 (Case letter)

Valproate-induced change in hair color (Gerstner et al). 2008;58:S63-4 (Case letter)

Voriconazole-induced blistering in the setting of graft versus host disease: a report of 2 patients (Conlon et al). 2008;58:484-7 (Case rep.)

E

eBlueprints

A comment on "Kavanagh M, Shams K. Botulinum toxin type A by iontophoresis for primary palmar hyperhidrosis" (Devarian) (Comment) (Kavanagh and Shams) (Reply). 2008;58:e1

Human papillomavirus infection and ultraviolet light exposure as epidermoid inclusion cyst risk factors in a patient with epidermodysplasia verruciformis? (Ramagosa et al). 2008;58:S68e.1-6 (Case rep.)

Economic models

The convergence of psoriasis treatment cost-effectiveness over time: "real world" considerations in economic modeling (Goldberg). 2008;58:1073-5 (Commentary)

Ectodermal dysplasia/immunodeficiency

A male infant with anhidrotic ectodermal dysplasia/immunodeficiency accompanied by incontinentia pigmenti and a mutation in the NEMO pathway (Chang et al). 2008;58:316-20 (Case rep.)

Efalizumab

Delayed autoimmune hemolytic anemia in efalizumab-treated psoriasis (Kwan et al). 2008;58:1053-5 (Case rep.)

Efalizumab-induced immune thrombocytopenia during retreatment (Fargnoli et al). 2008;58:S126-7 (Case letter)

Subcutaneous efalizumab is not effective the treatment of alopecia areata (Price et al). 2008;58:395-402 (Report)

Eosinophilic fasciitis

Eosinophilic fasciitis in a female child (Ortega-Loayza et al). 2008;58:S72-4 (Case rep.)

Epidermal growth factor receptor inhibitors

Epidermal growth factor receptor inhibitors and hair (Heymann et al). 2008;58:642-3 (Dialogues in dermatology)

Epidermis

Localized involutional lipatrophy with epidermal and dermal changes (Abbas et al). 2008;58:490-3 (Case rep.)

Epidermodysplasia verruciformis

Human papillomavirus infection and ultraviolet light exposure as epidermoid inclusion cyst risk factors in a patient with epidermodysplasia verruciformis? (Ramagosa et al). 2008;58:S68-71 (Case rep.). 2008;58:S68e.1-6 (Case rep.)

Epidermolysis bullosa

The classification of inherited epidermolysis bullosa (EB): report of the Third International Consensus Meeting on the Diagnosis and Classification of EB (Fine et al). 2008;58:931-50 (Report)

Epithelial cell adhesion molecule

Basal cell (trichoblastic) carcinoma: common expression pattern for epithelial cell adhesion molecule links basal cell carcinoma to early follicular embryogenesis, secondary high germ, and outer root sheath of the vellus hair follicle: a clue to the adnexal nature of basal cell carcinoma? (Sellheyer and Krah). 2008;58:158-67 (Dermatopathology)

Epithelioid hemangioendothelioma

Microsatellite stable genome in an epithelioid hemangioendothelioma: an example of a microsatellite stable tumor (Boyd et al). 2008;58:519-21 (Case letter)

Epoetin

Epoetin and nephrogenic systemic fibrosis (Saab). 2008;58:174-5 (Notes & comments)

Epstein-Barr virus

Cutaneous plasmablastic lymphoma (Jambusaria et al). 2008;58:676-8 (Case rep.)

Primary cutaneous Epstein-Barr virus-related lymphoproliferative disorders in 4 immunosuppressed children (Wallet-Faber et al). 2008;58:74-80 (Report)

Erlotinib

Sparing of previously irradiated skin from erlotinib-induced acneiform rash (Yalcin et al). 2008;58:178-9 (Case letter)

Erythema

Chemotherapy-induced toxic erythema under treatment with pegylated liposomal doxorubicin: no restriction to palms and soles (Ziemer et al). 2008;58:S44-6 (Case letter)

Erythema nodosum

Nephrogenic systemic fibrosis with septal panniculitis mimicking erythema nodosum (Naylor et al). 2008;58:149-50 (Dermatopathology)

Erythrasma

A corynebacterial triad: prevalence of erythrasma and trichomycosis axillaris in soldiers with pitted keratolysis (Rho and Kim). 2008;58:S57-8 (Case letter)

Erythroderma

Durable complete remission of mycosis fungoides following erythroderma induced by denileukin difitox (Kazin et al). 2008;58:S31-2 (Case letter)

Etanercept

Tinea versicolor with etanercept therapy (Levy et al). 2008;58:S99-100 (Case letter)

Extremities

Cold injury of the knee and lower aspect of the leg after knee surgery and use of a cold therapy system (Mailler-Savage and Mutasim). 2008;58:S106-8 (Case letter)

A novel *ATP2A2* missense mutation p.Asp254Gly in Darier disease restricted to the extremities (Moriuchi et al). 2008;58:S116-8 (Case letter)

Eyelids

Cellular blue nevi of the eyelid: a possible diagnostic pitfall (Wang et al). 2008;58:257-60 (Dermatopathology)

Eyes

Granulation tissue in palpebral conjunctivae associated with acitretin therapy (Raso Bastos et al). 2008;58:S41-2 (Case letter)

F

Face

Adult-onset Still's disease revealed by facial edema (Dauendorffer et al). 2008;58:533-5 (Case letter)

A case of localized dermatitis herpetiformis of the face (Kawakami et al). 2008;58:S59-60 (Case letter)

A case of regressing central facial cutaneous angiosarcoma (Sluzevich et al). 2008;58:S113-5 (Case letter)

Classification of facial psoriasis based on the distributions of facial lesions (Woo et al). 2008;58:959-63 (Report)

Red cheeks and earlobes: marginal zone B-cell lymphoma of MALT type (Flaig and Rupec). 2008;58:S62-3 (Case letter)

Severe facial infection caused by *Serratia marcescens* in an immunocompetent soldier (Rallis et al). 2008;58:S109-10 (Case letter)

Facial feedback hypothesis

Botulinum toxin and the facial feedback hypothesis: can looking better make you feel happier? (Alam et al). 2008;58:1061-72 (Commentary)

Failure to thrive

Acrodermatitis enteropathica—like eruption and failure to thrive as presenting signs of cystic fibrosis (Zedek et al). 2008;58:S5-8 (Case rep.)

Intense pruritus and failure to thrive in Alagille syndrome (Schwartz et al). 2008;58:S9-11 (Case rep.)

Fasciitis

Eosinophilic fasciitis in a female child (Ortega-Loayza et al). 2008;58:S72-4 (Case rep.)

Fenofibrate

Complete clinical remission of tumor-stage mycosis fungoides after acute extensive skin necroses, granulomatous reaction, and fever under treatment bexarotene, vorinostat, and high-dose fenofibrate (Steinhoff et al). 2008;58:S88-91 (Case rep.)

Flies

Cutaneous myiasis (McGraw and Turiansky). 2008;58:907-26 (CME article)

From the Academy

From the Academy. 2008;58:826-64

Furosemide

Papuloerythroderma of Ofuji induced by furosemide (Sugita et al). 2008;58:S54-5 (Case letter)

G

Galli-Galli disease

Galli-Galli disease: a case report with review of the literature (Gilchrist et al). 2008;58:299-302 (Case & review)

Gangrene

Nail degloving: a polyetiologic condition with 3 main patterns: a new syndrome (Baran and Perrin). 2008;58:232-7 (Report)

Genetic predisposition to disease

- Buschke-Ollendorff syndrome: a manifestation of a heterozygous nonsense mutation in the *LEMD3* gene (Gass et al). 2008;58:S103-4 (Case letter)
- The classification of inherited epidermolysis bullosa (EB): report of the Third International Consensus Meeting on the Diagnosis and Classification of EB (Fine et al). 2008;58:931-50 (Report)
- Demographic and clinical properties of juvenile-onset Behçet's disease: a controlled multicenter study (Karincioğlu et al). 2008;58:579-84 (Report)
- Dermatologic, periodontal, and skeletal manifestations of Haim-Munk syndrome in two siblings (Janjua et al). 2008;58:339-44 (Case rep.)
- Dermatopathology and molecular genetics (Bergman). 2008;58:452-7 (Review)
- DNA-based prenatal exclusion of harlequin ichthyosis (Yanagi et al). 2008;58:653-6 (Case rep.)
- Familial alopecia areata and chronic thrombocytopenia (Ahmed et al). 2008;58:S75-7 (Case rep.)
- A further Turkish case of Griscelli syndrome with new RAB27A mutation (Onay et al). 2008;58:S115-6 (Case letter)
- Ichthyosis cribriformis: a new entity? (Almeida et al). 2008;58:505-7 (Case rep.)
- Infantile systemic hyalinoses: case report and review of the literature (Lindvall et al). 2008;58:303-7 (Case & review)
- Keratosis follicularis spinulosa decalvans in a family (Bellet et al). 2008;58:499-502 (Case rep.)
- Macrocephaly—cutis marmorata telangiectatica congenita: a case report and review of salient features (Katugampola et al). 2008;58:697-702 (Case rep.)

Gentian violet

- Targeted therapy of oral hairy leukoplakia with gentian violet (Bhandarkar et al). 2008;58:711-2 (Case rep.)

Geomyces pannorum

- Recurrent cutaneous *Geomyces pannorum* infection in three brothers with ichthyosis (Christen-Zach et al). 2008;58:S112-3 (Case letter)

GFR α -1 and GFR α -2

- Expression patterns of the glial cell line—derived neurotrophic factor, neurturin, their cognate receptors, GFR α -1, GFR α -2, and a common signal transduction element c-Ret in the human skin hair follicles (Adly et al). 2008;58:238-50 (Dermatopathology)

Glomangioma

- Congenital plaque-like glomangioma associated with superficial hypertrichosis (Rodríguez-Martín et al). 2008;58:S92-3 (Case letter)

Glycemic index

- Comment on acne and glycemic index (Treloar et al). 2008;58:175-7 (Notes & comments)

Graft-versus-host disease

- CXCR3 <-> ligand-mediated skin inflammation in cutaneous lichenoid graft-versus-host disease (Wenzel et al). 2008;58:437-42 (Dermatopathology)
- Neoplasia-induced autoimmunity encompasses a spectrum of changes (Helm et al). 2008;58:713 (Notes & comments)
- Relationship among human herpesvirus 6 reactivation serum interleukin 10 levels, and rash/graft-versus-host disease after allogeneic stem cell transplantation. 2008;58:802-9 (Report)
- Stem cell transplantation in advanced cutaneous T-cell lymphoma (Introcaso et al). 2008;58:644-9 (Case & review)
- Voriconazole-induced blistering in the setting of graft versus host disease: a report of 2 patients (Conlon et al). 2008;58:484-7 (Case rep.)

Granular parakeratosis

- Granular parakeratosis in a patient treated with liposomal doxorubicin for ovarian carcinoma (Jaconelli et al). 2008;58:S84-7 (Case rep.)

Granulomas

- Cutaneous sarcoidosis and primary biliary cirrhosis: a chance association of related diseases? (Kishor et al). 2008;58:326-35 (Case rep.)
- Pyogenic granuloma and pemphigus vulgaris: an unusual association (Dudelzak et al). 2008;58:S52-3 (Case letter)
- Treatment of recalcitrant disseminated granuloma annulare with hydroxyurea (Hall et al). 2008;58:525 (Case letter)

Granulomatous vasculitis

- Abdominal diffuse large B-cell lymphoma presenting in association with cutaneous granulomatous vasculitis (Kwan et al). 2008;58:S93-5 (Case letter)

Griscelli syndrome

- A further Turkish case of Griscelli syndrome with new RAB27A mutation (Onay et al). 2008;58:S115-6 (Case letter)

Guidelines

- Guidelines of care for the management of psoriasis and psoriatic arthritis: Section 1. Overview of psoriasis and guidelines of care for the treatment of psoriasis with biologics (Menter et al). 2008;58:826-50 (From the Academy)
- Guidelines of care for the management of psoriasis and psoriatic arthritis: Section 2. Psoriatic arthritis: overview and guidelines of care for treatment with an emphasis on the biologics (Gottlieb et al). 2008;58:851-64 (From the Academy)

H

Haim-Munk syndrome

- Dermatologic, periodontal, and skeletal manifestations of Haim-Munk syndrome in two siblings (Janjua et al). 2008;58:339-44 (Case rep.)

Hair

- Epidermal growth factor receptor inhibitors and hair (Heymann et al). 2008;58:642-3 (Dialogues in dermatology)
- Valproate-induced change in hair color (Gerstner et al). 2008;58:S63-4 (Case letter)

Hair follicles

- Basal cell (trichoblastic) carcinoma: common expression pattern for epithelial cell adhesion molecule links basal cell carcinoma to early follicular embryogenesis, secondary high germ, and outer root sheath of the vellus hair follicle: a clue to the adnexal nature of basal cell carcinoma? (Sellheyer and Krah). 2008;58:158-67 (Dermatopathology)
- Expression patterns of the glial cell line—derived neurotrophic factor, neurturin, their cognate receptors, GFR α -1, GFR α -2, and a common signal transduction element c-Ret in the human skin hair follicles (Adly et al). 2008;58:238-50 (Dermatopathology)
- Lichen planopilaris: annual incidence in four hair referral centers in the United States (Ochoa et al). 2008;58:352-3 (Research letter)

Harlequin ichthyosis

- DNA-based prenatal exclusion of harlequin ichthyosis (Yanagi et al). 2008;58:653-6 (Case rep.)

Health personnel

- Blood exposure risk during procedural dermatology (Holzmann et al). 2008;58:817-25 (Derm. surgery)

Health risk appraisal

- Blood exposure risk during procedural dermatology (Holzmann et al). 2008;58:817-25 (Derm. surgery)
- Prevalence and correlates of indoor tanning among US adults (Heckman et al). 2008;58:769-80 (Report)

Heart disease

Sympathetic nervous system dysfunction: a common pathway linking skin and heart morbidity? (Mastrolonardo). 2008;58:352 (Notes & comments)

Heart transplantation

Cutaneous presentation of Chagas' disease reactivation in a heart-transplant patient in Utah (Hall and Fields). 2008;58:529-30 (Case letter)

Hemangioendothelioma

Microsatellite stable genome in an epithelioid hemangioendothelioma: an example of a microsatellite stable tumor (Boyd et al). 2008;58:519-21 (Case letter)

Hemangiomas

Abortive or minimal-growth hemangiomas: immunohistochemical evidence that they represent true infantile hemangiomas (Corella et al). 2008;58:685-90 (Case rep.)

Laser treatment of pediatric vascular lesions: port wine stains and hemangiomas (Stier et al). 2008;58:261-85 (Derm. surgery)

Simultaneous occurrence of infantile hemangioma and congenital melanocytic nevus: coincidence or real association? (Wu et al). 2008;58:S16-22 (Case rep.)

Hematopoiesis, extramedullary

Transforming growth factor- β overexpression in cutaneous extramedullary hematopoiesis of a patient with myelodysplastic syndrome associated with myelofibrosis (Kawakami et al). 2008;58:703-6 (Case rep.)

Hemorrhage

Multiple antithrombotic agents increase the risk of postoperative hemorrhage in dermatologic surgery (Shimizu et al). 2008;58:810-6 (Derm. surgery)

Henoch-Schönlein purpura

Henoch-Schönlein purpura associated with *Proteus mirabilis* urinary tract infection (Rafailidis et al). 2008;58:S98-9 (Case letter)

Herpes zoster

The herpes zoster vaccine (Heymann et al). 2008;58:872-3 (Dialogues in dermatology)

New viral vaccines for dermatologic disease (Urman and Gottlieb). 2008;58:361-70 (CME article)

Herpesvirus 6, human

Pregnancy outcome in patients with pityriasis rosea (Drago et al). 2008;58:S78-83 (Case rep.)

Relationship among human herpesvirus 6 reactivation serum interleukin 10 levels, and rash/graft-versus-host disease after allogeneic stem cell transplantation. 2008;58:802-9 (Report)

Heterotopic salivary gland tissue

Heterotopic salivary gland tissue in the neck (Haemel et al). 2008;58:251-6 (Dermatopathology)

Histopathology

Fibroadenoma? (Ackerman). 2008;58:895 (Notes & comments)

History

History. 2008;58:472-6

HIV

Targeted therapy of oral hairy leukoplakia with gentian violet (Bhandarkar et al). 2008;58:711-2 (Case rep.)

HLA antigens

Pustulosis acuta generalisata with joint involvement in a HLA-A2- and HLA-B35-positive patient (Eren et al). 2008;58:1056-8 (Case rep.)

Hodgkin's disease

Cutaneous Hodgkin's disease (Introcaso et al). 2008;58:295-8 (Case & review)

Human genome

The human genome: mutating from science fiction to reality (Heymann et al). 2008;58:168-9 (Dialogues in dermatology)

Human papillomavirus

Human papillomavirus infection and ultraviolet light exposure as epidermoid inclusion cyst risk factors in a patient with epidermodysplasia verruciformis? (Ramagosa et al). 2008;58:S68-71 (Case rep.). 2008;58:S68e.1-6 (Case rep.)

The human papillomavirus vaccine (Heymann et al). 2008;58:1047-8 (Dialogues in dermatology)

New viral vaccines for dermatologic disease (Urman and Gottlieb). 2008;58:361-70 (CME article)

Hyalinosis

Infantile systemic hyalinosis: case report and review of the literature (Lindvall et al). 2008;58:303-7 (Case & review)

Hydroxyurea

Treatment of recalcitrant disseminated granuloma annulare with hydroxyurea (Hall et al). 2008;58:525 (Case letter)

Hypercalcemia

Pathogenesis of calciphylaxis: Hans Selye to nuclear factor κ -B (Weening). 2008;58:458-71 (Review)

Hyperhidrosis

A comment on "Kavanagh M, Shams K. Botulinum toxin type A by iontophoresis for primary palmar hyperhidrosis" (Devorian) (Comment) (Kavanagh and Shams) (Reply). 2008;58:e1 (eBlueprints)

Hyperparathyroidism

Pathogenesis of calciphylaxis: Hans Selye to nuclear factor κ -B (Weening). 2008;58:458-71 (Review)

Hyperphosphatemia

Pathogenesis of calciphylaxis: Hans Selye to nuclear factor κ -B (Weening). 2008;58:458-71 (Review)

Hyperplasia

Nevoid acanthosis nigricans with subtle melanocyte hyperplasia (Colegio et al). 2008;58:S102-3 (Case letter)

Hypertrichosis

Congenital plaque-like glomangioma associated with superficial hypertrichosis (Rodríguez-Martín et al). 2008;58:S92-3 (Case letter)

Hypokeratosis

Trauma and erosion in circumscribed hypokeratosis (Resnik and DiLeonardo). 2008;58:174 (Notes & comments)

I**Ichthyosis**

Recurrent cutaneous *Geomyces pannorum* infection in three brothers with ichthyosis (Christen-Zaech et al). 2008;58:S112-3 (Case letter)

Ichthyosis cribriformis

Ichthyosis cribriformis: a new entity? (Almeida et al). 2008;58:505-7 (Case rep.)

Imiquimod

Giant and recurrent orf virus infection in a renal transplant recipient treated with imiquimod (Ara et al). 2008;58:S39-40 (Case letter)

Imiquimod 5% cream for treatment of HIV-negative Kaposi's sarcoma skin lesions: a phase I to II, open-label trial in 17 patients (Schartz et al). 2008;58:585-91 (Report)

Immunoglobulin G

IgG anti-laminin-332 autoantibodies are present in a subset of patients with mucous membrane, but not bullous, pemphigoid (Lazarova et al). 2008;58:951-8 (Report)

Immunoglobulin M- λ paraproteinemia

IgM- λ paraproteinemia with associated cutaneous lymphoplasmacytic infiltrate in a patient who meets diagnostic criteria for POEMS syndrome (Colaco et al). 2008;58:671-5 (Case rep.)

Immunoglobulins

Effects of treatments on the mortality of Stevens-Johnson syndrome and toxic epidermal necrolysis: a retrospective study on patients included in the prospective EuroSCAR Study (Schneck et al). 2008;58:33-40 (Report)

Intravenous immunoglobulin selectively decreases circulating autoantibodies in pemphigus (Czemik et al). 2008;58:796-801 (Report)

Immunomodulatory agents

Leflunomide as adjuvant treatment of dermatomyositis (Boswell and Costner). 2008;58:403-6 (Report)

Immunosuppression

Multiple skin metastases of malignant melanoma with unusual clinical and histopathologic features in an immunosuppressed patient (Egberts et al). 2008;58:880-4 (Case rep.)

Primary cutaneous Epstein-Barr virus-related lymphoproliferative disorders in 4 immunosuppressed children (Wallet-Faber et al). 2008;58:74-80 (Report)

Simultaneous development and parallel course of disseminated superficial porokeratosis and ovarian cancer: coincidental association or true paraneoplastic syndrome? (Cannavó et al). 2008;58:657-60 (Case rep.)

Incontinentia pigmenti

A male infant with anhidrotic ectodermal dysplasia/immunodeficiency accompanied by incontinentia pigmenti and a mutation in the *NEMO* pathway (Chang et al). 2008;58:316-20 (Case rep.)

Infants

Bullous pemphigoid in infancy: clinical and epidemiologic characteristics (Waisbourd-Zinman et al). 2008;58:41-8 (Report)

A case of congenital erosive and vesicular dermatosis with limited involvement (Lee et al). 2008;58:S104-6 (Case letter)

Diffuse dermatitis: an unexpected initial presentation of cystic fibrosis (Lovett et al). 2008;58:S1-4 (Case rep.)

Infantile pyoderma gangrenosum (Mc Aleer et al). 2008;58:S23-8 (Case rep.)

Infantile systemic hyalinoses: case report and review of the literature (Lindvall et al). 2008;58:303-7 (Case & review)

A male infant with anhidrotic ectodermal dysplasia/immunodeficiency accompanied by incontinentia pigmenti and a mutation in the *NEMO* pathway (Chang et al). 2008;58:316-20 (Case rep.)

Simultaneous occurrence of infantile hemangioma and congenital melanocytic nevus: coincidence or real association? (Wu et al). 2008;58:S16-22 (Case rep.)

Infants, newborn

Disseminated juvenile xanthogranulomatosis in a newborn resulting in liver transplantation (Haughton et al). 2008;58:S12-5 (Case rep.)

Infection

Acute dermal abscesses caused by *Serratia marcescens* (Soria et al). 2008;58:891-3 (Case rep.)

Henoch-Schönlein purpura associated with *Proteus mirabilis* urinary tract infection (Rafailidis et al). 2008;58:S98-9 (Case letter)

National Psoriasis Foundation clinical consensus on psoriasis comorbidities and recommendations for screening (Kimball et al). 2008;58:1031-42 (Review)

Recurrent cutaneous *Geomyces pannorum* infection in three brothers with ichthyosis (Christen-Zaech et al). 2008;58:S112-3 (Case letter)

Severe facial infection caused by *Serratia marcescens* in an immunocompetent soldier (Rallis et al). 2008;58:S109-10 (Case letter)

Infertility treatment

Autoimmune progesterone dermatitis associated with infertility treatment (Jenkins et al). 2008;58:353-5 (Case letter)

Inflammation

Consensus statement on definitions of disease, end points, and therapeutic response for pemphigus (Murrell et al). 2008;58:1043-6 (Review)

Inflammation and lipid accumulation in xanthoma disseminatum: therapeutic considerations (Eisendle et al). 2008;58:S47-9 (Case letter)

National Psoriasis Foundation clinical consensus on psoriasis comorbidities and recommendations for screening (Kimball et al). 2008;58:1031-42 (Review)

Retronychchia: proximal ingrowing of the nail plate (de Berker et al). 2008;58:978-83 (Report)

Retronychchia: report of two cases (Dahdah et al). 2008;58:1051-3 (Case rep.)

Infliximab

Baseline nail disease in patients with moderate to severe psoriasis and response to treatment with infliximab during 1 year (Rich et al). 2008;58:224-31 (Report)

Disseminated *Cryptococcus neoformans* after treatment with infliximab for rheumatoid arthritis (Kozic et al). 2008;58:S95-6 (Case letter)

Insect repellents

Insect repellents: historical perspectives and new developments (Katz et al). 2008;58:865-71 (Review)

Intellectual property

Conflict of interests (Cerroni). 2008;58:170 (Current issues & opinion)

Interferon alfa-2b

Early signs of liver failure after low-dose interferon alfa-2b for cutaneous melanoma (Ammoury et al). 2008;58:532-3 (Case letter)

Interleukin 10

Relationship among human herpesvirus 6 reactivation serum interleukin 10 levels, and rash/graft-versus-host disease after allogeneic stem cell transplantation (Kitamura et al). 2008;58:802-9 (Report)

Interleukin 12

Interleukin-12, interleukin-23, and psoriasis: ABT-874 in clinical trials (Wu) (Letter) (Feldman) (Reply). 2008;58:1083 (Notes & comments)

Interleukin 23

Interleukin-12, interleukin-23, and psoriasis: ABT-874 in clinical trials (Wu) (Letter) (Feldman) (Reply). 2008;58:1083 (Notes & comments)

Iontophoresis

A comment on "Kavanagh M, Shams K. Botulinum toxin type A by iontophoresis for primary palmar hyperhidrosis" (Devorian) (Comment) (Kavanagh and Shams) (Reply). 2008;58:e1 (eBlueprints)

Island pedicle flap, transposition

Transposition island pedicle flaps in the reconstruction of nasal and perinasal defects (Campbell and Ramsey). 2008;58:434-6 (Derm. surgery)

Itraconazole

Fixed drug eruption caused by itraconazole: reactivity and cross reactivity (Gupta and Thami). 2008;58:521-2 (Case letter)

J

Jessner's lymphocytic infiltration of the skin

Comparison of histopathologic-clinical characteristics of Jessner's lymphocytic infiltration of the skin and lupus erythematosus tumidus: multicenter study of 46 cases (Rémy-Leroux et al). 2008;58:217-23 (Report)

Joints

Pustulosis acuta generalisata with joint involvement in a HLA-A2- and HLA-B35-positive patient (Eren et al). 2008;58:1056-8 (Case rep.)

Journal of the American Academy of Dermatology

And in conclusion (Bernhard). 2008;58:1076-7 (The Blue Journal)
Disclosure does not absolve! (Ackerman). 2008;58:713-4 (Notes & comments)

Fate of manuscripts declined by the *Journal of the American Academy of Dermatology* (Armstrong). 2008;58:632-5 (Report)

K**Kaposi's sarcoma**

Imiquimod 5% cream for treatment of HIV-negative Kaposi's sarcoma skin lesions: a phase I to II, open-label trial in 17 patients (Scharitz et al). 2008;58:585-91 (Report)

Keratinization disorders

Ichthyosis cribriformis: a new entity? (Almeida et al). 2008;58:505-7 (Case rep.)

Keratoderma, palmoplantar

Dermatologic, periodontal, and skeletal manifestations of Haim-Munk syndrome in two siblings (Janjua et al). 2008;58:339-44 (Case rep.)

Keratoderma, spiny

"I forgot to shave my hands": a case of spiny keratoderma (Torres et al). 2008;58:344-8 (Case rep.)

Keratolysis, pitted

A corynebacterial triad: prevalence of erythrasma and trichomycosis axillaris in soldiers with pitted keratolysis (Rho and Kim). 2008;58:557-8 (Case letter)

Keratosis

Benign alveolar ridge keratosis (oral lichen simplex chronicus): a distinct clinicopathologic entity (Natarajan and Woo). 2008;58:151-7 (Dermatopathology)

Keratosis follicularis spinulosa decalvans

Keratosis follicularis spinulosa decalvans in a family (Bellet et al). 2008;58:499-502 (Case rep.)

Knee injuries

Cold injury of the knee and lower aspect of the leg after knee surgery and use of a cold therapy system (Mailler-Savage and Mutasim). 2008;58:S106-8 (Case letter)

L**Larva migrans**

Multiple papules and nodules on the face and neck caused by the larvae of an unknown nematode: a noncreeping type eruption (Sakai et al). 2008;58:668-70 (Case rep.)

Laser treatment

Laser treatment of pediatric vascular lesions: port wine stains and hemangiomas (Stier et al). 2008;58:261-85 (Derm. surgery)

Long-pulsed dye laser versus long-pulsed dye laser-assisted photodynamic therapy for acne vulgaris: a randomized controlled trial (Hædersdal et al). 2008;58:387-94 (Report)

The spectrum of laser skin resurfacing: nonablative, fractional, and ablative laser resurfacing (Alexiades-Arménakis et al). 2008;58:719-37 (CME article)

Leadership

The need for leadership: how can we better train the next generation of dermatologists? (Wood et al). 2008;58:715-7 (Research letter)

Leflunomide

Leflunomide as adjuvant treatment of dermatomyositis (Boswell and Costner). 2008;58:403-6 (Report)

Leg injuries

Cold injury of the knee and lower aspect of the leg after knee surgery and use of a cold therapy system (Mailler-Savage and Mutasim). 2008;58:S106-8 (Case letter)

Leishmaniasis

Cutaneous leishmaniasis in Texas: a northern spread of endemic areas (Wright et al). 2008;58:650-2 (Case rep.)

Efficacy of a weekly cryotherapy regimen to treat *Leishmania major* cutaneous leishmaniasis (Mosleh et al). 2008;58:617-24 (Report)

LEMD3 gene

Buschke-Ollendorff syndrome: a manifestation of a heterozygous nonsense mutation in the *LEMD3* gene (Gass et al). 2008;58:S103-4 (Case letter)

Lentigo maligna

Staged excision for lentigo maligna and lentigo maligna melanoma: a retrospective analysis of 117 cases (Hazan et al). 2008;58:142-8 (Derm. surgery)

Letters. see Case letters; Notes & comments; Research letters

Leukoplakia, hairy

Targeted therapy of oral hairy leukoplakia with gentian violet (Bhandarkar et al). 2008;58:711-2 (Case rep.)

Lichen myxedematosus

Treatment of localized lichen myxedematosus of discrete type with tacrolimus ointment (Rongioletti et al). 2008;58:530-2 (Case letter)

Lichen planopilaris

Lichen planopilaris: annual incidence in four hair referral centers in the United States (Ochoa et al). 2008;58:352-3 (Research letter)

Lichen planus

Betamethasone oral mini-pulse therapy compared with topical triamcinolone acetonide (0.1%) paste in oral lichen planus: a randomized comparative study (Malhotra et al). 2008;58:596-602 (Report)

Nail degloving: a polyetiologic condition with 3 main patterns: a new syndrome (Baran and Perrin). 2008;58:232-7 (Report)

Lichen planus-like atopic dermatitis

Lichenoid and other clinical presentations of atopic dermatitis in an inner city practice (Allen et al). 2008;58:503-4 (Case rep.)

Lichen simplex chronicus

Benign alveolar ridge keratosis (oral lichen simplex chronicus): a distinct clinicopathologic entity (Natarajan and Woo). 2008;58:151-7 (Dermatopathology)

Lichenoid graft-versus-host disease

CXCR3 <-> ligand-mediated skin inflammation in cutaneous lichenoid graft-versus-host disease (Wenzel et al). 2008;58:437-42 (Dermatopathology)

Lipids

Inflammation and lipid accumulation in xanthoma disseminatum: therapeutic considerations (Eisendle et al). 2008;58:S47-9 (Case letter)

Lipoatrophy

Localized involutional lipoatrophy with epidermal and dermal changes (Abbas et al). 2008;58:490-3 (Case rep.)

Lipodermatosclerosis

Magnetic resonance imaging as a diagnostic tool for extensive lipodermatosclerosis (Chan et al). 2008;58:525-7 (Case letter)

Lipoma

Dramatic reduction in lipoma associated with statin therapy (Self and Akins). 2008;58:S30-1 (Case letter)

Liver failure

Early signs of liver failure after low-dose interferon alfa-2b for cutaneous melanoma (Ammoury et al). 2008;58:532-3 (Case letter)

Liver transplantation

Disseminated juvenile xanthogranulomatosis in a newborn resulting in liver transplantation (Haughton et al). 2008;58:S12-5 (Case rep.)

Lupus erythematosus

Sclerodermiform linear lupus erythematosus: a distinct entity or coexistence of two autoimmune diseases? (Julià et al). 2008;58:665-7 (Case rep.)

Lupus erythematosus tumidus

Comparison of histopathologic—clinical characteristics of Jessner's lymphocytic infiltration of the skin and lupus erythematosus tumidus: multicenter study of 46 cases (Rémy-Leroux et al). 2008;58:217-23 (Report)

Lymphoma, B-cell

Abdominal diffuse large B-cell lymphoma presenting in association with cutaneous granulomatous vasculitis (Kwan et al). 2008;58:S93-5 (Case letter)

Cutaneous plasmablastic lymphoma (Jambusaria et al). 2008;58:676-8 (Case rep.)

Red cheeks and earlobes: marginal zone B-cell lymphoma of MALT type (Flaig and Rupec). 2008;58:S62-3 (Case letter)

Lymphoma, intravascular T-cell

Intravascular cytotoxic T-cell lymphoma (Gleason et al). 2008;58:290-4 (Case & review)

Lymphoma, plasmablastic

Cutaneous plasmablastic lymphoma (Jambusaria et al). 2008;58:676-8 (Case rep.)

Lymphoma, T-cell

Increased cancer antigen 27.9 (CA27.29) level in patients with mycosis fungoides (Cen et al). 2008;58:382-6 (Report)

Stem cell transplantation in advanced cutaneous T-cell lymphoma (Introcaso et al). 2008;58:644-9 (Case & review)

Synchronous verrucous carcinoma and cutaneous T-cell lymphoma (Parsons et al). 2008;58:S124-5 (Case letter)

Total skin electron beam therapy may be associated with improvement of peripheral blood disease in Sézary syndrome (Introcaso et al). 2008;58:592-5 (Report)

Lymphoproliferative disorders

Primary cutaneous Epstein-Barr virus-related lymphoproliferative disorders in 4 immunosuppressed children (Wallet-Faber et al). 2008;58:74-80 (Report)

Lyrar

Allergic contact dermatitis to a perfume containing lyrar. 2008;58:S97-8 (Case letter)

M

Macrocephaly—cutis marmorata congenita

Macrocephaly—cutis marmorata telangiectatica congenita: a case report and review of salient features (Katugampola et al). 2008;58:697-702 (Case rep.)

Magnetic resonance imaging

Magnetic resonance imaging as a diagnostic tool for extensive lipodermatosclerosis (Chan et al). 2008;58:525-7 (Case letter)

Medical education

The need for leadership: how can we better train the next generation of dermatologists? (Wood et al). 2008;58:715-7 (Research letter)

Melanoma

An impact of hormones on nevi and melanoma (Lens and Rosdahl) (Letter) (Driscoll and Grant-Kels) (Reply). 2008;58:1083-5 (Notes & comments)

Components of a successful intervention for monthly skin self-examination for early detection of melanoma: the "Check It Out" Trial (Lee et al). 2008;58:1006-12 (Report)

Early signs of liver failure after low-dose interferon alfa-2b for cutaneous melanoma (Ammoury et al). 2008;58:532-3 (Case letter)

Is superficial spreading melanoma still the most common form of malignant melanoma? (Forman et al). 2008;58:1013-20 (Dermatopathology)

Melanoma and squamous cell carcinoma on different nails of the same hand (Harwood et al). 2008;58:323-6 (Case rep.)

Melanoma mimicking seborrheic keratosis: an error of perception precluding correct dermoscopic diagnosis (Braga et al). 2008;58:875-80 (Case rep.)

Minichromosome maintenance protein expression in benign nevi, dysplastic nevi, melanoma, and cutaneous melanoma metastases (Boyd et al). 2008;58:750-4 (Report)

Multiple skin metastases of malignant melanoma with unusual clinical and histopathologic features in an immunosuppressed patient (Egberts et al). 2008;58:880-4 (Case rep.)

Relationship and partner moderator variables increase self-efficacy of performing skin self-examination (Robinson et al). 2008;58:755-62 (Report)

Screening program reduced melanoma mortality at the Lawrence Livermore National Laboratory, 1984 to 1996 (Schneider et al). 2008;58:741-9 (Report)

Simultaneous subungual melanoma in situ of both thumbs (Rotunda et al). 2008;58:S42-4 (Case letter)

Staged excision for lentigo maligna and lentigo maligna melanoma: a retrospective analysis of 117 cases (Hazan et al). 2008;58:142-8 (Derm. surgery)

Types of melanoma? (Hurt). 2008;58:1059-60 (Commentary)

Melanonychia

Longitudinal melanonychia as the first sign of Addison's disease (Prat et al). 2008;58:522-4 (Case letter)

Subungual blue nevus with combined phenotypic features (Naylor et al). 2008;58:1021-4 (Dermatopathology)

Men

A comparison of disease severity among affected male versus female patients with PHACE syndrome (Metry et al). 2008;58:81-7 (Report)

Merkel cell carcinoma

Clinical characteristics of Merkel cell carcinoma at diagnosis in 195 patients: the AEIOU features (Heath et al). 2008;58:375-81 (Report)

Metabolic syndrome

National Psoriasis Foundation clinical consensus on psoriasis comorbidities and recommendations for screening (Kimball et al). 2008;58:1031-42 (Review)

Metastases

Metastatic rhabdomyosarcoma of the skin (Shimizu et al). 2008;58:S118-20 (Case letter)

Multiple skin metastases of malignant melanoma with unusual clinical and histopathologic features in an immunosuppressed patient (Egberts et al). 2008;58:880-4 (Case rep.)

Methyl aminolevulinate

5-Aminolevulinic acid photodynamic therapy versus methyl aminolevulinate photodynamic therapy for inflammatory acne vulgaris (Gold). 2008;58:S60-2 (Case letter)

Milk

Commentary: diet and acne (Webster). 2008;58:794-5 (Report)

Milk consumption and acne in teenaged boys (Adebamowo et al). 2008;58:787-93 (Report)

Minichromosome maintenance proteins

Minichromosome maintenance protein expression in benign nevi, dysplastic nevi, melanoma, and cutaneous melanoma metastases (Boyd et al). 2008;58:750-4 (Report)

Minocycline

Perinuclear antineutrophilic cytoplasmic antibody-positive polyarthritis nodosa secondary to minocycline treatment for acne vulgaris (Gait et al). 2008;58:S123-4 (Case letter)

Mohs micrographic surgery

Squamous cell carcinoma tumor thrombus encountered during Mohs micrographic surgery (Mendese et al). 2008;58:518-9 (Case letter)

Molecular genetics

Dermatopathology and molecular genetics (Bergman). 2008;58:452-7 (Review)

Mortality

Effects of treatments on the mortality of Stevens-Johnson syndrome and toxic epidermal necrolysis: a retrospective study on patients included in the prospective EuroSCAR Study (Schneek et al). 2008;58:33-40 (Report)

Screening program reduced melanoma mortality at the Lawrence Livermore National Laboratory, 1984 to 1996 (Schneider et al). 2008;58:741-9 (Report)

Multiple myeloma

Multiple myeloma-associated amyloidosis and acral localized acquired cutis laxa (Appiah et al). 2008;58:S32-3 (Case letter)

Mycosis fungoides

Complete clinical remission of tumor-stage mycosis fungoides after acute extensive skin necroses, granulomatous reaction, and fever under treatment bexarotene, vorinostat, and high-dose fenofibrate (Steinhoff et al). 2008;58:S88-91 (Case rep.)

Durable complete remission of mycosis fungoides following erythroderma induced by denileukin difitox (Kazin et al). 2008;58:S31-2 (Case letter)

Increased cancer antigen 27.9 (CA27.29) level in patients with mycosis fungoides (Cen et al). 2008;58:382-6 (Report)

Pagetoid reticulosis in a 5-year-old boy (Miedler et al). 2008;58:679-81 (Case rep.)

Patch-stage mycosis fungoides in remission after therapy with alefacept (Green et al). 2008;58:S110-2 (Case letter)

Myelofibrosis

Transforming growth factor- β overexpression in cutaneous extramedullary hematopoiesis of a patient with myelodysplastic syndrome associated with myelofibrosis (Kawakami et al). 2008;58:703-6 (Case rep.)

Myiasis

Cutaneous myiasis (McGraw and Turiansky). 2008;58:907-26 (CME article)

Myositis

Discordant response to rituximab in a systemic sclerosis patient with associated myositis (Fabri et al). 2008;58:S127-8 (Case letter)

N**Nails**

Baseline nail disease in patients with moderate to severe psoriasis and response to treatment with infliximab during 1 year (Rich et al). 2008;58:224-31 (Report)

Lateral views and subungual soft-tissue chondromas (Connolly et al). 2008;58:S58-9 (Case letter)

Longitudinal melanonychia as the first sign of Addison's disease (Prat et al). 2008;58:522-4 (Case letter)

Melanoma and squamous cell carcinoma on different nails of the same hand (Harwood et al). 2008;58:323-6 (Case rep.)

Nail degloving: a polyetiologic condition with 3 main patterns: a new syndrome (Baran and Perrin). 2008;58:232-7 (Report)

Pterygium inversum unguis secondary to acrylate allergy (Paley et al). 2008;58:S53-4 (Case letter)

Retronychia: proximal ingrowing of the nail plate (de Berker et al). 2008;58:978-83 (Report)

Retronychia: report of two cases (Dahdah et al). 2008;58:1051-3 (Case rep.)

Simultaneous subungual melanoma in situ of both thumbs (Rotunda et al). 2008;58:S42-4 (Case letter)

Subungual blue nevus with combined phenotypic features (Naylor et al). 2008;58:1021-4 (Dermatopathology)

Unilateral trachyonychia in a patient with reflex sympathetic dystrophy (Pucevich et al). 2008;58:320-2 (Case rep.)

Validity of self-reported nail counts in patients with onychomycosis: a retrospective pilot analysis (Cham et al). 2008;58:136-41 (Report)

Videodermoscopy of the hyponychium in nail bed psoriasis (Iorizzo et al). 2008;58:714-5 (Research letter)

Neck

Anterior cervicoplasty: neck rejuvenation using local anesthesia (Hancox and Eaton). 2008;58:430-3 (Derm. surgery)

Heterotopic salivary gland tissue in the neck (Haemel et al). 2008;58:251-6 (Dermatopathology)

Necrolytic migratory erythema

Necrolytic migratory erythema-like presentation for cystic fibrosis (Koch et al). 2008;58:S29-30 (Case letter)

NEMO pathway

A male infant with anhidrotic ectodermal dysplasia/immunodeficiency accompanied by incontinentia pigmenti and a mutation in the NEMO pathway (Chang et al). 2008;58:316-20 (Case rep.)

Nephrogenic systemic fibrosis

Epoetin and nephrogenic systemic fibrosis (Saab). 2008;58:174-5 (Notes & comments)

Localized nephrogenic fibrosing dermatopathy: aberrant dermal repairing? (Deng et al). 2008;58:336-9. Correction 2008;58:874 (Case rep.)

Nephrogenic systemic fibrosis is associated with transforming growth factor β and Smad without evidence of renin-angiotensin system involvement (Kelly et al). 2008;58:1025-30 (Dermatopathology)

Nephrogenic systemic fibrosis with septal panniculitis mimicking erythema nodosum (Naylor et al). 2008;58:149-50 (Dermatopathology)

Nephropathy

Diabetic dermatopathy: a subtle sign with grave implications (Morgan and Schwartz). 2008;58:447-51 (Review)

Neurofibromatosis 1

Giant café-au-lait macule in neurofibromatosis 1: a type 2 segmental manifestation of neurofibromatosis 1? (Yang et al). 2008;58:493-7 (Case rep.)

Neuropathy

Diabetic dermatopathy: a subtle sign with grave implications (Morgan and Schwartz). 2008;58:447-51 (Review)

Neurturin

Expression patterns of the glial cell line-derived neurotrophic factor, neurturin, their cognate receptors, GFR α -1, GFR α -2, and a common signal transduction element c-Ret in the human skin hair follicles (Adly et al). 2008;58:238-50 (Dermatopathology)

Nevi

An impact of hormones on nevi and melanoma (Lens and Rosdahl) (Letter) (Driscoll and Grant-Kels) (Reply). 2008;58:1083-5 (Notes & comments)

Cellular blue nevi of the eyelid: a possible diagnostic pitfall (Wang et al). 2008;58:257-60 (Dermatopathology)

Minichromosome maintenance protein expression in benign nevi, dysplastic nevi, melanoma, and cutaneous melanoma metastases (Boyd et al). 2008;58:750-4 (Report)

- Phakomatosis pigmentovascularis: clinical findings in 15 patients and review of the literature (Fernández-Guarino et al). 2008;58:88-93 (Report)
- Recurrence of nevus depigmentosus after an autologous epidermal graft (Kim et al). 2008;58:527-9 (Case letter)
- Repeated equally effective suberythemogenic exposures to ultraviolet (UV)A1 or narrowband UVB induce similar changes of the dermoscopic pattern of acquired melanocytic nevi that can be prevented by high-protection UVA-UVB sunscreens (Manganoni et al). 2008;58:763-8 (Report)
- SCALP syndrome: sebaceous nevus syndrome, CNS malformations, aplasia cutis congenita, limbal dermoid, and pigmented nevus (giant congenital melanocytic nevus) with neurocutaneous melanosis: a distinct syndromic entity (Lam et al). 2008;58:884-8 (Case rep.)
- Simultaneous occurrence of infantile hemangioma and congenital melanocytic nevus: coincidence or real association? (Wu et al). 2008;58:S16-22 (Case rep.)
- Spontaneous involution of congenital melanocytic nevi of the scalp (Strauss and Bishop). 2008;58:508-11 (Case rep.)
- Subungual blue nevus with combined phenotypic features (Naylor et al). 2008;58:1021-4 (Dermatopathology)
- Nevoid acanthosis nigricans**
- Nevoid acanthosis nigricans with subtle melanocyte hyperplasia (Colegio et al). 2008;58:S102-3 (Case letter)
- Nevus sebaceous**
- Fibroadenoma? (Ackerman). 2008;58:895 (Notes & comments)
- Nickel**
- Nickel release from earrings purchased in the United States: the San Francisco earring study (Thyssen and Maibach). 2008;58:1000-5 (Report)
- Nose**
- Intranasal formication correlates with diagnosis of delusions of parasitosis (Walling and Swick). 2008;58:S35-6 (Case letter)
- Transposition island pedicle flaps in the reconstruction of nasal and perinasal defects (Campbell and Ramsey). 2008;58:434-6 (Derm. surgery)
- Notes & comments**
- Adding over-the-counter dihydroxyacetone self-tanners to sunscreen regimens to increase ultraviolet A protection (Howe et al). 2008;58:894
- An impact of hormones on nevi and melanoma (Lens and Rosdahl) (Letter) (Driscoll and Grant-Kels) (Reply). 2008;58:1083-5
- Biopsy rates in patients with and without total body photography (Marghoob and Halpern). 2008;58:894-5
- Comment on acne and glycemic index (Treloar et al). 2008;58:175-7
- Disclosure does not absolve! (Ackerman). 2008;58:713-4
- Epoetin and nephrogenic systemic fibrosis (Saab). 2008;58:174-5
- Fibroadenoma? (Ackerman). 2008;58:895
- Iatrogenic xanthoderma (Bruckner). 2008;58:895-6
- Interleukin-12, interleukin-23, and psoriasis: ABT-874 in clinical trials (Wu) (Letter) (Feldman) (Reply). 2008;58:1083
- Neoplasia-induced autoimmunity encompasses a spectrum of changes (Helm et al). 2008;58:713
- Primary anetoderma is a cutaneous sign of antiphospholipid antibodies (Hodak et al). 2008;58:351
- Reply: a responsible approach to maintaining adequate serum vitamin D levels (Armas et al). 2008;58:516
- Sun exposure and vitamin D level (Lim). 2008;58:516-7
- Sympathetic nervous system dysfunction: a common pathway linking skin and heart morbidity? (Mastrolonardo). 2008;58:352
- Trauma and erosion in circumscribed hypokeratosis (Resnik and DiLeonardo). 2008;58:174
- Vitamin D: the sun as an essential source (Cohn). 2008;58:177-8

Nurse practitioners

- Who else is providing care in dermatology practices? Trends in the use of nonphysician clinicians (Resneck and Kimball). 2008;58:211-6 (Report)

O

Onychomycosis

- Validity of self-reported nail counts in patients with onychomycosis: a retrospective pilot analysis (Cham et al). 2008;58:136-41 (Report)

Orf virus

- Giant and recurrent orf virus infection in a renal transplant recipient treated with imiquimod (Ara et al). 2008;58:S39-40 (Case letter)
- Orf-induced immunobullous disease: a distinct autoimmune blistering disorder (White et al). 2008;58:49-55 (Report)

Outcomes research

- Outcomes research in dermatology (Heymann et al). 2008;58:286-7 (Dialogues in dermatology)

Ovarian cancer

- Granular parakeratosis in a patient treated with liposomal doxorubicin for ovarian carcinoma (Jaconelli et al). 2008;58:S84-7 (Case rep.)
- Simultaneous development and parallel course of disseminated superficial porokeratosis and ovarian cancer: coincidental association or true paraneoplastic syndrome? (Cannavó et al). 2008;58:657-60 (Case rep.)

P

Pagetoid reticulosis

- Pagetoid reticulosis in a 5-year-old boy (Miedler et al). 2008;58:679-81 (Case rep.)

Panniculitis

- Nephrogenic systemic fibrosis with septal panniculitis mimicking erythema nodosum (Naylor et al). 2008;58:149-50 (Dermatopathology)

Papuloerythroderma of Ofuji

- Papuloerythroderma of Ofuji induced by furosemide (Sugita et al). 2008;58:S54-5 (Case letter)

Parakeratosis

- Granular parakeratosis in a patient treated with liposomal doxorubicin for ovarian carcinoma (Jaconelli et al). 2008;58:S84-7 (Case rep.)

Parasites

- Cutaneous leishmaniasis in Texas: a northern spread of endemic areas (Wright et al). 2008;58:650-2 (Case rep.)
- Cutaneous myiasis (McGraw and Turiansky). 2008;58:907-26 (CME article)
- Efficacy of a weekly cryotherapy regimen to treat *Leishmania major* cutaneous leishmaniasis (Mosleh et al). 2008;58:617-24 (Report)
- Multiple papules and nodules on the face and neck caused by the larvae of an unknown nematode: a noncreeping type eruption (Sakai et al). 2008;58:668-70 (Case rep.)

Parasitosis

- Intranasal formication correlates with diagnosis of delusions of parasitosis (Walling and Swick). 2008;58:S35-6 (Case letter)

Patient education

- Components of a successful intervention for monthly skin self-examination for early detection of melanoma: the "Check It Out" Trial (Lee et al). 2008;58:1006-12 (Report)
- Relationship and partner moderator variables increase self-efficacy of performing skin self-examination (Robinson et al). 2008;58:755-62 (Report)

- Screening program reduced melanoma mortality at the Lawrence Livermore National Laboratory, 1984 to 1996 (Schneider et al). 2008;58:741-9 (Report)
- Pemphigoid, antiepilligin cicatricial**
IgG anti-laminin-332 autoantibodies are present in a subset of patients with mucous membrane, but not bullous, pemphigoid (Lazarova et al). 2008;58:951-8 (Report)
- Pemphigoid, bullous**
Bullous pemphigoid in infancy: clinical and epidemiologic characteristics (Waisbourd-Zinman et al). 2008;58:41-8 (Report)
- Pemphigus**
Consensus statement on definitions of disease, end points, and therapeutic response for pemphigus (Murrell et al). 2008;58:1043-6 (Review)
Intravenous immunoglobulin selectively decreases circulating autoantibodies in pemphigus (Czernik et al). 2008;58:796-801 (Report)
Neoplasia-induced autoimmunity encompasses a spectrum of changes (Helm et al). 2008;58:713 (Notes & comments)
- Pemphigus vulgaris**
Pyogenic granuloma and pemphigus vulgaris: an unusual association (Dudelzak et al). 2008;58:552-3 (Case letter)
- Perfume**
Allergic contact dermatitis to a perfume containing lylal. 2008;58:597-8 (Case letter)
- Periodicals**
Fate of manuscripts declined by the *Journal of the American Academy of Dermatology* (Armstrong). 2008;58:632-5 (Report)
- PHACE syndrome**
A comparison of disease severity among affected male versus female patients with PHACE syndrome (Metry et al). 2008;58:81-7 (Report)
- Phakomatosis pigmentovascularis**
Phakomatosis pigmentovascularis: clinical findings in 15 patients and review of the literature (Fernández-Guarino et al). 2008;58:88-93 (Report)
- Photodynamic therapy**
5-Aminolevulinic acid photodynamic therapy versus methyl aminolevulinate photodynamic therapy for inflammatory acne vulgaris (Gold). 2008;58:S60-2 (Case letter)
Long-pulsed dye laser versus long-pulsed dye laser-assisted photodynamic therapy for acne vulgaris: a randomized controlled trial (Hædersdal et al). 2008;58:387-94 (Report)
- Photographs, digital**
Computer-assisted alignment and tracking of acne lesions indicate that most inflammatory lesions arise from comedones and de novo (Do et al). 2008;58:603-8 (Report)
- Photoprotection**
An organotypic model of skin to study photodamage and photoprotection in vitro (Bernerd and Asselineau). 2008;58:S155-9 (Report)
The benefit of daily photoprotection (Seité and Fourtanier). 2008;58:S160-6 (Report)
- Physician assistants**
Who else is providing care in dermatology practices? Trends in the use of nonphysician clinicians (Resneck and Kimball). 2008;58:211-6 (Report)
- Pigmentation disorders**
Galli-Galli disease: a case report with review of the literature (Gilchrist et al). 2008;58:299-302 (Case & review)
Giant café-au-lait macule in neurofibromatosis 1: a type 2 segmental manifestation of neurofibromatosis 1? (Yang et al). 2008;58:493-7 (Case rep.)
- Phakomatosis pigmentovascularis: clinical findings in 15 patients and review of the literature (Fernández-Guarino et al). 2008;58:88-93 (Report)
- Recurrence of nevus depigmentosus after an autologous epidermal graft (Kim et al). 2008;58:527-9 (Case letter)
- SCALP syndrome: sebaceous nevus syndrome, CNS malformations, aplasia cutis congenita, limbal dermoid, and pigmented nevus (giant congenital melanocytic nevus) with neurocutaneous melanosis: a distinct syndromic entity (Lam et al). 2008;58:884-8 (Case rep.)
- Pilomatricoma**
Anetodermic pilomatricoma with perforation (Fender et al). 2008;58:535-6 (Case letter)
- Pityriasis lichenoides et varioliformis acuta**
Rapid resolution of pityriasis lichenoides et varioliformis acuta with azithromycin (Skinner and Levy). 2008;58:524-5 (Case letter)
- Pityriasis rosea**
Pregnancy outcome in patients with pityriasis rosea (Drago et al). 2008;58:S78-83 (Case rep.)
- POEMS syndrome**
IgM-A paraproteinemia with associated cutaneous lymphoplasmacytic infiltrate in a patient who meets diagnostic criteria for POEMS syndrome (Colaco et al). 2008;58:671-5 (Case rep.)
- Poikiloderma vasculare atrophicans**
Patch-stage mycosis fungoides in remission after therapy with alefacept (Green et al). 2008;58:S110-2 (Case letter)
- Polyarteritis nodosa**
Perinuclear antineutrophilic cytoplasmic antibody-positive polyarteritis nodosa secondary to minocycline treatment for acne vulgaris (Gait et al). 2008;58:S123-4 (Case letter)
- Polymorphic eruption of pregnancy**
A case-control study of polymorphic eruption of pregnancy (Regnier et al). 2008;58:63-7 (Report)
- Porokeratosis**
Segmental porokeratosis after radiation therapy for follicular lymphoma (James et al). 2008;58:S49-50 (Case letter)
Simultaneous development and parallel course of disseminated superficial porokeratosis and ovarian cancer: coincidental association or true paraneoplastic syndrome? (Cannavò et al). 2008;58:657-60 (Case rep.)
- Port wine stains**
Laser treatment of pediatric vascular lesions: port wine stains and hemangiomas (Stier et al). 2008;58:261-85 (Derm. surgery)
- Potassium bromide**
Single-plaque vegetating bromoderma (Maffei et al). 2008;58:682-4 (Case rep.)
- Poxviridae Infections**
Orf-induced immunobullous disease: a distinct autoimmune blistering disorder (White et al). 2008;58:49-55 (Report)
- Pralatrexate**
CD4⁺ CD56⁺ hematodermic/plasmacytoid dendritic cell tumor with response to pralatrexate (Leitenberger et al). 2008;58:480-4 (Case rep.)
- Pregabalin**
Pregabalin in the treatment of chronic pruritus (Ehrchen and Ständer). 2008;58:S36-7 (Case letter)
- Pregnancy**
An impact of hormones on nevi and melanoma (Lens and Rosdahl) (Letter) (Driscoll and Grant-Kels) (Reply). 2008;58:1083-5 (Notes & comments)
A case-control study of polymorphic eruption of pregnancy (Regnier et al). 2008;58:63-7 (Report)
Pregnancy outcome in patients with pityriasis rosea (Drago et al). 2008;58:S78-83 (Case rep.)

Prenatal diagnosis

DNA-based prenatal exclusion of harlequin ichthyosis (Yanagi et al). 2008;58:653-6 (Case rep.)

Progesterone

Autoimmune progesterone dermatitis associated with infertility treatment (Jenkins et al). 2008;58:353-5 (Case letter)

Proteus mirabilis

Henoch-Schönlein purpura associated with *Proteus mirabilis* urinary tract infection (Rafailidis et al). 2008;58:S98-9 (Case letter)

Proteus syndrome

Isolated plantar collagenoma not associated with Proteus syndrome (Nelson and Ruben). 2008;58:497-9 (Case rep.)

Pruritus

Intense pruritus and failure to thrive in Alagille syndrome (Schwartz et al). 2008;58:S9-11 (Case rep.)

Pregabalin in the treatment of chronic pruritus (Ehrchen and Ständer). 2008;58:S36-7 (Case letter)

Pseudoxanthoma elasticum

Dystrophic calcinosis cutis in pseudoxanthoma elasticum (Federico et al). 2008;58:707-10 (Case rep.)

Psoriasis

Adalimumab therapy for moderate to severe psoriasis: a randomized, controlled phase III trial (Menter et al). 2008;58:106-15 (Report)

Alefacept revisited: our 3-year clinical experience in 200 patients with chronic plaque psoriasis (Perlmutter et al). 2008;58:116-24 (Report)

An open-label study evaluating the efficacy and tolerability of alefacept for the treatment of scalp psoriasis (Krell et al). 2008;58:609-16 (Report)

Association between use of thiazolidinediones or other oral antidiabetics and psoriasis: a population based case-control study (Brauchli et al). 2008;58:421-9 (Report)

Baseline nail disease in patients with moderate to severe psoriasis and response to treatment with infliximab during 1 year (Rich et al). 2008;58:224-31 (Report)

Classification of facial psoriasis based on the distributions of facial lesions (Woo et al). 2008;58:959-63 (Report)

The convergence of psoriasis treatment cost-effectiveness over time: "real world" considerations in economic modeling (Goldberg). 2008;58:1073-5 (Commentary)

Cost-effectiveness of biologic treatments for psoriasis based on subjective and objective efficacy measures assessed over a 12-week treatment period (Nelson et al). 2008;58:125-35 (Report)

Delayed autoimmune hemolytic anemia in efalizumab-treated psoriasis (Kwan et al). 2008;58:1053-5 (Case rep.)

The effect of weight on the efficacy of biologic therapy in patients with psoriasis (Clark and Lebwohl). 2008;58:443-6 (Review)

Guidelines of care for the management of psoriasis and psoriatic arthritis: Section 1. Overview of psoriasis and guidelines of care for the treatment of psoriasis with biologics (Menter et al). 2008;58:826-50 (From the Academy)

Interleukin-12, interleukin-23, and psoriasis: ABT-874 in clinical trials (Wu) (Letter) (Feldman) (Reply). 2008;58:1083 (Notes & comments)

From the Medical Board of the National Psoriasis Foundation: monitoring and vaccinations in patients treated with biologics for psoriasis (Lebwohl et al). 2008;58:94-105 (Report)

National Psoriasis Foundation clinical consensus on psoriasis comorbidities and recommendations for screening (Kimball et al). 2008;58:1031-42 (Review)

Oral curcumin in the treatment of moderate to severe psoriasis vulgaris: a prospective clinical trial (Kurd et al). 2008;58:625-31. Correction 2008;58:1050 (Report)

Psoriasis: the heart of the matter (Heymann et al). 2008;58:477-8 (Dialogues in dermatology)

Psoriasis treatment patterns: results of a cross-sectional survey of dermatologists (Patel et al). 2008;58:964-9 (Report)

Sympathetic nervous system dysfunction: a common pathway linking skin and heart morbidity? (Mastrolonardo). 2008;58:352 (Notes & comments)

To test or not to test? An evidence-based assessment of the value of screening and monitoring tests when using systemic biologic agents to treat psoriasis (Huang et al). 2008;58:970-7 (Report)

Videodermoscopy of the hyponychium in nail bed psoriasis (Iorizzo et al). 2008;58:714-5 (Research letter)

Vitiligo after the resolution of psoriatic plaques during treatment with adalimumab (Smith and Heffernan). 2008;58:S50-2 (Case letter)

Psoriatic arthritis

Guidelines of care for the management of psoriasis and psoriatic arthritis: Section 2. Psoriatic arthritis: overview and guidelines of care for treatment with an emphasis on the biologics (Gottlieb et al). 2008;58:851-64 (From the Academy)

National Psoriasis Foundation clinical consensus on psoriasis comorbidities and recommendations for screening (Kimball et al). 2008;58:1031-42 (Review)

Pterygium inversum unguis

Pterygium inversum unguis secondary to acrylate allergy (Paley et al). 2008;58:S53-4 (Case letter)

Pustulosis acuta generalisata

Pustulosis acuta generalisata with joint involvement in a HLA-A2- and HLA-B35-positive patient (Eren et al). 2008;58:1056-8 (Case rep.)

Pyoderma gangrenosum

Infantile pyoderma gangrenosum (Mc Aleer et al). 2008;58:S23-8 (Case rep.)

Q

Questionnaires

The prevalence of acne in adults 20 years and older (Collier et al). 2008;58:56-9. Correction 2008;58:874 (Report)

R

RAB27A mutation

A further Turkish case of Griscelli syndrome with new RAB27A mutation (Onay et al). 2008;58:S115-6 (Case letter)

Racial differences

African American and Caucasian patients' vehicle preference for the scalp (Fisher and Adams). 2008;58:S46-7 (Case letter)

Radiocontrast agents

Sweet's syndrome-like neutrophilic dermatosis resulting from exposure to a radiocontrast agent (Alper et al). 2008;58:488-9 (Case rep.)

Radiotherapy

Segmental porokeratosis after radiation therapy for follicular lymphoma (James et al). 2008;58:S49-50 (Case letter)

Sparing of previously irradiated skin from erlotinib-induced acneiform rash (Yalcin et al). 2008;58:178-9 (Case letter)

Reflex sympathetic dystrophy

Unilateral trachyonychia in a patient with reflex sympathetic dystrophy (Pucevich et al). 2008;58:320-2 (Case rep.)

Renal transplantation

Giant and recurrent orf virus infection in a renal transplant recipient treated with imiquimod (Ara et al). 2008;58:S39-40 (Case letter)

Reports

Reports. 2008;58:25-141, 211-37, 375-429, 575-635, 741-809, S129-66, 931-1012

Research letters

Lichen planopilaris: annual incidence in four hair referral centers in the United States (Ochoa et al). 2008;58:352-3

The need for leadership: how can we better train the next generation of dermatologists? (Wood et al). 2008;58:715-7

Potency of the botulinum toxin product CNBTX-A significantly exceeds labeled units in standard potency test (Hunt and Clarke). 2008;58:517-8

Videodermoscopy of the hyponychium in nail bed psoriasis (Iorizzo et al). 2008;58:714-5

Retinopathy

Diabetic dermopathy: a subtle sign with grave implications (Morgan and Schwartz). 2008;58:447-51 (Review)

Retrorychia

Retrorychia: proximal ingrowing of the nail plate (de Berker et al). 2008;58:978-83 (Report)

Retrorychia: report of two cases (Dahdah et al). 2008;58:1051-3 (Case rep.)

Retrospective studies

A case-control study of polymorphic eruption of pregnancy (Regnier et al). 2008;58:63-7 (Report)

Classification of facial psoriasis based on the distributions of facial lesions (Woo et al). 2008;58:959-63 (Report)

Comparison of histopathologic-clinical characteristics of Jessner's lymphocytic infiltration of the skin and lupus erythematosus tumidus: multicenter study of 46 cases (Rémy-Leroux et al). 2008;58:217-23 (Report)

Staged excision for lentigo maligna and lentigo maligna melanoma: a retrospective analysis of 117 cases (Hazan et al). 2008;58:142-8 (Derm. surgery)

Validity of self-reported nail counts in patients with onychomycosis: a retrospective pilot analysis (Cham et al). 2008;58:136-41 (Report)

Reviews

Reviews. 2008;58:443-71, 865-71, 1031-46

Rhabdomyosarcoma

Metastatic rhabdomyosarcoma of the skin (Shimizu et al). 2008;58:S118-20 (Case letter)

Rheumatoid arthritis

Disseminated *Cryptococcus neoformans* after treatment with infliximab for rheumatoid arthritis (Kozic et al). 2008;58:S95-6 (Case letter)

Unusual flexural drug reaction with epidermal pustules associated with adalimumab treatment (Kristjansson et al). 2008;58:S108-9 (Case letter)

Rituximab

Discordant response to rituximab in a systemic sclerosis patient with associated myositis (Fabri et al). 2008;58:S127-8 (Case letter)

S**Salivary glands**

Heterotopic salivary gland tissue in the neck (Haemel et al). 2008;58:251-6 (Dermatopathology)

Sarcoidosis

Cutaneous sarcoidosis and primary biliary cirrhosis: a chance association of related diseases? (Kishor et al). 2008;58:326-35 (Case rep.)

Scalp

African American and Caucasian patients' vehicle preference for the scalp (Fisher and Adams). 2008;58:S46-7 (Case letter)

An open-label study evaluating the efficacy and tolerability of alefacept for the treatment of scalp psoriasis (Krell et al). 2008;58:609-16 (Report)

Primary cutaneous adenoid cystic carcinoma (Naylor et al). 2008;58:636-41 (Dermatopathology)

Spontaneous involution of congenital melanocytic nevi of the scalp (Strauss and Bishop). 2008;58:508-11 (Case rep.)

SCALP syndrome

SCALP syndrome: sebaceous nevus syndrome, CNS malformations, aplasia cutis congenita, limbal dermoid, and pigmented nevus (giant congenital melanocytic nevus) with neurocutaneous melanosis: a distinct syndromic entity (Lam et al). 2008;58:884-8 (Case rep.)

Scleroderma

Sclerodermiform linear lupus erythematosus: a distinct entity or coexistence of two autoimmune diseases? (Julià et al). 2008;58:665-7 (Case rep.)

Sclerosis

Discordant response to rituximab in a systemic sclerosis patient with associated myositis (Fabri et al). 2008;58:S127-8 (Case letter)

Palisaded neutrophilic and granulomatous dermatitis associated with limited systemic sclerosis (Hantash et al). 2008;58:661-4 (Case rep.)

Scratching

Disease severity, scratching, and sleep quality in patients with atopic dermatitis (Bender et al). 2008;58:415-20 (Report)

Sebaceous nevus syndrome

SCALP syndrome: sebaceous nevus syndrome, CNS malformations, aplasia cutis congenita, limbal dermoid, and pigmented nevus (giant congenital melanocytic nevus) with neurocutaneous melanosis: a distinct syndromic entity (Lam et al). 2008;58:884-8 (Case rep.)

Seborrheic keratosis

Melanoma mimicking seborrheic keratosis: an error of perception precluding correct dermoscopic diagnosis (Braga et al). 2008;58:875-80 (Case rep.)

Self-assessment

Self-assessment. 2008;58:180-4, 537-43, 899-905

Serratia marcescens

Acute dermal abscesses caused by *Serratia marcescens* (Soria et al). 2008;58:891-3 (Case rep.)

Recurrent *Serratia marcescens* cutaneous infection manifesting as painful nodules and ulcers (João et al). 2008;58:S55-7 (Case letter)

Severe facial infection caused by *Serratia marcescens* in an immunocompetent soldier (Rallis et al). 2008;58:S109-10 (Case letter)

Sézary syndrome

Total skin electron beam therapy may be associated with improvement of peripheral blood disease in Sézary syndrome (Introcaso et al). 2008;58:592-5 (Report)

Skin diseases

Localized nephrogenic fibrosing dermopathy: aberrant dermal repairing? (Deng et al). 2008;58:336-9. Correction 2008;58:874 (Case rep.)

Skin neoplasms

Abortive or minimal-growth hemangiomas: immunohistochemical evidence that they represent true infantile hemangiomas (Corella et al). 2008;58:685-90 (Case rep.)

Anetodermic pilomatricoma with perforation (Fender et al). 2008;58:535-6 (Case letter)

Benign alveolar ridge keratosis (oral lichen simplex chronicus): a distinct clinicopathologic entity (Natarajan and Woo). 2008;58:151-7 (Dermatopathology)

- A case of regressing central facial cutaneous angiosarcoma (Sluzevich et al). 2008;58:S113-5 (Case letter)
- Clinical characteristics of Merkel cell carcinoma at diagnosis in 195 patients: the AEIOU features (Heath et al). 2008;58:375-81 (Report)
- Cutaneous ultraviolet exposure and its relationship to the development of skin cancer (Rigel). 2008;58:S129-32 (Report)
- Fibroadenoma? (Ackerman). 2008;58:895 (Notes & comments)
- Is superficial spreading melanoma still the most common form of malignant melanoma? (Forman et al). 2008;58:1013-20 (Dermatopathology)
- Isolated plantar collagenoma not associated with Proteus syndrome (Nelson and Ruben). 2008;58:497-9 (Case rep.)
- Lateral views and subungual soft-tissue chondromas (Connolly et al). 2008;58:S58-9 (Case letter)
- Metastatic rhabdomyosarcoma of the skin (Shimizu et al). 2008;58:S118-20 (Case letter)
- Microsatellite stable genome in an epithelioid hemangioendothelioma: an example of a microsatellite stable tumor (Boyd et al). 2008;58:S19-21 (Case letter)
- Multilocular giant epidermal cysts (Ito et al). 2008;58:S120-2 (Case letter)
- Reactive eccrine syringofibroadenoma arising in peristomal skin: an unusual presentation of a rare lesion (Mattoch et al). 2008;58:691-6 (Case rep.)
- Synchronous verrucous carcinoma and cutaneous T-cell lymphoma (Parsons et al). 2008;58:S124-5 (Case letter)
- Types of melanoma? (Hurt). 2008;58:1059-60 (Commentary)
- Skin self-examination**
- Components of a successful intervention for monthly skin self-examination for early detection of melanoma: the "Check It Out" Trial (Lee et al). 2008;58:1006-12 (Report)
- Relationship and partner moderator variables increase self-efficacy of performing skin self-examination (Robinson et al). 2008;58:755-62 (Report)
- Skin transplantation**
- Recurrence of nevus depigmentosus after an autologous epidermal graft (Kim et al). 2008;58:S27-9 (Case letter)
- Sleep**
- Disease severity, scratching, and sleep quality in patients with atopic dermatitis (Bender et al). 2008;58:415-20 (Report)
- Smad**
- Nephrogenic systemic fibrosis is associated with transforming growth factor β and Smad without evidence of renin-angiotensin system involvement (Kelly et al). 2008;58:1025-30 (Dermatopathology)
- Spatial alignment software**
- Computer-assisted alignment and tracking of acne lesions indicate that most inflammatory lesions arise from comedones and de novo (Do et al). 2008;58:603-8 (Report)
- Spider bites**
- Is capturing the spider essential for the diagnosis of a spider bite? A clinical perspective (Davidovici and Halevy). 2008;58:349-50 (Commentary)
- Spironolactone**
- Efficacy and tolerance of acne treatment using both spironolactone and a combined contraceptive containing drospirenone (Krunic et al). 2008;58:60-2 (Report)
- Squamous cell carcinoma**
- Melanoma and squamous cell carcinoma on different nails of the same hand (Harwood et al). 2008;58:323-6 (Case rep.)
- Squamous cell carcinoma tumor thrombus encountered during Mohs micrographic surgery (Mendese et al). 2008;58:S18-9 (Case letter)

Standards

- Guidelines of care for the management of psoriasis and psoriatic arthritis: Section 1. Overview of psoriasis and guidelines of care for the treatment of psoriasis with biologics (Menter et al). 2008;58:826-50 (From the Academy)
- Guidelines of care for the management of psoriasis and psoriatic arthritis: Section 2. Psoriatic arthritis: overview and guidelines of care for treatment with an emphasis on the biologics (Gottlieb et al). 2008;58:851-64 (From the Academy)

Statins

- Dramatic reduction in lipoma associated with statin therapy (Self and Akins). 2008;58:S30-1 (Case letter)

Steal syndrome

- Bilateral dialysis-associated steal syndrome (Kravetz and Heald). 2008;58:888-91 (Case rep.)

Stem cell transplantation

- Cutaneous effects of thiotepa in pediatric patients receiving high-dose chemotherapy with autologous stem cell transplantation (Rosman et al). 2008;58:S75-8 (Report)
- Relationship among human herpesvirus 6 reactivation serum interleukin 10 levels, and rash/graft-versus-host disease after allogeneic stem cell transplantation. 2008;58:802-9 (Report)
- Stem cell transplantation in advanced cutaneous T-cell lymphoma (Introcaso et al). 2008;58:644-9 (Case & review)

Stevens-Johnson syndrome

- Allopurinol is the most common cause of Stevens-Johnson syndrome and toxic epidermal necrolysis in Europe and Israel (Halevy et al). 2008;58:25-32 (Report)
- Effects of treatments on the mortality of Stevens-Johnson syndrome and toxic epidermal necrolysis: a retrospective study on patients included in the prospective EuroSCAR Study (Schneek et al). 2008;58:33-40 (Report)

Still's disease

- Adult-onset Still's disease revealed by facial edema (Dauendorffer et al). 2008;58:S33-5 (Case letter)

Stomas, surgical

- Reactive eccrine syringofibroadenoma arising in peristomal skin: an unusual presentation of a rare lesion (Mattoch et al). 2008;58:691-6 (Case rep.)

Sunlight

- An organotypic model of skin to study photodamage and photoprotection in vitro (Bernerd and Asselineau). 2008;58:S155-9 (Report)
- Broad-spectrum sunscreens provide better protection from solar ultraviolet-simulated radiation and natural sunlight-induced immunosuppression in human beings (Moyal and Fourtanier). 2008;58:S149-54 (Report)
- Rationale for sunscreen development (Forestier). 2008;58:S133-8 (Report)
- Reply: a responsible approach to maintaining adequate serum vitamin D levels (Armas et al). 2008;58:S16 (Notes & comments)
- Skin DNA photodamage and its biological consequences (Marrot and Meunier). 2008;58:S139-48 (Report)
- Sun exposure and vitamin D level (Lim). 2008;58:S16-7 (Notes & comments)
- Vitamin D: the sun as an essential source (Cohn). 2008;58:177-8 (Notes & comments)

Sunscreens

- Adding over-the-counter dihydroxyacetone self-tanners to sunscreen regimens to increase ultraviolet A protection (Howe et al). 2008;58:894 (Notes & comments)
- An organotypic model of skin to study photodamage and photoprotection in vitro (Bernerd and Asselineau). 2008;58:S155-9 (Report)

- The benefit of daily photoprotection (Seité and Fourtanier). 2008; 58:S160-6 (Report)
- Broad-spectrum sunscreens provide better protection from solar ultraviolet—simulated radiation and natural sunlight—induced immunosuppression in human beings (Moyal and Fourtanier). 2008;58:S149-54 (Report)
- Rationale for sunscreen development (Forestier). 2008;58:S133-8 (Report)
- Repeated equally effective suberythemogenic exposures to ultraviolet (UVA)1 or narrowband UVB induce similar changes of the dermoscopic pattern of acquired melanocytic nevi that can be prevented by high-protection UVA-UVB sunscreens (Manganoni et al). 2008;58:763-8 (Report)
- Sweet's syndrome—like neutrophilic dermatosis**
- Sweet's syndrome—like neutrophilic dermatosis resulting from exposure to a radiocontrast agent (Alper et al). 2008;58:488-9 (Case rep.)
- Sympathetic nervous system**
- Sympathetic nervous system dysfunction: a common pathway linking skin and heart morbidity? (Mastrolonardo). 2008;58:352 (Notes & comments)
- Syringofibroadenoma**
- Reactive eccrine syringofibroadenoma arising in peristomal skin: an unusual presentation of a rare lesion (Mattoch et al). 2008;58: 691-6 (Case rep.)

T

Tacrolimus

- Intermittent therapy for flare prevention and long-term disease control in stabilized atopic dermatitis: a randomized comparison of 3-times-weekly applications of tacrolimus ointment versus vehicle (Breneman et al). 2008;58:990-9 (Report)
- Treatment of localized lichen myxedematosus of discrete type with tacrolimus ointment (Rongioletti et al). 2008;58:530-2 (Case letter)

Tanning

- Adding over-the-counter dihydroxyacetone self-tanners to sunscreen regimens to increase ultraviolet A protection (Howe et al). 2008;58:894 (Notes & comments)
- Prevalence and correlates of indoor tanning among US adults (Heckman et al). 2008;58:769-80 (Report)
- Television turning more teens toward tanning? (Poorsattar and Hornung). 2008;58:171-2 (Current issues & opinion)

Tattoos

- The use of blood-type tattoos during the Cold War (Wolf and Laumann). 2008;58:472-6 (History)

Television

- Television turning more teens toward tanning? (Poorsattar and Hornung). 2008;58:171-2 (Current issues & opinion)

Temperament

- Botulinum toxin and the facial feedback hypothesis: can looking better make you feel happier? (Alam et al). 2008;58:1061-72 (Commentary)

Texas

- Cutaneous leishmaniasis in Texas: a northern spread of endemic areas (Wright et al). 2008;58:650-2 (Case rep.)

Thiazolidinediones

- Association between use of thiazolidinediones or other oral antidiabetics and psoriasis: a population based case-control study (Brauchli et al). 2008;58:421-9 (Report)

Thiotepa

- Cutaneous effects of thiotepa in pediatric patients receiving high-dose chemotherapy with autologous stem cell transplantation (Rosman et al). 2008;58:575-8 (Report)

Thrombocytopenia

- Efalizumab-induced immune thrombocytopenia during retreatment (Fagnoli et al). 2008;58:S126-7 (Case letter)
- Familial alopecia areata and chronic thrombocytopenia (Ahmed et al). 2008;58:S75-7 (Case rep.)

Thrombosis

- Multiple antithrombotic agents increase the risk of postoperative hemorrhage in dermatologic surgery (Shimizu et al). 2008;58: 810-6 (Derm. surgery)

Tinea versicolor

- Tinea versicolor with etanercept therapy (Levy et al). 2008;58: S99-100 (Case letter)

T-lymphocytopenia, idiopathic CD4-positive

- Multiple flat warts associated with idiopathic CD4-positive T lymphocytopenia (Fischer et al). 2008;58:S37-8 (Case letter)

Topical drug administration

- Imiquimod 5% cream for treatment of HIV-negative Kaposi's sarcoma skin lesions: a phase I to II, open-label trial in 17 patients (Schartz et al). 2008;58:585-91 (Report)

Total cutaneous examination

- Biopsy rates in patients with and without total body photography (Marghoob and Halpern). 2008;58:894-5 (Notes & comments)

Total skin electron beam therapy

- Total skin electron beam therapy may be associated with improvement of peripheral blood disease in Sézary syndrome (Introcaso et al). 2008;58:592-5 (Report)

Toxic epidermal necrolysis

- Allopurinol is the most common cause of Stevens-Johnson syndrome and toxic epidermal necrolysis in Europe and Israel (Halevy et al). 2008;58:25-32 (Report)
- Effects of treatments on the mortality of Stevens-Johnson syndrome and toxic epidermal necrolysis: a retrospective study on patients included in the prospective EuroSCAR Study (Schneck et al). 2008;58:33-40 (Report)

Trachyonychia

- Unilateral trachyonychia in a patient with reflex sympathetic dystrophy (Pucevich et al). 2008;58:320-2 (Case rep.)

Transforming growth factor- β

- Nephrogenic systemic fibrosis is associated with transforming growth factor β and Smad without evidence of renin-angiotensin system involvement (Kelly et al). 2008;58:1025-30 (Dermatopathology)

- Transforming growth factor- β overexpression in cutaneous extramedullary hematopoiesis of a patient with myelodysplastic syndrome associated with myelofibrosis (Kawakami et al). 2008; 58:703-6 (Case rep.)

Transplantation, stem cell

- Cutaneous Hodgkin's disease (Introcaso et al). 2008;58:295-8 (Case & review)

Transposition island pedicle flap

- Transposition island pedicle flaps in the reconstruction of nasal and perinasal defects (Campbell and Ramsey). 2008;58:434-6 (Derm. surgery)

Trauma

- Nail degloving: a polyetiologic condition with 3 main patterns: a new syndrome (Baran and Perrin). 2008;58:232-7 (Report)
- Trauma and erosion in circumscribed hypokeratosis (Resnik and DiLeonardo). 2008;58:174 (Notes & comments)

Travel

- The exanthem of dengue fever: clinical features of two US tourists traveling abroad (Pincus et al). 2008;58:308-16

Triamcinolone acetonide

- Betamethasone oral mini-pulse therapy compared with topical triamcinolone acetonide (0.1%) paste in oral lichen planus: a

randomized comparative study (Malhotra et al). 2008;58:596-602 (Report)

Trichomycosis axillaris

A corynebacterial triad: prevalence of erythrasma and trichomycosis axillaris in soldiers with pitted keratolysis (Rho and Kim). 2008;58:S57-8 (Case letter)

U

Ulcers

Recurrent *Serratia marcescens* cutaneous infection manifesting as painful nodules and ulcers (João et al). 2008;58:S55-7 (Case letter)

Ulcerations caused by livedoid vasculopathy associated with a prothrombotic state: response to warfarin (Davis and Wysokinski). 2008;58:512-5 (Case rep.)

Ultraviolet radiation

Adding over-the-counter dihydroxyacetone self-tanners to sunscreen regimens to increase ultraviolet A protection (Howe et al). 2008;58:894 (Notes & comments)

An organotypic model of skin to study photodamage and photoprotection in vitro (Bernerd and Asselineau). 2008;58:S155-9 (Report)

Broad-spectrum sunscreens provide better protection from solar ultraviolet—simulated radiation and natural sunlight—induced immunosuppression in human beings (Moyal and Fourtanier). 2008;58:S149-54 (Report)

Cutaneous ultraviolet exposure and its relationship to the development of skin cancer (Rigel). 2008;58:S129-32 (Report)

Human papillomavirus infection and ultraviolet light exposure as epidermoid inclusion cyst risk factors in a patient with epidermodysplasia verruciformis? (Ramagosa et al). 2008;58:S68-71 (Case rep.). 2008;58:S68e.1-6 (Case rep.)

Rationale for sunscreen development (Forestier). 2008;58:S133-8 (Report)

Repeated equally effective suberythemogenic exposures to ultraviolet (UV)A1 or narrowband UVB induce similar changes of the dermoscopic pattern of acquired melanocytic nevi that can be prevented by high-protection UVA-UVB sunscreens (Manganoni et al). 2008;58:763-8 (Report)

Skin DNA photodamage and its biological consequences (Marrot and Meunier). 2008;58:S139-48 (Report)

Uveitis

Interstitial granulomatous dermatitis in a child with chronic uveitis (Warycha et al). 2008;58:S100-2 (Case letter)

V

Vaccinations

From the Medical Board of the National Psoriasis Foundation: monitoring and vaccinations in patients treated with biologics for psoriasis (Lebwohl et al). 2008;58:94-105 (Report)

Vaccines

The herpes zoster vaccine (Heymann et al). 2008;58:872-3 (Dialogues in dermatology)

The human papillomavirus vaccine (Heymann et al). 2008;58:1047-8 (Dialogues in dermatology)

New viral vaccines for dermatologic disease (Urman and Gottlieb). 2008;58:361-70 (CME article)

Valproate

Valproate-induced change in hair color (Gerstner et al). 2008;58:S63-4 (Case letter)

Vasculitis

Abdominal diffuse large B-cell lymphoma presenting in association with cutaneous granulomatous vasculitis (Kwan et al). 2008;58:S93-5 (Case letter)

Vasculopathy

Cannabis arteritis (Noël et al). 2008;58:S65-7 (Case rep.)

Ulcerations caused by livedoid vasculopathy associated with a prothrombotic state: response to warfarin (Davis and Wysokinski). 2008;58:512-5 (Case rep.)

Verrucous carcinoma

Synchronous verrucous carcinoma and cutaneous T-cell lymphoma (Parsons et al). 2008;58:S124-5 (Case letter)

Videodermoscopy

Videodermoscopy of the hyponychium in nail bed psoriasis (Iorizzo et al). 2008;58:714-5 (Research letter)

Vitamin D

Reply: a responsible approach to maintaining adequate serum vitamin D levels (Arnaas et al). 2008;58:516 (Notes & comments)

Sun exposure and vitamin D level (Lim). 2008;58:516-7 (Notes & comments)

Vitamin D: the sun as an essential source (Cohn). 2008;58:177-8 (Notes & comments)

Vitiligo

Vitiligo after the resolution of psoriatic plaques during treatment with adalimumab (Smith and Heffernan). 2008;58:S50-2 (Case letter)

Voriconazole

Voriconazole-induced blistering in the setting of graft versus host disease: a report of 2 patients (Conlon et al). 2008;58:484-7 (Case rep.)

Vorinostat

Complete clinical remission of tumor-stage mycosis fungoides after acute extensive skin necrosis, granulomatous reaction, and fever under treatment hexarotene, vorinostat, and high-dose fenofibrate (Steinhoff et al). 2008;58:S88-91 (Case rep.)

Vulva

Aggressive angiomyxoma of the vulva (Fujita et al). 2008;58:S40-1 (Case letter)

W

Warfarin

Ulcerations caused by livedoid vasculopathy associated with a prothrombotic state: response to warfarin (Davis and Wysokinski). 2008;58:512-5 (Case rep.)

Warts

Multiple flat warts associated with idiopathic CD4-positive T lymphocytopenia (Fischer et al). 2008;58:S37-8 (Case letter)

Women

Acne and oral contraceptives: update on women's health screening guidelines (Frangos et al). 2008;58:781-6 (Report)

A comparison of disease severity among affected male versus female patients with PHACE syndrome (Metry et al). 2008;58:81-7 (Report)

Wound healing

Treating the chronic wound: a practical approach to the care of nonhealing wounds and wound care dressings (Fonder et al). 2008;58:185-206 (CME article)

X

Xanthoderma

Iatrogenic xanthoderma (Bruckner). 2008;58:895-6 (Notes & comments)

Xanthogranulomatosis, disseminated juvenile

Disseminated juvenile xanthogranulomatosis in a newborn resulting in liver transplantation (Haughton et al). 2008;58:S12-5 (Case rep.)

Xanthoma disseminatum

Inflammation and lipid accumulation in xanthoma disseminatum: therapeutic considerations (Eisendle et al). 2008;58:S47-9 (Case letter)